

Ambassador
MARINE

FORMERLY BRANDED AS
SHURflo

...products built for the elements.™

**MARINE GRADE
FAUCETS & SINKS**

Faucets • Showers • Sprayers • Accessories
Stainless Steel & Vessel Sinks • Drains

'22

CONVENIENCE COMFORT & QUALITY

MARINE GRADE



This is what your boating experience is all about. Ambassador Marine products offer the Convenience and Comfort you're accustomed to at home, with the added Quality necessary to withstand the harsh marine environment.

Designed specifically for the marine customer, Ambassador Marine faucets, showers, sprayers and accessories carry added features such as stainless steel hardware, extended nickel-plating and state-of-the-art chroming process, ensuring long lasting quality and satisfaction.

Ambassador Marine stainless steel & vessel sinks and drains incorporate design elements with the discerning boater in mind. Simple touches like our exclusive **SoundKOTE® Noise Reduction Technology**, versatile installation options, heavy gauge 304 stainless steel, tempered glass, real porcelain and coordinated marine-application specific drains will deliver on the "at home" feeling.

Offering an array of designs, styles and finishes, Ambassador Marine can satisfy all your faucet and sink needs from the transom shower to the galley. Ambassador Marine products are truly **...products built for the elements.™**



ambassadormarine.com



INFORMATION

- Products
- Where To Buy
- Gerber Partnership
- Literature & Downloads
- Events, News & Links
- Our Story
- Contact

PRODUCT DETAILS

- Available Finishes
- Stock Status
- Spec Drawings
- Installation Hole Size(s)
- Plumbing Connection(s)
- Drain Hole Size
- Sink Flange Style
- Installation Instructions
- Parts Lists
- Warranty
- Related Products
- Certifications & Compliances
- Packaging Style
- Additional Images

A BREATH OF INSPIRATION

Working within a space, and elevating it.
Blending high style with pure performance.
Delivering innovative, bold, beautiful solutions.
Always in tune with the surroundings.
A touch of grace. A modern line.
Meticulously engineered. Thoughtfully designed.
This is Gerber.

Ambassador
MARINE

is proud to be the exclusive marketing partner
to the marine industry of the complete line of

GERBER


Est. 1932

formerly branded as **danze**
faucets, showerheads, sinks, toilets,
accessories and more...



Contact your Ambassador Marine
sales representative for details and
exclusive Marine Industry trade pricing


DANZE BY GERBER
D222536

MARINE
GRADE

AIDACK™ / SMALL SPRAYER SERIES

OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
136-1700-AW	--	Arctic White	Arctic White	6' (1.8m)	White Rubber
136-1707-AW	--	Arctic White	Arctic White	10' (3m)	White Rubber
136-1708-AW	--	Arctic White	Arctic White	6' (1.8m)	Stainless Steel
136-1700-WH	--	Warm White	Warm White	6' (1.8m)	White Rubber
136-1707-WH	--	Warm White	Warm White	10' (3m)	White Rubber
136-1708-WH	--	Warm White	Warm White	6' (1.8m)	Stainless Steel
136-1700-CP	--	Chrome	Chrome	6' (1.8m)	Black Rubber
136-1700-CW	--	Chrome	Chrome	6' (1.8m)	White Rubber
136-1707-CW	--	Chrome	Chrome	10' (3m)	White Rubber
136-1708-CP	--	Chrome	Chrome	6' (1.8m)	Stainless Steel
136-1700-KP	--	Black	Black	6' (1.8m)	Black Rubber
136-1708-KP	--	Black	Black	6' (1.8m)	Stainless Steel


sold separately (see page 33)



AIDACK™ / HAMMER-HEAD SPRAYER SERIES

OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
136-1712-AW	--	Arctic White	Arctic White & Chrome	6' (1.8m)	White Rubber
136-1714-AW	--	Arctic White	Arctic White & Chrome	10' (3m)	White Rubber
136-1716-AW	--	Arctic White	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-1712-WH	--	Warm White	Warm White & Chrome	6' (1.8m)	White Rubber
136-1714-WH	--	Warm White	Warm White & Chrome	10' (3m)	White Rubber
136-1716-WH	--	Warm White	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-1712-CA	--	Chrome	Arctic White & Chrome	6' (1.8m)	White Rubber
136-1714-CA	--	Chrome	Arctic White & Chrome	10' (3m)	White Rubber
136-1716-CA	--	Chrome	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-1712-CW	--	Chrome	Warm White & Chrome	6' (1.8m)	White Rubber
136-1714-CW	--	Chrome	Warm White & Chrome	10' (3m)	White Rubber
136-1716-CW	--	Chrome	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-1712-CP	--	Chrome	Black & Chrome	6' (1.8m)	Black Rubber
136-1716-CP	--	Chrome	Black & Chrome	6' (1.8m)	Stainless Steel
136-1712-KP	--	Black	Black & Chrome	6' (1.8m)	Black Rubber
136-1716-KP	--	Black	Black & Chrome	6' (1.8m)	Stainless Steel


OEM # – Not Labeled Or Packaged For Resale **Aftermarket # – Labeled And Packaged For Resale** **NOTE:** Dimension Drawings $\pm 1/8"$ (for reference only – may not be to scale)

MARINE
GRADEMARINE
GRADE

TRINIDAD™ / SMALL SPRAYER SERIES

OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
136-0200-AW	--	Arctic White	Arctic White	6' (1.8m)	White Rubber
136-0207-AW	--	Arctic White	Arctic White	10' (3m)	White Rubber
136-0208-AW	--	Arctic White	Arctic White	6' (1.8m)	Stainless Steel
136-0200-WH	--	Warm White	Warm White	6' (1.8m)	White Rubber
136-0207-WH	--	Warm White	Warm White	10' (3m)	White Rubber
136-0208-WH	--	Warm White	Warm White	6' (1.8m)	Stainless Steel
136-0200-CP	--	Chrome	Chrome	6' (1.8m)	Black Rubber
136-0200-CW	--	Chrome	Chrome	6' (1.8m)	White Rubber
136-0207-CW	--	Chrome	Chrome	10' (3m)	White Rubber
136-0208-CP	--	Chrome	Chrome	6' (1.8m)	Stainless Steel
136-0200-KP	--	Black	Black	6' (1.8m)	Black Rubber
136-0208-KP	--	Black	Black	6' (1.8m)	Stainless Steel

sold separately (see page 33)

**TRINIDAD™ / HAMMER-HEAD SPRAYER** SERIES

OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
136-0212-AW	--	Arctic White	Arctic White & Chrome	6' (1.8m)	White Rubber
136-0214-AW	--	Arctic White	Arctic White & Chrome	10' (3m)	White Rubber
136-0216-AW	--	Arctic White	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-0212-WH	--	Warm White	Warm White & Chrome	6' (1.8m)	White Rubber
136-0214-WH	--	Warm White	Warm White & Chrome	10' (3m)	White Rubber
136-0216-WH	--	Warm White	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-0212-CA	--	Chrome	Arctic White & Chrome	6' (1.8m)	White Rubber
136-0214-CA	--	Chrome	Arctic White & Chrome	10' (3m)	White Rubber
136-0216-CA	--	Chrome	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-0212-CW	--	Chrome	Warm White & Chrome	6' (1.8m)	White Rubber
136-0214-CW	--	Chrome	Warm White & Chrome	10' (3m)	White Rubber
136-0216-CW	--	Chrome	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-0212-CP	--	Chrome	Black & Chrome	6' (1.8m)	Black Rubber
136-0216-CP	--	Chrome	Black & Chrome	6' (1.8m)	Stainless Steel
136-0212-KP	--	Black	Black & Chrome	6' (1.8m)	Black Rubber
136-0216-KP	--	Black	Black & Chrome	6' (1.8m)	Stainless Steel

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale **NOTE:** Dimension Drawings $\pm 1/8"$ (for reference only – may not be to scale)

RECESSED SHOWERS

MARINE
GRADE



Recessed Shower
Stainless Steel Lid

- Solid cast 316 stainless steel lid with UV protected heavy duty ABS plastic cup
- Heavy duty, UV protected, ABS plastic sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Wall-mount (with lid opening up or down) or deck-mount
- Heavy duty pull-out hose
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
136-0040-AW	136-0040-AW-R	Arctic White & Stainless Steel	Arctic White	6' (1.8m)	White Rubber
136-0047-AW	136-0047-AW-R	Arctic White & Stainless Steel	Arctic White	10' (3m)	White Rubber
136-0048-AW	136-0048-AW-R	Arctic White & Stainless Steel	Arctic White	6' (1.8m)	Stainless Steel
136-0040-WH	136-0040-WH-R	Warm White & Stainless Steel	Warm White	6' (1.8m)	White Rubber
136-0047-WH	136-0047-WH-R	Warm White & Stainless Steel	Warm White	10' (3m)	White Rubber
136-0048-WH	136-0048-WH-R	Warm White & Stainless Steel	Warm White	6' (1.8m)	Stainless Steel
136-0040-CP	136-0040-CP-R	Chrome & Stainless Steel	Chrome	6' (1.8m)	Black Rubber
136-0040-CW	137-0040-CW	Chrome & Stainless Steel	Chrome	6' (1.8m)	White Rubber
136-0047-CW	136-0047-CW-R	Chrome & Stainless Steel	Chrome	10' (3m)	White Rubber
136-0048-CP	136-0048-CP-R	Chrome & Stainless Steel	Chrome	6' (1.8m)	Stainless Steel
136-0040-KP	136-0040-KP-R	Black & Stainless Steel	Black	6' (1.8m)	Black Rubber
136-0048-KP	136-0048-KP-R	Black & Stainless Steel	Black	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 33)



Recessed Shower
Stainless Steel Lid

- Solid cast 316 stainless steel lid with UV protected heavy duty ABS plastic cup
- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Wall-mount (with lid opening up or down) or deck-mount
- Heavy duty pull-out hose
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
136-0042-AW	136-0042-AW-R	Arctic White & Stainless Steel	Arctic White & Chrome	6' (1.8m)	White Rubber
136-0044-AW	136-0044-AW-R	Arctic White & Stainless Steel	Arctic White & Chrome	10' (3m)	White Rubber
136-0043-AW	136-0043-AW-R	Arctic White & Stainless Steel	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-0042-WH	136-0042-WH-R	Warm White & Stainless Steel	Warm White & Chrome	6' (1.8m)	White Rubber
136-0044-WH	136-0044-WH-R	Warm White & Stainless Steel	Warm White & Chrome	10' (3m)	White Rubber
136-0043-WH	136-0043-WH-R	Warm White & Stainless Steel	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-0042-CA	136-0042-CA-R	Chrome & Stainless Steel	Arctic White & Chrome	6' (1.8m)	White Rubber
136-0044-CA	136-0044-CA-R	Chrome & Stainless Steel	Arctic White & Chrome	10' (3m)	White Rubber
136-0043-CA	136-0043-CA-R	Chrome & Stainless Steel	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-0042-CW	136-0042-CW-R	Chrome & Stainless Steel	Warm White & Chrome	6' (1.8m)	White Rubber
136-0044-CW	136-0044-CW-R	Chrome & Stainless Steel	Warm White & Chrome	10' (3m)	White Rubber
136-0043-CW	136-0043-CW-R	Chrome & Stainless Steel	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-0042-CP	136-0042-CP-R	Chrome & Stainless Steel	Black & Chrome	6' (1.8m)	Black Rubber
136-0043-CP	136-0043-CP-R	Chrome & Stainless Steel	Black & Chrome	6' (1.8m)	Stainless Steel
136-0042-KP	136-0042-KP-R	Black & Stainless Steel	Black & Chrome	6' (1.8m)	Black Rubber
136-0043-KP	136-0043-KP-R	Black & Stainless Steel	Black & Chrome	6' (1.8m)	Stainless Steel

OEM # – Not Labeled Or Packaged For Resale

Aftermarket # – Labeled And Packaged For Resale

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

MARINE
GRADE

RECESSED SHOWERS



Recessed Shower
Plastic Lid

- UV protected heavy duty ABS plastic lid and cup
- Heavy duty, UV protected, ABS plastic sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Wall-mount (with lid opening up or down) or deck-mount
- Heavy duty pull-out hose
- Stainless steel mounting screws
- Single hole mount, 3" ,
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
136-0000-AW	136-0000-AW-R	Arctic White	Arctic White	6' (1.8m)	White Rubber
136-0007-AW	136-0007-AW-R	Arctic White	Arctic White	10' (3m)	White Rubber
136-0008-AW	136-0008-AW-R	Arctic White	Arctic White	6' (1.8m)	Stainless Steel
136-0000-WH	137-0000-WH	Warm White	Warm White	6' (1.8m)	White Rubber
136-0007-WH	136-0007-WH-R	Warm White	Warm White	10' (3m)	White Rubber
136-0008-WH	136-0008-WH-R	Warm White	Warm White	6' (1.8m)	Stainless Steel
136-0000-CP	136-0000-CP-R	Chrome	Chrome	6' (1.8m)	Black Rubber
136-0000-CW	136-0000-CW-R	Chrome	Chrome	6' (1.8m)	White Rubber
136-0007-CW	136-0007-CW-R	Chrome	Chrome	10' (3m)	White Rubber
136-0008-CP	136-0008-CP-R	Chrome	Chrome	6' (1.8m)	Stainless Steel
136-0000-KP	136-0000-KP-R	Black	Black	6' (1.8m)	Black Rubber
136-0008-KP	136-0008-KP-R	Black	Black	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 33)



Recessed Shower
Plastic Lid

- UV protected heavy duty ABS plastic lid and cup
- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Wall-mount (with lid opening up or down) or deck-mount
- Heavy duty pull-out hose
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
136-0012-AW	136-0012-AW-R	Arctic White	Arctic White & Chrome	6' (1.8m)	White Rubber
136-0014-AW	136-0014-AW-R	Arctic White	Arctic White & Chrome	10' (3m)	White Rubber
136-0016-AW	136-0016-AW-R	Arctic White	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-0012-WH	136-0012-WH-R	Warm White	Warm White & Chrome	6' (1.8m)	White Rubber
136-0014-WH	136-0014-WH-R	Warm White	Warm White & Chrome	10' (3m)	White Rubber
136-0016-WH	136-0016-WH-R	Warm White	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-0012-CA	136-0012-CA-R	Chrome	Arctic White & Chrome	6' (1.8m)	White Rubber
136-0014-CA	136-0014-CA-R	Chrome	Arctic White & Chrome	10' (3m)	White Rubber
136-0016-CA	136-0016-CA-R	Chrome	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-0012-CW	136-0012-CW-R	Chrome	Warm White & Chrome	6' (1.8m)	White Rubber
136-0014-CW	136-0014-CW-R	Chrome	Warm White & Chrome	10' (3m)	White Rubber
136-0016-CW	136-0016-CW-R	Chrome	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-0012-CP	136-0012-CP-R	Chrome	Black & Chrome	6' (1.8m)	Black Rubber
136-0016-CP	136-0016-CP-R	Chrome	Black & Chrome	6' (1.8m)	Stainless Steel
136-0012-KP	136-0012-KP-R	Black	Black & Chrome	6' (1.8m)	Black Rubber
136-0016-KP	136-0016-KP-R	Black	Black & Chrome	6' (1.8m)	Stainless Steel

OEM # – Not Labeled Or Packaged For Resale

Aftermarket # – Labeled And Packaged For Resale

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

RECESSED CONTROL VALVES

MARINE GRADE



Recessed Control Valve

Hot & Cold Mixer

- Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV protected heavy duty ABS plastic cup
- Integrated Aidack™ Control Valve / Mini Shower Mixer (Hot/Cold)
- Wall-mount (with lid opening up or down) or deck-mount
- All brass valve body with metal handle
- Ceramic disc valve
- Flexible stainless steel braided supply line hoses
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Cup & Lid	Lid Style	Control Valve Finish
136-1741-CA	--	Arctic White & Stainless Steel	316 Stainless Steel	Chrome
136-1741-CW	--	Warm White & Stainless Steel	316 Stainless Steel	Chrome
136-1741-CP	--	Chrome & Stainless Steel	316 Stainless Steel	Chrome
136-1741-CK	--	Black & Stainless Steel	316 Stainless Steel	Chrome
136-1711-CA	--	Arctic White	ABS Plastic	Chrome
136-1711-CW	--	Warm White	ABS Plastic	Chrome
136-1711-CP	--	Chrome	ABS Plastic	Chrome
136-1711-CK	--	Black	ABS Plastic	Chrome



Recessed Control Valve

Cold Only

- Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV protected heavy duty ABS plastic cup
- Integrated Trinidad™ Control Valve (Cold Only)
- Wall-mount (with lid opening up or down) or deck-mount
- All brass valve body with metal handle
- Ceramic disc valve
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Cup & Lid	Lid Style	Control Valve Finish
136-0249-CA	--	Arctic White & Stainless Steel	316 Stainless Steel	Chrome
136-0249-CW	--	Warm White & Stainless Steel	316 Stainless Steel	Chrome
136-0249-CP	--	Chrome & Stainless Steel	316 Stainless Steel	Chrome
136-0249-CK	--	Black & Stainless Steel	316 Stainless Steel	Chrome
136-0209-CA	--	Arctic White	ABS Plastic	Chrome
136-0209-CW	--	Warm White	ABS Plastic	Chrome
136-0209-CP	--	Chrome	ABS Plastic	Chrome
136-0209-CK	--	Black	ABS Plastic	Chrome

MARINE GRADE

TRANSOM & RECESSED ACCESSORIES



Transom Dual Cup & Lid Set

OEM #	Aftermarket #	Cup & Lid	Lid Style
136-0010-AW	--	Arctic White	ABS Plastic
136-0010-WH	--	Warm White	ABS Plastic
136-0010-CP	--	Chrome	ABS Plastic
136-0010-KP	--	Black	ABS Plastic


- UV protected heavy duty ABS plastic lid and cup
- Vertical wall-mount, horizontal wall-mount (with lid opening up or down) or deck-mount
- Stainless steel mounting screws
- Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)
- For use with Ambassador Marine Recessed Showers and Control Valves



Recessed Cup & Lid Set

OEM #	Aftermarket #	Cup & Lid	Lid Style
136-0015-AW	--	Arctic White & Stainless Steel	316 Stainless Steel
136-0015-WH	--	Warm White & Stainless Steel	316 Stainless Steel
136-0015-CP	--	Chrome & Stainless Steel	316 Stainless Steel
136-0015-KP	--	Black & Stainless Steel	316 Stainless Steel
136-0005-AW	--	Arctic White	ABS Plastic
136-0005-WH	--	Warm White	ABS Plastic
136-0005-CP	--	Chrome	ABS Plastic
136-0005-KP	--	Black	ABS Plastic

- Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV protected heavy duty ABS plastic cup
- Wall-mount (with lid opening up or down) or deck-mount
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- For use with Ambassador Marine Recessed Showers and Control Valves



Mesh Bag

- Breathable nylon mesh
- 4x fastening push-in plastic rivets
- Easy installation
- Side or bottom supply access with plastic tie to secure
- Works with all Ambassador Marine Transom and Recessed Shower styles

OEM #	Aftermarket #	Finish
136-0090-KP	137-0090-KP	Black

DECK-MOUNT SPRAYERS

MARINE
GRADE



Deck-Mount Sprayer
With Elbow

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Ultra-low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Single hole mount, 1" - 1 1/4" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0009-AW	134-0009-AW-R	Arctic White & Chrome	Yes	6' (1.8m)	White Rubber
134-0033-AW	134-0033-AW-R	Arctic White & Chrome	Yes	10' (3m)	White Rubber
134-0031-AW	134-0031-AW-R	Arctic White & Chrome	Yes	6' (1.8m)	Stainless Steel
134-0020-AW	134-0020-AW-R	Arctic White & Chrome	No	6' (1.8m)	White Rubber
134-0048-AW	134-0048-AW-R	Arctic White & Chrome	No	10' (3m)	White Rubber
134-0036-AW	134-0036-AW-R	Arctic White & Chrome	No	6' (1.8m)	Stainless Steel
134-0009-WH	134-0009-WH-R	Warm White & Chrome	Yes	6' (1.8m)	White Rubber
134-0033-WH	134-0033-WH-R	Warm White & Chrome	Yes	10' (3m)	White Rubber
134-0031-WH	134-0031-WH-R	Warm White & Chrome	Yes	6' (1.8m)	Stainless Steel
134-0020-WH	134-0020-WH-R	Warm White & Chrome	No	6' (1.8m)	White Rubber
134-0048-WH	134-0048-WH-R	Warm White & Chrome	No	10' (3m)	White Rubber
134-0036-WH	134-0036-WH-R	Warm White & Chrome	No	6' (1.8m)	Stainless Steel
134-0009-CP	134-0009-CP-R	Chrome	Yes	6' (1.8m)	Black Rubber
134-0009-CW	134-0009-CW-R	Chrome	Yes	6' (1.8m)	White Rubber
134-0033-CW	134-0033-CW-R	Chrome	Yes	10' (3m)	White Rubber
134-0031-CP	134-0031-CP-R	Chrome	Yes	6' (1.8m)	Stainless Steel
134-0020-CP	134-0020-CP-R	Chrome	No	6' (1.8m)	Black Rubber
134-0020-CW	134-0020-CW-R	Chrome	No	6' (1.8m)	White Rubber
134-0048-CW	134-0048-CW-R	Chrome	No	10' (3m)	White Rubber
134-0036-CP	134-0036-CP-R	Chrome	No	6' (1.8m)	Stainless Steel
134-0009-KP	134-0009-KP-R	Black & Chrome	Yes	6' (1.8m)	Black Rubber
134-0031-KP	134-0031-KP-R	Black & Chrome	Yes	6' (1.8m)	Stainless Steel
134-0020-KP	134-0020-KP-R	Black & Chrome	No	6' (1.8m)	Black Rubber
134-0036-KP	134-0036-KP-R	Black & Chrome	No	6' (1.8m)	Stainless Steel

Deck-Mount Sprayer
With Elbow

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Elite low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Single hole mount, 1" - 1 1/4" Ø
- Connection: 1/2" NPS-F

HAMMER-HEAD SPRAYER SERIES

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0041-WH≈	--	Warm White & Chrome	No	6' (1.8m)	White Rubber
134-0043-WH≈	--	Warm White & Chrome	No	10' (3m)	White Rubber
134-0045-WH≈	--	Warm White & Chrome	No	6' (1.8m)	Stainless Steel
134-0041-KP≈	--	Black & Chrome	No	6' (1.8m)	Black Rubber
134-0045-KP≈	--	Black & Chrome	No	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 33)



NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)
≈ To Be Replaced/Refreshed When Inventory Is Depleted

MARINE
GRADE

DECK-MOUNT SPRAYERS



Deck-Mount Sprayer
With Elbow

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Ultra-low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Single hole mount, 1" - 1 1/4" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0008-WH∞	134-0008-WH-R∞	Warm White & Chrome	Yes	6' (1.8m)	White Rubber
134-0058-WH∞	134-0058-WH-R∞	Warm White & Chrome	Yes	10' (3m)	White Rubber
134-0057-WH∞	134-0057-WH-R∞	Warm White & Chrome	Yes	6' (1.8m)	Stainless Steel
134-0059-WH∞	134-0059-WH-R∞	Warm White & Chrome	No	6' (1.8m)	White Rubber
134-0061-WH∞	134-0061-WH-R∞	Warm White & Chrome	No	10' (3m)	White Rubber
134-0060-WH∞	134-0060-WH-R∞	Warm White & Chrome	No	6' (1.8m)	Stainless Steel
134-0008-CP∞	134-0008-CP-R∞	Chrome	Yes	6' (1.8m)	Black Rubber
134-0008-CW∞	134-0008-CW-R∞	Chrome	Yes	6' (1.8m)	White Rubber
134-0058-CW∞	134-0058-CW-R∞	Chrome	Yes	10' (3m)	White Rubber
134-0057-CP∞	134-0057-CP-R∞	Chrome	Yes	6' (1.8m)	Stainless Steel
134-0059-CP∞	134-0059-CP-R∞	Chrome	No	6' (1.8m)	Black Rubber
134-0059-CW∞	134-0059-CW-R∞	Chrome	No	6' (1.8m)	White Rubber
134-0061-CW∞	134-0061-CW-R∞	Chrome	No	10' (3m)	White Rubber
134-0060-CP∞	134-0060-CP-R∞	Chrome	No	6' (1.8m)	Stainless Steel
134-0008-KP∞	134-0008-KP-R∞	Black & Chrome	Yes	6' (1.8m)	Black Rubber
134-0057-KP∞	134-0057-KP-R∞	Black & Chrome	Yes	6' (1.8m)	Stainless Steel
134-0059-KP∞	134-0059-KP-R∞	Black & Chrome	No	6' (1.8m)	Black Rubber
134-0060-KP∞	134-0060-KP-R∞	Black & Chrome	No	6' (1.8m)	Stainless Steel



Deck-Mount Sprayer
With Elbow

- 2-function spray/aerated stream with water conserving “stand-by” button (NOTE: “stand-by” is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Ultra-low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Single hole mount, 1" - 1 1/4" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0012-AW	134-0012-AW-R	Arctic White & Chrome	--	6' (1.8m)	White Rubber
134-0035-AW	134-0035-AW-R	Arctic White & Chrome	--	10' (3m)	White Rubber
134-0034-AW	134-0034-AW-R	Arctic White & Chrome	--	6' (1.8m)	Stainless Steel
134-0012-WH	134-0012-WH-R	Warm White & Chrome	--	6' (1.8m)	White Rubber
134-0035-WH	134-0035-WH-R	Warm White & Chrome	--	10' (3m)	White Rubber
134-0034-WH	134-0034-WH-R	Warm White & Chrome	--	6' (1.8m)	Stainless Steel
134-0012-KP	134-0012-KP-R	Black & Chrome	--	6' (1.8m)	Black Rubber
134-0034-KP	134-0034-KP-R	Black & Chrome	--	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 33)



OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)
∞ Available While Supplies Last

DECK-MOUNT SPRAYERS

MARINE
GRADE



Deck-Mount Sprayer

- Heavy duty, UV protected, ABS plastic sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Ultra-low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Single hole mount, 1" - 1 1/4" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0011-AW	134-0011-AW-R	Arctic White	Yes	6' (1.8m)	White Rubber
134-0021-AW	134-0021-AW-R	Arctic White	Yes	10' (3m)	White Rubber
134-0023-AW	134-0023-AW-R	Arctic White	Yes	6' (1.8m)	Stainless Steel
134-0049-AW	134-0049-AW-R	Arctic White	No	6' (1.8m)	White Rubber
134-0051-AW	134-0051-AW-R	Arctic White	No	10' (3m)	White Rubber
134-0050-AW	134-0050-AW-R	Arctic White	No	6' (1.8m)	Stainless Steel
134-0011-WH	135-0011-WH	Warm White	Yes	6' (1.8m)	White Rubber
134-0021-WH	134-0021-WH-R	Warm White	Yes	10' (3m)	White Rubber
134-0023-WH	134-0023-WH-R	Warm White	Yes	6' (1.8m)	Stainless Steel
134-0049-WH	134-0049-WH-R	Warm White	No	6' (1.8m)	White Rubber
134-0051-WH	134-0051-WH-R	Warm White	No	10' (3m)	White Rubber
134-0050-WH	134-0050-WH-R	Warm White	No	6' (1.8m)	Stainless Steel
134-0011-CP	134-0011-CP-R	Chrome	Yes	6' (1.8m)	Black Rubber
134-0011-CW	134-0011-CW-R	Chrome	Yes	6' (1.8m)	White Rubber
134-0021-CW	134-0021-CW-R	Chrome	Yes	10' (3m)	White Rubber
134-0023-CP	134-0023-CP-R	Chrome	Yes	6' (1.8m)	Stainless Steel
134-0049-CP	134-0049-CP-R	Chrome	No	6' (1.8m)	Black Rubber
134-0049-CW	134-0049-CW-R	Chrome	No	6' (1.8m)	White Rubber
134-0051-CW	134-0051-CW-R	Chrome	No	10' (3m)	White Rubber
134-0050-CP	134-0050-CP-R	Chrome	No	6' (1.8m)	Stainless Steel
134-0011-KP	134-0011-KP-R	Black	Yes	6' (1.8m)	Black Rubber
134-0023-KP	134-0023-KP-R	Black	Yes	6' (1.8m)	Stainless Steel
134-0049-KP	134-0049-KP-R	Black	No	6' (1.8m)	Black Rubber
134-0050-KP	134-0050-KP-R	Black	No	6' (1.8m)	Stainless Steel

SMALL SPRAYER SERIES



Deck-Mount Sprayer

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Elite low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Single hole mount, 1" - 1 1/4" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0040-WH≈	--	Warm White & Chrome	No	6' (1.8m)	White Rubber
134-0042-WH≈	--	Warm White & Chrome	No	10' (3m)	White Rubber
134-0044-WH≈	--	Warm White & Chrome	No	6' (1.8m)	Stainless Steel
134-0040-KP≈	--	Black & Chrome	No	6' (1.8m)	Black Rubber
134-0044-KP≈	--	Black & Chrome	No	6' (1.8m)	Stainless Steel

HAMMER-HEAD SPRAYER SERIES

Bulkhead Sprayer Holders

sold separately (see page 33)



NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)
≈ To Be Replaced/Refreshed When Inventory Is Depleted

MARINE
GRADE

DECK-MOUNT SPRAYERS



Deck-Mount Sprayer

- Heavy duty, UV protected, ABS plastic sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Ultra-low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Single hole mount, 1" - 1 1/4" Ø
- Connection: 1/2" NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0010-WH∞	--	Warm White	Yes	6' (1.8m)	White Rubber
134-0053-WH∞	--	Warm White	Yes	10' (3m)	White Rubber
134-0052-WH∞	--	Warm White	Yes	6' (1.8m)	Stainless Steel
134-0054-WH∞	--	Warm White	No	6' (1.8m)	White Rubber
134-0056-WH∞	--	Warm White	No	10' (3m)	White Rubber
134-0055-WH∞	--	Warm White	No	6' (1.8m)	Stainless Steel
134-0010-CP∞	--	Chrome	Yes	6' (1.8m)	Black Rubber
134-0010-CW∞	--	Chrome	Yes	6' (1.8m)	White Rubber
134-0053-CW∞	--	Chrome	Yes	10' (3m)	White Rubber
134-0052-CP∞	--	Chrome	Yes	6' (1.8m)	Stainless Steel
134-0054-CP∞	--	Chrome	No	6' (1.8m)	Black Rubber
134-0054-CW∞	--	Chrome	No	6' (1.8m)	White Rubber
134-0056-CW∞	--	Chrome	No	10' (3m)	White Rubber
134-0055-CP∞	--	Chrome	No	6' (1.8m)	Stainless Steel
134-0010-KP∞	--	Black	Yes	6' (1.8m)	Black Rubber
134-0052-KP∞	--	Black	Yes	6' (1.8m)	Stainless Steel
134-0054-KP∞	--	Black	No	6' (1.8m)	Black Rubber
134-0055-KP∞	--	Black	No	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 33)



MARINE
GRADE


WATER INLETS & OUTLETS

Water Inlet

- Solid cast 316 stainless steel body and spin-nut
- Stainless steel chain with nylon cap
- Uses #8 fasteners (not included)
- Single hole mount, 1 1/4" Ø
- Connections: 3/4" NH-F (standard garden hose) to 1/2" NPT-F



OEM #	Aftermarket #	Finish
P56-0191-SS≈	P56-0190-SS≈	Stainless Steel




Water Outlet

- Solid cast 316 stainless steel body
- Stainless steel chain with nylon cap
- Uses #8 fasteners (not included)
- Single hole mount, 1 1/4" Ø
- Connections: 3/4" NH-M (standard garden hose) to 1/2" NPT-F




OEM #	Aftermarket #	Finish
P56-0201-SS≈	P56-0200-SS≈	Stainless Steel



Control Valve Cold Only

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M




TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
136-0204-CP	--	Chrome

Control Valve Hot & Cold Mixer

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M




AIDACK™ SERIES

OEM #	Aftermarket #	Finish
136-1706-CP	--	Chrome

Control Valve Hot & Cold Mixer

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



STASIS™ SERIES

OEM #	Aftermarket #	Finish
136-0106-CP≈	--	Chrome




PREMIER PONTOONS ESCALANTE
FEATURING DECK-MOUNT SPRAYER# 132-0206-CP

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)
≈ To Be Replaced/Refreshed When Inventory Is Depleted

Stainless Steel Spigot Raw Water or Cold Only

- All cast 316 stainless steel body and handle
- All 316 stainless steel compression cartridge
- All 316 stainless steel mounting hardware
- Wall or deck mounting option
- Single hole mount, 3/4" - 1" Ø
- Connections: 1/2" NPS-M supply to 3/4" NH-M (standard garden hose)




TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
--	133-0216-SS	Stainless Steel



Deck Tap Cold Only

- All cast brass body with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M




TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
--	133-0211-CP	Chrome



Galley Tap (High Arc Spout) Cold Only

- All cast brass body with brass spout and metal handle
- High arc swivel spout
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
132-0206-CP	133-0206-CP	Chrome



EDGEWATER 200CC
FEATURING DECK-MOUNT SPRAYER# 134-0009-CP

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

FOLDING TAPS

MARINE
GRADE


Folding Tap

Cold Only

- Spout rotates 180° front/back
- All brass body and spout with metal handle
- Compression valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
--	133-0208-CP	Chrome




Elite Folding Tap (J-Spout)

Cold Only

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
132-1709-CP	--	Chrome




Elite Folding Tap (J-Spout)

Cold Only

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
--	133-0209-CP	Chrome



SPORTSMAN OPEN 282
FEATURING FAUCET# 132-1739-CP

OEM # -- Not Labeled Or Packaged For Resale Aftermarket # -- Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

MARINE
GRADE

FOLDING TAPS


Elite Folding Tap (Arc Spout)

Cold Only

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
132-1729-CP	--	Chrome




Elite Folding Tap (Arc Spout)

Cold Only

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
132-0229-CP	--	Chrome




Elite Folding Tap (Angled Spout)

Cold Only

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
132-1739-CP	--	Chrome




Elite Folding Tap (Angled Spout)

Cold Only

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
132-0239-CP	--	Chrome



OEM # -- Not Labeled Or Packaged For Resale Aftermarket # -- Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

Elite Folding Faucet (J-Spout)


Hot & Cold Mixer

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-1725-CP	--	Chrome

AIDACK™

SERIES



Elite Folding Faucet (J-Spout)


Hot & Cold Mixer

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handles
- Ceramic disc valves
- Two hole mount, 3/4" - 1" Ø (2 1/2" - 2 3/4" CC)
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Finish
--	133-0210-CP	Chrome

TRINIDAD™

SERIES



Elite Folding Faucet (Arc Spout)


Hot & Cold Mixer

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-1726-CP	--	Chrome

AIDACK™

SERIES



Elite Folding Faucet (Arc Spout)


Hot & Cold Mixer

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handles
- Ceramic disc valves
- Two hole mount, 3/4" - 1" Ø (2 1/2" - 2 3/4" CC)
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-0230-CP	--	Chrome

TRINIDAD™

SERIES



Elite Folding Faucet (Angled Spout)


Hot & Cold Mixer

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-1727-CP	--	Chrome

AIDACK™

SERIES



Elite Folding Faucet (Angled Spout)


Hot & Cold Mixer

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handles
- Ceramic disc valves
- Two hole mount, 3/4" - 1" Ø (2 1/2" - 2 3/4" CC)
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-0240-CP	--	Chrome

TRINIDAD™

SERIES



REGULATOR 28
FEATURING FAUCET# 132-0100-CP
& SINK# 524-1408-UM

PULL-OUT DECK TAPS

MARINE GRADE



Pull-Out Deck Tap

Cold Only

- 2-function spray/aerated stream with water conserving "stand-by" button (NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Heavy duty pull-out hose
- All brass body with metal handle
- Flexible stainless steel braided supply line hose
- Ceramic disc valve
- Two hole mount, 1" Ø (1" - 1 1/8" CC)
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
134-1712-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
134-1735-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	10' (3m)	White Rubber
134-1734-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-1712-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
134-1735-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
134-1734-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-1712-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
134-1734-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 33)



Pull-Out Deck Tap

Cold Only

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Heavy duty pull-out hose
- All brass body with metal handle
- Flexible stainless steel braided supply line hose
- Ceramic disc valve
- Two hole mount, 1" Ø (1" - 1 1/8" CC)
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
134-1720-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
134-1748-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	10' (3m)	White Rubber
134-1736-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-1720-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
134-1748-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
134-1736-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-1720-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
134-1736-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-1720-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
134-1736-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 33)



PULL-OUT DECK TAPS

MARINE GRADE



Pull-Out Deck Tap

Cold Only

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Heavy duty pull-out hose
- All brass body with metal handle
- Flexible stainless steel braided supply line hose
- Ceramic disc valve
- Two hole mount, 1" Ø (1" - 1 1/8" CC)
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
134-1759-CW [∞]	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
134-1761-CW [∞]	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
134-1760-CW [∞]	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-1759-CP [∞]	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
134-1760-CP [∞]	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-1759-CK [∞]	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
134-1760-CK [∞]	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 33)



HEAD/SHOWER COMBO FAUCETS

MARINE GRADE



Head/Shower Combo Faucet

Hot & Cold Mixer

- 2-function spray/aerated stream with water conserving "stand-by" button (NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Heavy duty pull-out hose
- All brass body with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
134-0204-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
134-0262-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	10' (3m)	White Rubber
134-0224-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-0204-CW	135-0204-CW	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
134-0262-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
134-0224-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-0263-CW [∞]	--	Chrome	Warm White & Chrome NO Locking Teeth	6' (1.8m)	White Rubber
134-0264-CW [∞]	--	Chrome	Warm White & Chrome NO Locking Teeth	10' (3m)	White Rubber
134-0230-CW [∞]	--	Chrome	Warm White & Chrome NO Locking Teeth	6' (1.8m)	Stainless Steel
134-0204-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
134-0224-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
134-0263-CK [∞]	--	Chrome	Black & Chrome NO Locking Teeth	6' (1.8m)	Black Rubber
134-0230-CK [∞]	--	Chrome	Black & Chrome NO Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 33)



HEAD/SHOWER COMBO FAUCETS

MARINE
GRADE



Head/Shower Combo Faucet

TRINIDAD™ / SMALL SPRAYER SERIES

Hot & Cold Mixer	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
<ul style="list-style-type: none">• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer• Complete water shut-off when trigger is not engaged• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow• Heavy duty pull-out hose• All brass body with metal handles• Flexible stainless steel braided supply line hoses• Ceramic disc valves• Single hole mount, 1 1/4" Ø• Connections: 1/2" NPS-M	134-0213-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-0266-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-0265-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-0213-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-0266-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-0265-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-0213-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0265-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-0213-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0265-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder					

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 33)



Head/Shower Combo Faucet

TRINIDAD™ / LARGE SPRAYER SERIES

Hot & Cold Mixer	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
<ul style="list-style-type: none">• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer• Complete water shut-off when trigger is not engaged• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow• Heavy duty pull-out hose• All brass body with metal handles• Flexible stainless steel braided supply line hoses• Ceramic disc valves• Single hole mount, 1 1/4" Ø• Connections: 1/2" NPS-M	134-0215-CW∞	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-0268-CW∞	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-0267-CW∞	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-0215-CP∞	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0267-CP∞	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-0215-CK∞	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0267-CK∞	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder					

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 33)

MARINE
GRADE

GALLEY FAUCETS



Pull-Out Galley Faucet

AIDACK™ SERIES

Hot & Cold Mixer	OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
<ul style="list-style-type: none">• 2-function spray/aerated stream pull-out slim wand sprayer• Heavy duty pull-out hose with retraction and quick-connect fitting• All brass body and high arc swivel spout with metal handles• Flexible stainless steel braided supply line hoses• Ceramic disc valves• Easy-Grip mounting hardware• Single hole mount, 1 1/4" Ø• Connections: 1/2" NPS-M	--	133-1734-CP	Chrome	2-Function	6' (1.8m)	Stainless Steel
	132-1735-CP	--	Chrome	2-Function	10' (3m)	Stainless Steel



Pull-Out Galley Faucet

NAUTILUS™ SERIES

Hot & Cold Mixer	OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
<ul style="list-style-type: none">• 2-function spray/aerated stream pull-out sprayer• Heavy duty pull-out hose with retraction and quick-connect fitting• Swivel spout• Flexible stainless steel braided supply line hoses• Ceramic disc valve• Single hole mount, 1 1/4" Ø• Connections: 1/2" NPS-M	132-1003-NP≈	--	Brushed Nickel	2-Function	4' (1.2m)	Stainless Steel



Pull-Out Galley Faucet

PACIFICA™ (UNIVERSAL) SERIES

Hot & Cold Mixer	OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
<ul style="list-style-type: none">• 2-function spray/aerated stream pull-out sprayer• Heavy duty pull-out hose with retraction and quick-connect fitting• Swivel spout• Flexible stainless steel braided supply line hoses• Ceramic disc valve• Easy-Grip mounting hardware• Single hole mount, 1 1/4" Ø• Connections: 1/2" NPS-M	132-0003-CP	--	Chrome	2-Function	4' (1.2m)	Stainless Steel
	132-0031-CP	--	Chrome	2-Function	6' (1.8m)	Stainless Steel
	132-0003-NP≈	--	Brushed Nickel	2-Function	4' (1.2m)	Stainless Steel
	132-0031-NP≈	--	Brushed Nickel	2-Function	6' (1.8m)	Stainless Steel

Built-In Soap Dispensers

sold separately (see page 26)

NEW
DESIGN


GALLEY TAPS

MARINE
GRADE



Galley Tap (High Arc Spout)
Cold Only

- All cast brass body with brass spout and metal handle
- High arc swivel spout
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
132-0206-CP	133-0206-CP	Chrome


GALLEY ACCESSORIES

MARINE
GRADE



Built-In Soap Dispenser

- Lift-out nozzle and pump allows for easy refilling from above counter
- Heavy duty pump and nozzle for thicker soaps / lotions
- All brass nozzle and housing
- Clear plastic bottle for easy fill monitoring
- Single hole mount, 1" - 1 1/4" Ø




OEM #	Aftermarket #	Finish
130-0011-CP	--	Chrome
130-0011-NP≈	--	Brushed Nickel

VESSEL FAUCETS

MARINE
GRADE

Vessel Faucet
Hot & Cold Mixer

- Sized specifically to fit Ambassador Marine's vessel sinks
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



AVIANI™ SERIES


OEM #	Aftermarket #	Finish
132-0723-CP≈	--	Chrome

MARINE
GRADE

HEAD FAUCETS

Head Faucet
Hot & Cold Mixer

- "Joystick" control
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M




ALLURE™ SERIES

OEM #	Aftermarket #	Finish
132-0600-CP∞	--	Chrome


Head Faucet
Hot & Cold Mixer

- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



AVIANI™ SERIES

OEM #	Aftermarket #	Finish
132-0700-CP≈	--	Chrome




Head Faucet
Hot & Cold Mixer

- All brass body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

PACIFICA™ (UNIVERSAL) SERIES

OEM #	Aftermarket #	Finish
132-0800-CP≈	--	Chrome
132-0800-CG∞	--	Chrome & 18k Gold



Head Faucet
Hot & Cold Mixer

- All brass body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

STASIS™ SERIES

OEM #	Aftermarket #	Finish
132-0100-CP≈	133-0100-CP≈	Chrome

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale
∞ Available While Supplies Last ≈ To Be Replaced/Refreshed When Inventory Is Depleted

NOTE: Dimension Drawings ±1/8" (for reference only - may not be to scale)

HEAD FAUCETS

MARINE
GRADE



Head Faucet

Hot & Cold Mixer


- All brass body with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



TRINIDAD™

SERIES

OEM #	Aftermarket #	Finish
--	133-0207-CP	Chrome



MINI SHOWER MIXERS

MARINE
GRADE

Mini Shower Mixer (Thin / Fiberglass Wall-Mount)

Hot & Cold Mixer


- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



AIDACK™

SERIES

OEM #	Aftermarket #	Finish
136-1706-CP	--	Chrome



Mini Shower Mixer (Thin / Fiberglass Wall-Mount)

Hot & Cold Mixer


- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



STASIS™

SERIES

OEM #	Aftermarket #	Finish
136-0106-CP≈	--	Chrome



MARINE
GRADE

SHOWER MIXERS

Shower Mixer (Thin / Fiberglass Wall-Mount)

Hot & Cold Mixer


- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body and trim plate with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead (no strapping required)
- Single hole mount, 1 3/4" - 2" Ø
- Connections: 1/2" NPS-M



AVIANI™

SERIES

OEM #	Aftermarket #	Finish
134-0732-CP≈	--	Chrome



Shower Mixer (Thin / Fiberglass Wall-Mount)

Hot & Cold Mixer


- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body and trim plate with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead (no strapping required)
- Single hole mount, 1 3/4" - 2" Ø
- Connections: 1/2" NPS-M



PACIFICA™ (UNIVERSAL)

SERIES

OEM #	Aftermarket #	Finish
134-0832-CP	--	Chrome



Shower Mixer (Thin / Fiberglass Wall-Mount)

Hot & Cold Mixer


- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body and trim plate with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead (no strapping required)
- Single hole mount, 1 3/4" - 2" Ø
- Connections: 1/2" NPS-M



STASIS™

SERIES

OEM #	Aftermarket #	Finish
134-0132-CP	135-0132-CP	Chrome





Shower/Tub Mixer (Standard Wall-Mount)
Hot & Cold Mixer

NAUTILUS™ SERIES

- All brass valve body and trim plate with metal handle
- Ceramic disc valve
- Tub feed plug included, for shower-only installation
- In-wall strapping required to secure
- Single hole mount, 1 3/4" - 4" Ø
- Connections: 1/2" NPS-F

OEM #	Aftermarket #	Finish
--	135-1002-NP∞	Brushed Nickel



Shower/Tub Mixer (Pressure Balanced)
Hot & Cold Mixer

ESTANCIA™ SERIES

- Pressure balanced valve ensures the water temperature stays within a safe 3° F (1.5° C)
- All brass valve body and trim plate with metal handle
- Washerless valve system
- In-wall strapping required to secure
- Single hole mount, 2" - 6 1/8" Ø
- Connections: 1/2" NPS-F

OEM #	Aftermarket #	Finish
134-1205-CP∞	--	Chrome



Shower/Tub Mixer (Pressure Balanced)
Hot & Cold Mixer

PACIFICA™ (UNIVERSAL) SERIES

- Pressure balanced valve ensures the water temperature stays within a safe 3° F (1.5° C)
- All brass valve body and trim plate with metal handle
- Washerless valve system
- In-wall strapping required to secure
- Single hole mount, 2" - 6 1/8" Ø
- Connections: 1/2" NPS-F

OEM #	Aftermarket #	Finish
134-0805-CP∞	--	Chrome
134-0805-CG∞	--	Chrome & 18k Gold



External Shower Mixer (Thin / Fiberglass Wall-Mount)
Hot & Cold Mixer

TRINIDAD™ SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• Heavy duty, UV protected, ABS plastic sprayer	134-0214-CA	--	Chrome	Arctic White	6' (1.8m)	White Rubber
• Complete water shut-off when trigger is not engaged	134-0217-CA	--	Chrome	Arctic White	10' (3m)	White Rubber
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	134-0207-CA	--	Chrome	Arctic White	6' (1.8m)	Stainless Steel
	134-0214-CW	--	Chrome	Warm White	6' (1.8m)	White Rubber
	134-0217-CW	--	Chrome	Warm White	10' (3m)	White Rubber
	134-0207-CW	--	Chrome	Warm White	6' (1.8m)	Stainless Steel
• Heavy duty hose	134-0214-CP	--	Chrome	Chrome	6' (1.8m)	Black Rubber
• ABS plastic 2-position bulkhead sprayer holder	134-0207-CP	--	Chrome	Chrome	6' (1.8m)	Stainless Steel
• Designed for thin (fiberglass) walls/surfaces	134-0214-CK	--	Chrome	Black	6' (1.8m)	Black Rubber
• All brass body with metal handles	134-0207-CK	--	Chrome	Black	6' (1.8m)	Stainless Steel
• Compression valves						
• Easy installation – mounts directly to bulkhead (no strapping required)						
• Two hole mount, 1" Ø (4" CC)						
• Connections: 1/2" NPS-M						




EDGEWATER 370CC
FEATURING FAUCET# 134-0213-CP



Elite Slide Bar Shower

- 6-function, heavy duty, ABS plastic sprayer with self-cleaning jets
- Water conserving “stand-by” setting (**NOTE:** “stand-by” is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty hose
- All brass 90° bulkhead elbow
- Extra deep adjustable plastic soap dish
- Easy-locking adjustable height and rotating sprayer holder grips firmly where positioned anywhere along the bar to allow for infinite positioning
- 1" diameter metal bar and all brass posts with stainless steel mounting hardware
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M




OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
--	135-0000-CP	Chrome	6-Function	6' (1.8m)	Stainless Steel



Hand-Held Shower

- 8-function, heavy duty, ABS plastic sprayer with self-cleaning jets
- Heavy duty hose
- ABS plastic 90° bulkhead elbow
- 2-position ABS plastic bulkhead sprayer holder with stainless steel mounting hardware
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M



OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
134-0003-CP≈	135-0003-CP≈	Chrome	8-Function	6' (1.8m)	Stainless Steel




Bulkhead Sprayer Holder 2-Position

- Works with most standard 1/2" conical hoses
- Two positions allows sprayers to sit up-right or angled
- Heavy duty, ABS plastic
- Stainless steel mounting screws



OEM #	Aftermarket #	Finish
--	131-0042-CP	Chrome




Bulkhead Sprayer Holder w/Locking Teeth

- Specific for use with Ambassador Marine sprayers with 15/1 Metric-F connection
- Unique “Locking Teeth” prevent sprayer with corresponding Locking Teeth from rotating while in faucet body or bulkhead holder
- Heavy duty, ABS plastic
- Stainless steel mounting screws



FOR USE WITH:
Aidack™ Pull-Out Deck Taps & Trinidad™ Head/Shower Combo Faucets

OEM #	Aftermarket #	Finish
--	131-0212-CP	Chrome




Stand-By Switch

- Works with most standard 1/2" hoses
- All brass
- **NOTE:** “stand-by” is NOT a complete water shut-off, it allows a small amount of water to continue to trickle
- Connections: 1/2" NPS-M & 1/2" NPS-F



OEM #	Aftermarket #	Finish
--	131-0013-CP	Chrome




90° Bulkhead Elbow

- Works with most standard 1/2" hoses
- All brass
- Allows hose to hang flat against the bulkhead
- Designed for thin (fiberglass) walls/surfaces
- Easy installation – mounts directly to bulkhead, brass pipe nipple and lock nut included
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M & 1/2" NPS-M



OEM #	Aftermarket #	Finish
130-0015-CP	131-0015-CP	Chrome
130-0015-CG∞	--	Chrome & 18k Gold




Tub Spout

- All brass
- Pull-up diverter control to switch between tub and shower
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-F



OEM #	Aftermarket #	Finish
134-0006-CP∞	--	Chrome
134-0006-GP∞	--	18k Gold





Head Accessories

- All metal
- Mounting hardware included

COORDINATES WITH:
PACIFICA™ SERIES
STASIS™ SERIES
TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish	Item
130-1810-CP	--	Chrome	Robe Hook
130-1807-CP	--	Chrome	Towel Ring
130-1808-CP	--	Chrome	Cup Holder
130-1809-CP	--	Chrome	Soap Dish
130-1801-CP	--	Chrome	Single Post T.P. Holder
130-1825-CP	--	Chrome	18" (45.7 cm) Towel Bar Set
130-1838-CP	--	Chrome	24" (60.9 cm) Towel Bar Set
130-1826-CP	--	Chrome	Double Post T.P. Holder Set

MIAH™ SERIES



STASIS™ SERIES Head Accessories
are being **DISCONTINUED** when inventory is depleted.

MIAH™ SERIES Head Accessories
are the comparable replacements.

Please contact Ambassador for availability.

Head Accessories

- All metal
- Mounting hardware included

COORDINATES WITH:
STASIS™ SERIES
TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish	Item
130-0110-CP∞	--	Chrome	Robe Hook
130-0107-CP∞	--	Chrome	Towel Ring
130-0108-CP∞	--	Chrome	Cup Holder
130-0109-CP∞	--	Chrome	Soap Dish
130-0125-CP∞	--	Chrome	18" (45.7 cm) Towel Bar Set
130-0106-CP∞	--	Chrome	Towel Bar / T.P. Holder Post Set Only
130-0003-CP∞	--	Chrome	18" (45.7 cm) Towel Bar Only
130-0000-CP∞	--	Chrome	T.P. Roller Only

STASIS™ SERIES



Head Accessories

- All metal with brass body and base
- Mounting hardware included

COORDINATES WITH:
AIDACK™ SERIES
ALLURE™ SERIES
AVIANI™ SERIES

OEM #	Aftermarket #	Finish	Item
130-1910-CP	--	Chrome	Robe Hook
130-1907-CP	--	Chrome	Towel Ring
130-1908-CP	--	Chrome	Cup Holder
130-1909-CP	--	Chrome	Soap Dish
130-1901-CP	--	Chrome	Single Post T.P. Holder
130-1925-CP	--	Chrome	18" (45.7 cm) Towel Bar Set
130-1938-CP	--	Chrome	24" (60.9 cm) Towel Bar Set

ELINA™ SERIES



ALLURE™ / AVIANI™ SERIES Head Accessories
are being **DISCONTINUED** when inventory is depleted.

ELINA™ SERIES Head Accessories
are the comparable replacements.

Please contact Ambassador for availability.

Head Accessories

- All metal with brass body and base
- Mounting hardware included

COORDINATES WITH:
AIDACK™ SERIES
ALLURE™ SERIES
AVIANI™ SERIES

OEM #	Aftermarket #	Finish	Item
130-1410-CP∞	--	Chrome	Robe Hook
130-1408-CP∞	--	Chrome	Cup Holder
130-1409-CP∞	--	Chrome	Soap Dish
130-1401-CP∞	--	Chrome	Single Post T.P. Holder
130-0021-CP∞	--	Chrome	18" (45.7 cm) Towel Bar Only
130-0022-CP∞	--	Chrome	24" (60.9 cm) Towel Bar Only

ALLURE™ / AVIANI™ SERIES



Head Accessories

- All metal
- Mounting hardware included

COORDINATES WITH:
NAUTILUS™ SERIES

OEM #	Aftermarket #	Finish	Item
--	131-1016-NP∞	Brushed Nickel	6-Piece Accessory Kit
130-1010-NP≈+	--	Brushed Nickel	Robe Hook
130-1007-NP≈+	--	Brushed Nickel	Towel Ring
130-1008-NP≈+	--	Brushed Nickel	Cup Holder
130-1009-NP≈+	--	Brushed Nickel	Soap Dish
130-1001-NP≈+	--	Brushed Nickel	Single Post T.P. Holder
130-1025-NP≈	--	Brushed Nickel	18" (45.7 cm) Towel Bar Set
130-1038-NP≈+	--	Brushed Nickel	24" (60.9 cm) Towel Bar Set
130-1026-NP≈	--	Brushed Nickel	Double Post T.P. Holder Set
130-1006-NP∞	--	Brushed Nickel	Towel Bar / T.P. Holder Post Set Only
130-0002-NP∞	--	Brushed Nickel	18" (45.7 cm) Towel Bar Only
130-0004-NP∞	--	Brushed Nickel	24" (60.9 cm) Towel Bar Only
130-0000-NP∞	--	Brushed Nickel	T.P. Roller Only

NAUTILUS™ SERIES



Head Accessories

- All metal
- Mounting hardware included

COORDINATES WITH:
PACIFICA™ SERIES

OEM #	Aftermarket #	Finish	Item
130-1310-CP∞	--	Chrome	Robe Hook
130-1307-CP∞	--	Chrome	Towel Ring
130-1325-CP∞	--	Chrome	18" (45.7 cm) Towel Bar Set
130-1326-CP∞	--	Chrome	Double Post T.P. Holder Set
130-1306-CP∞	--	Chrome	Towel Bar / T.P. Holder Post Set Only
130-1310-CG∞	--	Chrome & 18k Gold	Robe Hook
130-1307-CG∞	--	Chrome & 18k Gold	Towel Ring
130-1325-CG∞	--	Chrome & 18k Gold	18" (45.7 cm) Towel Bar Set
130-1326-CG∞	--	Chrome & 18k Gold	Double Post T.P. Holder Set
130-1306-CG∞	--	Chrome & 18k Gold	Towel Bar / T.P. Holder Post Set Only
130-1310-CY∞	--	Chrome & PVD Gold	Robe Hook
130-1307-CY∞	--	Chrome & PVD Gold	Towel Ring
130-1325-CY∞	--	Chrome & PVD Gold	18" (45.7 cm) Towel Bar Set
130-1326-CY∞	--	Chrome & PVD Gold	Double Post T.P. Holder Set
130-1306-CY∞	--	Chrome & PVD Gold	Towel Bar / T.P. Holder Post Set Only
130-0003-CP∞	--	Chrome	18" (45.7 cm) Towel Bar Only
130-0000-CP∞	--	Chrome	T.P. Roller Only

ESTANCIA™ / PACIFICA™ SERIES




Head Accessories

- All metal with brass body and base
- Mounting hardware included

COORDINATES WITH:
PISCES™ SERIES

OEM #	Aftermarket #	Finish	Item
--	131-0416-CG∞	Chrome & 18k Gold	6-Piece Accessory Kit
130-0410-CG∞+	--	Chrome & 18k Gold	Robe Hook
130-0407-CG∞+	--	Chrome & 18k Gold	Towel Ring
130-0408-CG∞+	--	Chrome & 18k Gold	Cup / Toothbrush Holder
130-0409-CG∞+	--	Chrome & 18k Gold	Soap Dish
130-0401-CG∞+	--	Chrome & 18k Gold	Single Post T.P. Holder
130-0425-CG∞	--	Chrome & 18k Gold	18" (45.7 cm) Towel Bar Set
130-0438-CG∞+	--	Chrome & 18k Gold	24" (60.9 cm) Towel Bar Set
130-0426-CG∞	--	Chrome & 18k Gold	Double Post T.P. Holder Set
130-0406-CG∞	--	Chrome & 18k Gold	Towel Bar / T.P. Holder Post Set Only
130-0002-CP∞	--	Chrome	18" (45.7 cm) Towel Bar Only
130-0004-CP∞	--	Chrome	24" (60.9 cm) Towel Bar Only
130-0000-CP∞	--	Chrome	T.P. Roller Only


PISCES™ SERIES



Single Drink Holder

- Solid cast 316 stainless steel
- Deck-mount
- Ideal for mugs with handles
- Uses #10 fasteners (not included)

OEM #	Aftermarket #	Finish
P56-8821-SS	P56-8820-SS	Stainless Steel



Double Drink Holder

- Solid cast 316 stainless steel
- Deck-mount
- Ideal for mugs with handles
- Uses #10 fasteners (not included)

OEM #	Aftermarket #	Finish
P56-8801-SS	P56-8800-SS	Stainless Steel



Small Marine Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• Complete water shut-off when trigger is not engaged	138-0000-AW	138-0000-AW-R	Arctic White	No	1/2" NPS-M	Yes
	138-0001-AW	138-0001-AW-R	Arctic White	No	1/2" NPS-M	No
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	138-0002-AW	138-0002-AW-R	Arctic White & Chrome	Yes	1/2" NPS-M	Yes
	138-0003-AW	138-0003-AW-R	Arctic White & Chrome	Yes	1/2" NPS-M	No
• Heavy duty, UV protected, ABS plastic	138-0005-AW	138-0005-AW-R	Arctic White & Chrome	Yes	15/1 Metric-F w/ Locking Teeth	No
	138-0000-WH	139-0000-WH	Warm White	No	1/2" NPS-M	Yes
• With or without chrome plated brass elbow	138-0001-WH	138-0001-WH-R	Warm White	No	1/2" NPS-M	No
	138-0002-WH	138-0002-WH-R	Warm White & Chrome	Yes	1/2" NPS-M	Yes
• With or without removable hook	138-0003-WH	138-0003-WH-R	Warm White & Chrome	Yes	1/2" NPS-M	No
	138-0005-WH	138-0005-WH-R	Warm White & Chrome	Yes	15/1 Metric-F w/ Locking Teeth	No
• 316 stainless steel internal plunger rod	138-0000-CP	138-0000-CP-R	Chrome	No	1/2" NPS-M	Yes
	138-0001-CP	138-0001-CP-R	Chrome	No	1/2" NPS-M	No
• Connection: 1/2" NPS-M or 15/1 Metric-F	138-0002-CP	138-0002-CP-R	Chrome	Yes	1/2" NPS-M	Yes
	138-0003-CP	138-0003-CP-R	Chrome	Yes	1/2" NPS-M	No
	138-0005-CP	138-0005-CP-R	Chrome	Yes	15/1 Metric-F w/ Locking Teeth	No
	138-0000-KP	138-0000-KP-R	Black	No	1/2" NPS-M	Yes
	138-0001-KP	138-0001-KP-R	Black	No	1/2" NPS-M	No
	138-0002-KP	138-0002-KP-R	Black & Chrome	Yes	1/2" NPS-M	Yes
	138-0003-KP	138-0003-KP-R	Black & Chrome	Yes	1/2" NPS-M	No
	138-0005-KP	138-0005-KP-R	Black & Chrome	Yes	15/1 Metric-F w/ Locking Teeth	No

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder



Large Marine Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• Complete water shut-off when trigger is not engaged	138-0100-WH [∞]	--	Warm White	No	1/2" NPS-M	Yes
	138-0102-WH [∞]	--	Warm White & Chrome	Yes	1/2" NPS-M	Yes
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	138-0105-WH [∞]	--	Warm White & Chrome	Yes	15/1 Metric-F w/ Locking Teeth	No
	138-0100-CP [∞]	--	Chrome	No	1/2" NPS-M	Yes
• Heavy duty, UV protected, ABS plastic	138-0102-CP [∞]	--	Chrome	Yes	1/2" NPS-M	Yes
	138-0105-CP [∞]	--	Chrome	Yes	15/1 Metric-F w/ Locking Teeth	No
• With or without chrome plated brass elbow	138-0100-KP [∞]	--	Black	No	1/2" NPS-M	Yes
	138-0102-KP [∞]	--	Black & Chrome	Yes	1/2" NPS-M	Yes
• 316 stainless steel internal plunger rod	138-0105-KP [∞]	--	Black & Chrome	Yes	15/1 Metric-F w/ Locking Teeth	No

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder



Hammer-Head Marine Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• Complete water shut-off when trigger is not engaged	138-0300-CA	138-0300-CA-R	Arctic White & Chrome	No	1/2" NPS-M	Yes
	138-0301-CA	138-0301-CA-R	Arctic White & Chrome	No	1/2" NPS-M	No
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	138-0303-CA	138-0303-CA-R	Arctic White & Chrome	Yes	1/2" NPS-M	No
	138-0300-CW	138-0300-CW-R	Warm White & Chrome	No	1/2" NPS-M	Yes
• Heavy duty, UV protected, ABS plastic and chrome plated brass	138-0301-CW	138-0301-CW-R	Warm White & Chrome	No	1/2" NPS-M	No
	138-0303-CW	138-0303-CW-R	Warm White & Chrome	Yes	1/2" NPS-M	No
• All brass head and trigger	138-0309-CW [∞]	--	Warm White & Chrome	No	1/2" NPS-M For "Elite Base" Only	No
	138-0311-CW [∞]	--	Warm White & Chrome	Yes	1/2" NPS-M For "Elite Base" Only	No
• With or without elbow	138-0300-CK	138-0300-CK-R	Black & Chrome	No	1/2" NPS-M	Yes
	138-0301-CK	138-0301-CK-R	Black & Chrome	No	1/2" NPS-M	No
• With or without removable hook	138-0303-CK	138-0303-CK-R	Black & Chrome	Yes	1/2" NPS-M	No
	138-0309-CK [∞]	--	Black & Chrome	No	1/2" NPS-M For "Elite Base" Only	No
• Connection: 1/2" NPS-M	138-0311-CK [∞]	--	Black & Chrome	Yes	1/2" NPS-M For "Elite Base" Only	No



Classic Marine Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• 2-function spray/aerated stream with water conserving "stand-by" button (NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)	138-0203-CA	138-0203-CA-R	Arctic White & Chrome	Yes	1/2" NPS-M	--
	138-0205-CA	138-0205-CA-R	Arctic White & Chrome	Yes	15/1 Metric-F w/ Locking Teeth	--
• Heavy duty, UV protected, ABS plastic and chrome plated brass	138-0203-CW	138-0203-CW-R	Warm White & Chrome	Yes	1/2" NPS-M	--
	138-0205-CW	138-0205-CW-R	Warm White & Chrome	Yes	15/1 Metric-F w/ Locking Teeth	--
• Connection: 1/2" NPS-M or 15/1 Metric-F	138-0207-CW [∞]	--	Warm White & Chrome	Yes	15/1 Metric-F NO Locking Teeth	--
	138-0203-CK	138-0203-CK-R	Black & Chrome	Yes	1/2" NPS-M	--
	138-0205-CK	138-0205-CK-R	Black & Chrome	Yes	15/1 Metric-F w/ Locking Teeth	--
	138-0207-CK [∞]	--	Black & Chrome	Yes	15/1 Metric-F NO Locking Teeth	--

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

15/1 Metric-M

1/2" NPS-F



Hose

15/1 Metric-M + 1/2" NPS-F

- Brass fittings
 - Female fitting(s) include rubber washer(s)
- Rubber Hoses**
- Heavy duty, UV protected, nylon hose
 - UV protection prevents discoloring and reduces cracking

- Stainless Steel Hoses**
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
 - Extremely flexible with little-to-no "memory"

FOR USE WITH:
Aidack™ Pull-Out Deck Taps & Trinidad™ Head/Shower Combo Faucets

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0017-WH	131-0017-WH	White	6' (1.8m)	Rubber
130-0028-WH	--	White	10' (3m)	Rubber
130-0017-KP	--	Black	6' (1.8m)	Rubber
130-0028-KP	--	Black	10' (3m)	Rubber
130-0017-SS	--	Stainless Steel	6' (1.8m)	Stainless Steel
130-0028-SS	--	Stainless Steel	10' (3m)	Stainless Steel

1/2" NPS-F
Conical

1/2" NPS-F



Hose

1/2" NPS-F Conical + 1/2" NPS-F

- Brass fittings
 - Female fitting(s) include rubber washer(s)
- Rubber Hoses**
- Heavy duty, UV protected, nylon hose
 - UV protection prevents discoloring and reduces cracking


- Stainless Steel Hoses**
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
 - Extremely flexible with little-to-no "memory"

FOR USE WITH:
Recessed / Transom / Slide Bar / Hand-Held Showers & Deck Sprayers with Elite Deck Holders

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0033-WH	--	White	6' (1.8m)	Rubber
130-0018-WH	--	White	10' (3m)	Rubber
130-0033-KP	--	Black	6' (1.8m)	Rubber
130-0018-KP	--	Black	10' (3m)	Rubber
130-0033-SS	--	Stainless Steel	6' (1.8m)	Stainless Steel
130-0018-SS	--	Stainless Steel	10' (3m)	Stainless Steel
130-0031-CK∞	--	Chrome & Black	6' (1.8m)	Rubber

1/2" NPS-F
Conical

1/2" NPS-F
Adapter



Hose

1/2" NPS-F Conical + 1/2" NPS-F Adapter

- Brass fittings
 - Female fitting(s) include rubber washer(s)
- Rubber Hoses**
- Heavy duty, UV protected, nylon hose
 - UV protection prevents discoloring and reduces cracking

- Stainless Steel Hoses**
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
 - Extremely flexible with little-to-no "memory"

FOR USE WITH:
Deck Sprayers with Standard Deck Holders

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0032-WH	--	White	6' (1.8m)	Rubber
130-0029-WH	--	White	10' (3m)	Rubber
130-0032-KP	--	Black	6' (1.8m)	Rubber
130-0029-KP	--	Black	10' (3m)	Rubber
130-0032-SS	--	Stainless Steel	6' (1.8m)	Stainless Steel
130-0029-SS	--	Stainless Steel	10' (3m)	Stainless Steel

Spout
Head

Quick-Connect
(B)



Hose

Spout Head + Quick-Connect (B)

- Proprietary quick-connect fitting
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
- Extremely flexible with little-to-no "memory"
- Brass fittings

FOR USE WITH:
Pull-Out Faucets with Quick-Connect (B) Pull-Out Hose Connections

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0043-SS	--	Stainless Steel	4' (1.2m)	Stainless Steel
130-0044-SS	--	Stainless Steel	6' (1.8m)	Stainless Steel
130-0045-SS	--	Stainless Steel	10' (3m)	Stainless Steel

Spout
Head

Quick-Connect
Adapter (A)



Hose

Spout Head + Quick-Connect Adapter (A)

- Proprietary quick-connect fitting
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
- Extremely flexible with little-to-no "memory"
- Brass fittings

FOR USE WITH:
Pull-Out Faucets with Quick-Connect (A) Pull-Out Hose Connections

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0037-SS∞	--	Stainless Steel	4' (1.2m)	Stainless Steel
130-0034-SS∞	--	Stainless Steel	6' (1.8m)	Stainless Steel




REGULATOR 25
FEATURING RECESSED SHOWER# 136-0043-CW

VESSEL SINKS

MARINE GRADE


Our **Glass Vessel Sinks** work with over mount installations only and may be installed with or without a decorative base ring. All sinks are made from heavy tempered glass. Drain kit sold separately (see pages 53 through 58).

If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (colors / textures / sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.




Half Sphere (Smooth Glass) Glass Vessel

- Height: 4 3/4"
- Outside dimensions: 12" Ø
- Heavy tempered glass
- Over-counter mount only
- Optional mounting base ring, sold separately
- Fits 1 3/4" drains, sold separately




4 3/4" (12 cm)
12" (30.5 cm)

OEM #	Aftermarket #	Finish	Package Type
V21-1402-CL	V21-1402-CL-R	Clear	Each




DRAIN
1 3/4" DRAIN
2 1/2" (6.4 cm)
1 7/8" (4.8 cm)




Rectangle (Smooth Glass) Glass Vessel

- Height: 5 1/2"
- Outside dimensions: 16 1/2" x 16 1/2"
- Heavy tempered glass
- Over-counter mount only
- Optional mounting base ring, sold separately
- Fits 1 3/4" drains, sold separately



5 1/2" (14 cm)
16 1/2" (42 cm)

OEM #	Aftermarket #	Finish	Package Type
V41-1533-CL	V41-1533-CL-R	Clear	Each




DRAIN
1 3/4" DRAIN
2 1/2" (6.4 cm)
1 7/8" (4.8 cm)

Drains


sold separately (see pages 53-58)





Glass Vessel Mounting Base (Optional)

- Optional– for use with glass vessel sinks
- Lifts sink 1/2" off counter top
- Solid brass
- For use with 1 3/4" drains



3" (7.6 cm)
1 3/4" (4.4 cm)
1/2" (1.3 cm)


OEM #	Aftermarket #	Finish
V03-0050-CP	V03-0050-CP-R	Chrome
V03-0050-NP	V03-0050-NP-R	Brushed Nickel

MARINE GRADE

VESSEL SINKS


Our **Porcelain Vessel Sinks** work with over mount installations only. All sinks are made from real porcelain. Drain kit sold separately (see pages 53 through 58).

If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (colors / textures / sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.




Half Sphere (Smooth Surface) Porcelain Vessel

- Height: 5 3/4"
- Outside dimensions: 12 1/2" Ø
- Real porcelain
- Over-counter mount only
- Fits 1 3/4" drains, sold separately




5 3/4" (13 cm)
12 1/2" (32 cm)

OEM #	Aftermarket #	Finish	Package Type
V28-1502-WH	V28-1502-WH-R	White	Each




DRAIN
1 3/4" DRAIN
2 1/2" (6.4 cm)
1 7/8" (4.8 cm)




Rectangle (Smooth Surface) Porcelain Vessel

- Height: 5 1/2"
- Outside dimensions: 18 3/4" x 15"
- Faucet mounts directly on sink, 1 1/2" hole
- Real porcelain
- Over-counter mount only
- Fits 1 3/4" drains, sold separately



5 1/2" (13 cm)
18 3/4" (49 cm)
15" (38 cm)


OEM #	Aftermarket #	Finish	Package Type
V48-3534-WH	V48-3534-WH-R	White	Each



DRAIN
1 3/4" DRAIN
3" (7.6 cm)
1 3/4" (4.4 cm)

Drains

sold separately (see pages 53-58)



GLASS AND PORCELAIN VESSEL SINKS

ARE AVAILABLE IN A WIDE VARIETY OF COLORS, SHAPES, SIZES AND TEXTURES. Our exclusive partnerships allow us to quickly add virtually any style glass or porcelain vessel requested, simply ask your sales representative for options. Minimum annual commitment and additional lead-time may be required.

GLASS COLORS

- Clear
- Blue
- Smoke
- Green
- Frost
- Amber
- Purple
- Stone
- and many more!



PORCELAIN COLORS

- White
- Biscuit
- Almond
- and more!



GLASS TEXTURES

- Smooth
- Rain
- Squares
- Triangles
- Scalloped
- and many more!



OEM # – Not Labeled Or Packaged For Resale

Aftermarket # – Labeled And Packaged For Resale

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

For more information, please visit ambassadormarine.com

STAINLESS STEEL SINKS

MARINE GRADE

Most of our **Stainless Steel Sinks** work with over or under mount installations. All sinks are made from heavy gauge 304 stainless steel and features our exclusive **SoundKOTE** – Noise Reduction Technology. Drain kit sold separately (see pages 53 through 58).


If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (finishes / flanges / drain sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.



Stainless Steel Sink

Half Sphere

- Depth: 4 3/4"
- Outside dimensions: 9 1/2" Ø
- Bowl dimensions: 8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately




OEM #	Aftermarket #	Finish	Package Type
S24-1408-UM	S24-1408-UM-R	Ultra-Mirror	Each
S24-1408-UM-10p	--	Ultra-Mirror	10-Pack
S24-1408-BR	S24-1408-BR-R	Brushed	Each
S24-1408-BR-10p	--	Brushed	10-Pack



Stainless Steel Sink

Half Sphere

- Depth: 4 1/4"
- Outside dimensions: 10 1/2" Ø
- Bowl dimensions: 9" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- With mounting tabs, for over-counter mounting
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S26-1409-UM	S26-1409-UM-R	Ultra-Mirror	Each
S26-1409-UM-10p	--	Ultra-Mirror	10-Pack
S26-1409-BR	S26-1409-BR-R	Brushed	Each
S26-1409-BR-10p	--	Brushed	10-Pack

Drains

sold separately (see pages 53-58)

Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 58)

MARINE GRADE


STAINLESS STEEL SINKS



Stainless Steel Sink

Half Sphere

- Depth: 4 7/8"
- Outside dimensions: 11 1/2" Ø
- Bowl dimensions: 10 1/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 1 1/2" drains, sold separately




OEM #	Aftermarket #	Finish	Package Type
S24-6400-UM	S24-6400-UM-R	Ultra-Mirror	Each
S24-6400-UM-10p	--	Ultra-Mirror	10-Pack



Stainless Steel Sink

Half Sphere

- Depth: 4 3/4"
- Outside dimensions: 11 1/2" Ø
- Bowl dimensions: 10 1/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S24-1400-UM	S24-1400-UM-R	Ultra-Mirror	Each
S24-1400-UM-10p	--	Ultra-Mirror	10-Pack



Stainless Steel Sink

Half Sphere

- Depth: 5 7/8"
- Outside dimensions: 13 1/4" Ø
- Bowl dimensions: 11 3/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S24-1501-UM	S24-1501-UM-R	Ultra-Mirror	Each
S24-1501-UM-10p	--	Ultra-Mirror	10-Pack



Drains

sold separately (see pages 53-58)

Under-Mount Sink Brackets


optional for solid surfaces or stone counters

sold separately (see page 58)



STAINLESS STEEL SINKS

MARINE GRADE



Stainless Steel Sink
Oval

- Depth: 5 1/4"
- Outside dimensions: 13 1/4" x 10 1/2"
- Bowl dimensions: 11 1/4" x 8 1/2"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 1 1/2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S64-6530-UM	S64-6530-UM-R	Ultra-Mirror	Each
S64-6530-UM-10p	--	Ultra-Mirror	10-Pack
S64-6530-BR	S64-6530-BR-R	Brushed	Each
S64-6530-BR-10p	--	Brushed	10-Pack



Stainless Steel Sink
Oval

- Depth: 5 1/4"
- Outside dimensions: 13 1/4" x 10 1/2"
- Bowl dimensions: 11 1/4" x 8 1/2"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S64-1515-UM	S64-1515-UM-R	Ultra-Mirror	Each
S64-1515-UM-10p	--	Ultra-Mirror	10-Pack



Stainless Steel Sink
Oval

- Depth: 5 1/4"
- Outside dimensions: 17" x 12"
- Bowl dimensions: 14 3/4" x 9 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- With mounting studs, for over-counter mounting
- Fits 1 1/2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S67-6515-UM	S67-6515-UM-R	Ultra-Mirror	Each
S67-6515-UM-10p	--	Ultra-Mirror	10-Pack
S67-6515-BR	S67-6515-BR-R	Brushed	Each
S67-6515-BR-10p	--	Brushed	10-Pack

Drains
sold separately (see pages 53-58)



Under-Mount Sink Brackets
optional for solid surfaces or stone counters
sold separately (see page 58)

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

MARINE GRADE

STAINLESS STEEL SINKS



Stainless Steel Sink
Cylinder

- Depth: 5 1/4"
- Outside dimensions: 11 1/2" Ø
- Bowl dimensions: 10 1/8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S14-2500-UM	S14-2500-UM-R	Ultra-Mirror	Each
S14-2500-UM-10p	--	Ultra-Mirror	10-Pack
S14-2500-BR	S14-2500-BR-R	Brushed	Each
S14-2500-BR-10p	--	Brushed	10-Pack



Stainless Steel Sink
Cylinder

- Depth: 7 1/2"
- Outside dimensions: 11 1/2" Ø
- Bowl dimensions: 10 1/8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S14-2700-UM	S14-2700-UM-R	Ultra-Mirror	Each
S14-2700-UM-10p	--	Ultra-Mirror	10-Pack



Stainless Steel Sink
Cylinder

- Depth: 5 1/4"
- Outside dimensions: 13 3/8" Ø
- Bowl dimensions: 11 3/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S14-2501-UM	S14-2501-UM-R	Ultra-Mirror	Each
S14-2501-UM-10p	--	Ultra-Mirror	10-Pack
S14-2501-BR	S14-2501-BR-R	Brushed	Each
S14-2501-BR-10p	--	Brushed	10-Pack

Drains
sold separately (see pages 53-58)




Under-Mount Sink Brackets
optional for solid surfaces or stone counters
sold separately (see page 58)

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

STAINLESS STEEL SINKS

MARINE GRADE



7 1/2"

(19.1 cm)

11 3/4"

(29.8 cm)


13 3/8"

(34 cm)

Stainless Steel Sink Cylinder

- Depth: 7 1/4"
- Outside dimensions: 13 3/8" Ø
- Bowl dimensions: 11 3/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately

	OEM #	Aftermarket #	Finish	Package Type
<div><div>DRAIN</div><div>2" DRAIN</div><div>2 3/4" (7 cm)</div><div>2 1/8" (5.2 cm)</div></div> <div><div>FLANGE</div><div>4</div><div>UNDER-MOUNT</div><div>OVER-MOUNT</div></div>	S14-2701-UM	S14-2701-UM-R	Ultra-Mirror	Each
	S14-2701-UM-10p	--	Ultra-Mirror	10-Pack



6"

(15.2 cm)

12 3/8"

(31.4 cm)


15"

(38.1 cm)

Stainless Steel Sink Cylinder

- Depth: 6"
- Outside dimensions: 15" Ø
- Bowl dimensions: 12 3/8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately

	OEM #	Aftermarket #	Finish	Package Type
<div><div>DRAIN</div><div>2" DRAIN</div><div>2 3/4" (7 cm)</div><div>2 1/8" (5.2 cm)</div></div> <div><div>FLANGE</div><div>4</div><div>UNDER-MOUNT</div><div>OVER-MOUNT</div></div>	S14-2602-UM	S14-2602-UM-R	Ultra-Mirror	Each
	S14-2602-UM-10p	--	Ultra-Mirror	10-Pack



7 1/2"

(19.1 cm)

16 1/2"

(41.9 cm)


18"

(45.7 cm)

Stainless Steel Sink Cylinder


- Depth: 7 1/2"
- Outside dimensions: 18" Ø
- Bowl dimensions: 16 1/2" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately

	OEM #	Aftermarket #	Finish	Package Type
<div><div>DRAIN</div><div>2" DRAIN</div><div>2 3/4" (7 cm)</div><div>2 1/8" (5.2 cm)</div></div> <div><div>FLANGE</div><div>4</div><div>UNDER-MOUNT</div><div>OVER-MOUNT</div></div>	S14-2706-BR	S14-2706-BR-R	Brushed	Each
	S14-2706-BR-5p	--	Brushed	5-Pack



Drains

sold separately (see pages 53-58)




Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 58)

MARINE GRADE

STAINLESS STEEL SINKS



8 1/2"

(22.1 cm)

16 1/2"

(41.9 cm)

18"

(45.7 cm)

Stainless Steel Sink Cylinder

- Depth: 8 1/2"
- Outside dimensions: 18" Ø
- Bowl dimensions: 16 1/2" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately

	OEM #	Aftermarket #	Finish	Package Type
<div><div>DRAIN</div><div>2" DRAIN</div><div>2 3/4" (7 cm)</div><div>2 1/8" (5.2 cm)</div></div> <div><div>FLANGE</div><div>4</div><div>UNDER-MOUNT</div><div>OVER-MOUNT</div></div>	S14-2806-UM	S14-2806-UM-R	Ultra-Mirror	Each
	S14-2806-UM-5p	--	Ultra-Mirror	5-Pack



Drains

sold separately (see pages 53-58)



Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 58)



SEA RAY SLX 310
FEATURING FAUCET# 132-1739-CP
& SINK# S64-6530-UM

STAINLESS STEEL SINKS


MARINE
GRADE



Stainless Steel Sink

Rectangle

- Depth: 6 1/8"
- Outside dimensions: 12 3/4" x 6 3/4"
- Bowl dimensions: 11 3/4" x 5 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately




OEM #	Aftermarket #	Finish	Package Type
S44-1610-UM	S44-1610-UM-R	Ultra-Mirror	Each
S44-1610-UM-10p	--	Ultra-Mirror	10-Pack
S44-1610-BR	S44-1610-BR-R	Brushed	Each
S44-1610-BR-10p	--	Brushed	10-Pack



Stainless Steel Sink

Rectangle

- Depth: 7 1/8"
- Outside dimensions: 13 1/4" x 10 1/2"
- Bowl dimensions: 11 3/4" x 9"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately




OEM #	Aftermarket #	Finish	Package Type
S44-1711-BR	S44-1711-BR-R	Brushed	Each
S44-1711-BR-5p	--	Brushed	5-Pack



Stainless Steel Sink

Rectangle

- Depth: 8 1/8"
- Outside dimensions: 14" x 13 1/4"
- Bowl dimensions: 12 1/2" x 11 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S44-1831-UM	S44-1831-UM-R	Ultra-Mirror	Each
S44-1831-UM-5p	--	Ultra-Mirror	5-Pack
S44-1831-BR	S44-1831-BR-R	Brushed	Each
S44-1831-BR-5p	--	Brushed	5-Pack

Drains

sold separately (see pages 53-58)



Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 58)

MARINE
GRADE


STAINLESS STEEL SINKS



Stainless Steel Sink

Rectangle

- Depth: 6 1/8"
- Outside dimensions: 14 1/2" x 14 1/2"
- Bowl dimensions: 13" x 13"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately




OEM #	Aftermarket #	Finish	Package Type
S44-4614-UM	S44-4614-UM-R	Ultra-Mirror	Each
S44-4614-UM-5p	--	Ultra-Mirror	5-Pack
S44-4614-BR	S44-4614-BR-R	Brushed	Each
S44-4614-BR-5p	--	Brushed	5-Pack



Stainless Steel Sink

Rectangle

- Depth: 9 3/4"
- Outside dimensions: 14 1/2" x 14 1/2"
- Bowl dimensions: 13" x 13"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately




OEM #	Aftermarket #	Finish	Package Type
S44-4914-UM	S44-4914-UM-R	Ultra-Mirror	Each
S44-4914-UM-5p	--	Ultra-Mirror	5-Pack
S44-4914-BR	S44-4914-BR-R	Brushed	Each
S44-4914-BR-5p	--	Brushed	5-Pack



Stainless Steel Sink

Rectangle

- Depth: 7 1/2"
- Outside dimensions: 17 1/8" x 15 1/2"
- Bowl dimensions: 15 1/2" x 13 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- Super-SoundKOTE®– Noise Reduction Technology
- Under-counter mount only
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S43-1718-BR [∞]	S43-1718-BR-R [∞]	Brushed	Each

Drains

sold separately (see pages 53-58)




Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 58)

STAINLESS STEEL SINKS


MARINE
GRADE




Stainless Steel Sink

Rectangle

- Depth: 7 1/2"
- Outside dimensions: 19 7/8" x 15 3/4"
- Bowl dimensions: 17 7/8" x 13 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately

	OEM #	Aftermarket #	Finish	Package Type
 DRAIN 2" DRAIN 2 3/4" (7 cm) 2 1/8" (5.2 cm)	S14-1732-BR	S44-1732-BR-R	Brushed	Each
	S44-1732-BR-5p	--	Brushed	5-Pack




Drains

sold separately (see pages 53-58)



Under-Mount Sink Brackets

optional for solid surfaces or stone counters
sold separately (see page 58)




Stainless Steel Sink

Double Rectangle

- Depth: 8 1/8"
- Outside dimensions: 23 1/4" x 13 1/4"
- Bowl dimensions: 12 1/2" x 11 3/4" + 9" x 11 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately

	OEM #	Aftermarket #	Finish	Package Type
 DRAIN 2" DRAIN 2 3/4" (7 cm) 2 1/8" (5.2 cm)	S54-1823-UM	S54-1823-UM-R	Ultra-Mirror	Each
	S54-1823-UM-5p	--	Ultra-Mirror	5-Pack



Drains

sold separately (see pages 53-58)



Under-Mount Sink Brackets

optional for solid surfaces or stone counters
sold separately (see page 58)




MARINE
GRADE

DRAINS – 1 3/4"

Our 1 3/4" **Drains** are made from heavy duty plastic, brass and/or stainless steel and are available in a wide variety of configurations and finishes, to match our sinks and your décor.


Most vessel sinks use a 1 3/4" drain and are generally used as head sinks. 1 3/4" drains are the standard size drain for vessel sinks in North America and Europe.

If you need a configuration that is not shown, simply ask your sales representative for options. Minimum annual commitment and additional lead-time may be required for non-standard configurations.




Touch Drain

- Tap to open/close
- All brass
- Connection: 1 1/4"-M thread




OEM #	Aftermarket #	Finish	Overflow Intake	Connection
V03-0704-CP	V03-0704-CP-R	Chrome	No	1 1/4"-M Thread
V03-0704-NP	V03-0704-NP-R	Brushed Nickel	No	1 1/4"-M Thread




1 3/4" SERIES

Touch / Trap Drain Kit

- Tap to open/close
- Easy trap access
- All brass top
- Connection: 3/4" & 1" hose barb




OEM #	Aftermarket #	Finish	Overflow Intake	Connection
V03-0708-CP	V03-0708-CP-R	Chrome	No	3/4" & 1" Hose Barb
V03-0708-NP	V03-0708-NP-R	Brushed Nickel	No	3/4" & 1" Hose Barb




1 3/4" SERIES

Touch / Trap Drain Kit

- Tap to open/close
- Easy trap access
- All brass top
- Connection: 1 1/4" & 1 1/2" hose barb




OEM #	Aftermarket #	Finish	Overflow Intake	Connection
V03-0709-CP	V03-0709-CP-R	Chrome	No	1 1/4" & 1 1/2" Hose Barb
V03-0709-NP	V03-0709-NP-R	Brushed Nickel	No	1 1/4" & 1 1/2" Hose Barb




1 3/4" SERIES

Touch / Trap Drain Kit

- Tap to open/close
- Easy trap access
- All brass top
- Connection: 1 1/4"-M thread



OEM #	Aftermarket #	Finish	Overflow Intake	Connection
V03-0716-CP	V03-0716-CP-R	Chrome	No	1 1/4"-M Thread
V03-0716-NP	V03-0716-NP-R	Brushed Nickel	No	1 1/4"-M Thread



1 3/4" SERIES


DRAINS – 1 1/2"

MARINE
GRADE

Our 1 1/2" **Drains** are made from heavy duty plastic, brass and/or stainless steel and are available in a wide variety of configurations and finishes, to match our sinks and your décor.




Sinks with 1 1/2" drains are generally used as head sinks. 1 1/2" drains are the standard size drain for lavatory sinks in North America.

If you need a configuration that is not shown, simply ask your sales representative for options. Minimum annual commitment and additional lead-time may be required for non-standard configurations.



95° Elbow Drain Kit

- Low profile
- Chain stopper
- Finished stainless steel flange to match sink finish
- Connection: 1" hose barb





1 1/2" SERIES

OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0101-UP	S01-0101-UP-R	Ultra-Mirror	--	1" Hose Barb
S01-0101-BP	S01-0101-BP-R	Brushed	--	1" Hose Barb

Straight Drain Kit

- Low profile
- Chain stopper
- Finished stainless steel flange to match sink finish
- Connection: 1 1/4"-M thread





1 1/2" SERIES

OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0104-UP	S01-0104-UP-R	Ultra-Mirror	--	1 1/4"-M Thread
S01-0104-BP	S01-0104-BP-R	Brushed	--	1 1/4"-M Thread

Flip Drain Kit

- Low profile
- Flip to open/close
- With or without overflow intake
- All brass
- Connection: 1 1/4"-M thread





1 1/2" SERIES

OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0304-CP	S01-0304-CP-R	Chrome	No	1 1/4"-M Thread
S01-0504-CP	S01-0504-CP-R	Chrome	Yes	1 1/4"-M Thread
S01-0304-NP	S01-0304-NP-R	Brushed Nickel	No	1 1/4"-M Thread
S01-0504-NP	S01-0504-NP-R	Brushed Nickel	Yes	1 1/4"-M Thread

Flip Drain Kit

- Flip to open/close
- With or without overflow intake
- All brass
- Connection: 1 1/4"-M sweat fitting



1 1/2" SERIES

OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0311-CP	S01-0311-CP-R	Chrome	No	1 1/4"-M Sweat
S01-0511-CP	S01-0511-CP-R	Chrome	Yes	1 1/4"-M Sweat
S01-0311-NP	S01-0311-NP-R	Brushed Nickel	No	1 1/4"-M Sweat
S01-0511-NP	S01-0511-NP-R	Brushed Nickel	Yes	1 1/4"-M Sweat



OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

MARINE
GRADE

DRAINS – 1 1/2"

Flip / Trap Drain Kit

- Flip to open/close
- With or without overflow intake
- Easy trap access
- All brass top
- Connection: 3/4" & 1" hose barb





1 1/2" SERIES

OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0308-CP	S01-0308-CP-R	Chrome	No	3/4" & 1" Hose Barb
S01-0508-CP	S01-0508-CP-R	Chrome	Yes	3/4" & 1" Hose Barb
S01-0308-NP	S01-0308-NP-R	Brushed Nickel	No	3/4" & 1" Hose Barb
S01-0508-NP	S01-0508-NP-R	Brushed Nickel	Yes	3/4" & 1" Hose Barb

Flip / Trap Drain Kit

- Flip to open/close
- With or without overflow intake
- Easy trap access
- All brass top
- Connection: 1 1/4" & 1 1/2" hose barb





1 1/2" SERIES

OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0309-CP	S01-0309-CP-R	Chrome	No	1 1/4" & 1 1/2" Hose Barb
S01-0509-CP	S01-0509-CP-R	Chrome	Yes	1 1/4" & 1 1/2" Hose Barb
S01-0309-NP	S01-0309-NP-R	Brushed Nickel	No	1 1/4" & 1 1/2" Hose Barb
S01-0509-NP	S01-0509-NP-R	Brushed Nickel	Yes	1 1/4" & 1 1/2" Hose Barb

Flip / Trap Drain Kit

- Flip to open/close
- With or without overflow intake
- Easy trap access
- All brass top
- Connection: 1 1/4"-M thread





1 1/2" SERIES

OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0316-CP	S01-0316-CP-R	Chrome	No	1 1/4"-M Thread
S01-0516-CP	S01-0516-CP-R	Chrome	Yes	1 1/4"-M Thread
S01-0316-NP	S01-0316-NP-R	Brushed Nickel	No	1 1/4"-M Thread
S01-0516-NP	S01-0516-NP-R	Brushed Nickel	Yes	1 1/4"-M Thread

Pop-Up Drain Kit

- Universal style lift-rod controller
- With or without overflow intake
- All brass body, flange & stopper
- Connection: 1 1/4"-M sweat fitting



1 1/2" SERIES

OEM #	Aftermarket #	Finish	Overflow Intake	Connection
130-0027-CP∞	--	Chrome	No	1 1/4"-M Sweat
130-0019-CP∞	--	Chrome	Yes	1 1/4"-M Sweat
130-0027-NP∞	--	Brushed Nickel	No	1 1/4"-M Sweat
--	131-0019-NP∞	Brushed Nickel	Yes	1 1/4"-M Sweat
130-0027-CG∞	--	Chrome & 18k Gold	No	1 1/4"-M Sweat
130-0019-CG∞	--	Chrome & 18k Gold	Yes	1 1/4"-M Sweat
130-0027-CY∞	--	Chrome & PVD Gold	No	1 1/4"-M Sweat
130-0019-CY∞	--	Chrome & PVD Gold	Yes	1 1/4"-M Sweat

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

∞ Available While Supplies Last


DRAINS – 2"

MARINE
GRADE

Our **2" Drains** are made from heavy duty plastic, brass and/or stainless steel and are available in a wide variety of configurations and finishes, to match our sinks and your décor.


Sinks with 2" drains can be used as galley or head sinks. This is the standard size for most sinks in Europe and the rest of the world.

If you need a configuration that is not shown, simply ask your sales representative for options. Minimum annual commitment and additional lead-time may be required for non-standard configurations.



95° Elbow Drain Kit

- Low profile
- Chain stopper
- With or without stainless steel lift-out basket
- Finished stainless steel flange to match sink finish
- Connection: 1" hose barb




OEM #	Aftermarket #	Finish	Strainer Basket	Connection
S00-0101-UP	S00-0101-UP-R	Ultra-Mirror	No	1" Hose Barb
S00-1102-UP	S00-1102-UP-R	Ultra-Mirror	Yes	1" Hose Barb
S00-0101-BP	S00-0101-BP-R	Brushed	No	1" Hose Barb
S00-1102-BP	S00-1102-BP-R	Brushed	Yes	1" Hose Barb



Straight Drain Kit


- Low profile
- Chain stopper
- With or without stainless steel lift-out basket
- Finished stainless steel flange to match sink finish
- Connection: 1 1/4"-M thread



OEM #	Aftermarket #	Finish	Strainer Basket	Connection
S00-0104-UP	S00-0104-UP-R	Ultra-Mirror	No	1 1/4"-M Thread
S00-1104-UP	S00-1104-UP-R	Ultra-Mirror	Yes	1 1/4"-M Thread
S00-0104-BP	S00-0104-BP-R	Brushed	No	1 1/4"-M Thread
S00-1104-BP	S00-1104-BP-R	Brushed	Yes	1 1/4"-M Thread

95° Elbow Floor Drain

- Flush mount
- Low profile
- Finished stainless steel flange
- Connection: 1" hose barb



OEM #	Aftermarket #	Finish	Strainer Basket	Connection
S00-0003-UP	S00-0003-UP-R	Ultra-Mirror	- -	1" Hose Barb
S00-0003-BP	S00-0003-BP-R	Brushed	- -	1" Hose Barb

MARINE
GRADE

DRAINS – 2"



Trap Drain Kit

- Chain stopper
- With or without stainless steel lift-out basket
- Easy trap access
- Finished stainless steel flange to match sink finish
- Connection: 3/4" & 1" hose barb

OEM #	Aftermarket #	Finish	Strainer Basket	Connection
S00-0108-UP	S00-0108-UP-R	Ultra-Mirror	No	3/4" & 1" Hose Barb
S00-1108-UP	S00-1108-UP-R	Ultra-Mirror	Yes	3/4" & 1" Hose Barb
S00-0108-BP	S00-0108-BP-R	Brushed	No	3/4" & 1" Hose Barb
S00-1108-BP	S00-1108-BP-R	Brushed	Yes	3/4" & 1" Hose Barb



Trap Drain Kit

- Chain stopper
- With or without stainless steel lift-out basket
- Easy trap access
- Finished stainless steel flange to match sink finish
- Connection: 1 1/4" & 1 1/2" hose barb

OEM #	Aftermarket #	Finish	Strainer Basket	Connection
S00-0109-UP	S00-0109-UP-R	Ultra-Mirror	No	1 1/4" & 1 1/2" Hose Barb
S00-1109-UP	S00-1109-UP-R	Ultra-Mirror	Yes	1 1/4" & 1 1/2" Hose Barb
S00-0109-BP	S00-0109-BP-R	Brushed	No	1 1/4" & 1 1/2" Hose Barb
S00-1109-BP	S00-1109-BP-R	Brushed	Yes	1 1/4" & 1 1/2" Hose Barb




Trap Drain Kit

- Chain stopper
- With or without stainless steel lift-out basket
- Easy trap access
- Finished stainless steel flange to match sink finish
- Connection: 1 1/4"-M thread

OEM #	Aftermarket #	Finish	Strainer Basket	Connection
S00-0116-UP	S00-0116-UP-R	Ultra-Mirror	No	1 1/4"-M Thread
S00-1116-UP	S00-1116-UP-R	Ultra-Mirror	Yes	1 1/4"-M Thread
S00-0116-BP	S00-0116-BP-R	Brushed	No	1 1/4"-M Thread
S00-1116-BP	S00-1116-BP-R	Brushed	Yes	1 1/4"-M Thread

Glass Vessel Mounting Base (Optional)

- Optional– for use with glass vessel sinks
- Lifts sink 1/2" off counter top
- Solid brass
- For use with 1 3/4" drains



OEM #	Aftermarket #	Finish
V03-0050-CP	V03-0050-CP-R	Chrome
V03-0050-NP	V03-0050-NP-R	Brushed Nickel

Under-Mount Sink Bracket (Optional)


- Optional– for use with any under-mount stainless steel sink installation
- Requires solid surface or stone counter top
- All stainless steel



OEM #	Aftermarket #	Finish	Package Type
S00-0040-SS	- -	Stainless Steel	Each
S00-0044-SS	S00-0044-SS-R	Stainless Steel	4-Pack

Hose Barb Adapters


- Sized to fit true 3/4", 1", 1 1/4" and/or 1 1/2" – US standard hoses
- Fits standard 1 1/4"-M thread drain fittings
- Heavy duty plastic
- Use with hose clamp (not included)
- Connection: 1 1/4"-F thread



OEM #	Aftermarket #	Finish	Type	Connection	Barb
S00-0020-PL	S00-0020-PL-R	Gray	Straight	1 1/4"-F Thread	3/4" & 1" Hose
S00-0021-PL	S00-0021-PL-R	Gray	Straight	1 1/4"-F Thread	1 1/4" & 1 1/2" Hose
S00-0022-PL	S00-0022-PL-R	Gray	90° Elbow	1 1/4"-F Thread	3/4" & 1" Hose

Trap Drain Body

- Fits standard 1 1/4"-M threaded drain fittings
- Side port connects to all Ambassador Marine Hose Barb Adapters or any standard 1 1/4"-F threaded waste line
- Easy trap access
- Heavy duty plastic



OEM #	Aftermarket #	Finish	Top Port	Side Port
S00-0016-PL	S00-0016-PL-R	Gray	1 1/4"-F Thread	1 1/4"-M Thread

In-Drain Accessories

- Replacements for items included with Ambassador Marine drains



OEM #	Aftermarket #	Finish	Item	Drain Series
S00-1010-SS	S00-1010-SS-R	Stainless Steel	Lift-Out Strainer Basket	2" Drains
S00-0110-UP	S00-0110-UP-R	Ultra-Mirror	Chain Stopper	2" Drains
S01-0110-PS	S01-0110-PS-R	Black	Chain Stopper	1 1/2" Drains

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/16" (for reference only – may not be to scale)

We have thousands of replacement parts available to meet your needs and your customers’ needs. To identify and request any needed replacement parts, contact our customer service department at 800.270.4262 or info@ambassadormarine.com



MARINE
GRADE

LIMITED WARRANTY

Ambassador Marine faucets, sprayers, shower, drains and accessories are guaranteed to be free from material and workmanship defects under normal use and service for a period of five (5) years from the date of purchase. Proof of purchase is required for any and all warranty claims.

Ambassador Marine sinks are guaranteed to be free from material and workmanship defects under normal use and service for a period of one (1) year from the date of purchase. Proof of purchase is required for any and all warranty claims.

This warranty will not apply to products that were improperly installed, misapplied or incompatible with components not manufactured by Ambassador. Failures due to foreign debris are not covered under the terms of this limited warranty. Ambassador will not warrant any product that is physically damaged, neglected or altered outside the Ambassador factory.

Do not attempt to clean your Ambassador product with any kind of chemical or abrasive cleaner. Any abrasive will mar the finish and void the warranty. Do not leave your Ambassador product exposed to salt air without cleaning it regularly with fresh water, after every exposure or use.

All authorized returns are to be shipped postage prepaid to Ambassador Marine’s service center. A Return Authorization Number is required and must be clearly visible on the shipping carton. Package all returns carefully. Ambassador will not be responsible for freight damage incurred during shipping to our service center.

No credit or payment will be issued or allowed to consumers on any item deemed defective. Ambassador Marine’s total obligation is limited to the repair or replacement of the defective item only, at Ambassador Marine’s sole discretion. All returns will be examined and/or tested under Ambassador Marine test criteria. Replacements will be shipped freight prepaid. Products found by Ambassador to NOT be defective (under the terms of this limited warranty) are subject to charges to be paid by the returnee for the testing and packaging of "tested good" items and may be returned only at returnee’s expense. Further damage may occur due to testing and is not the responsibility of Ambassador.

In no event will Ambassador, its affiliated companies or agents be responsible for any labor whatsoever, cost of removal or re-installation, incidental and/or consequential damages arising out of the purchase or use of Ambassador products.

This limited warranty is in lieu of, and supersedes all other warranties, expressed or implied, and no other person is authorized to give any other warranty or assume obligation or liability on Ambassador Marine’s behalf.


This limited warranty covers Ambassador Marine products sold or distributed in the United States and Canada only. Customers who purchase Ambassador Marine products sold by distributors in other countries must consult their local distributors for their warranty policy.

This warranty gives you certain legal rights which may vary from state to state.

This warranty is only a representation of the complete Ambassador Marine warranty outlined on the Ambassador Marine website.

Ambassador Marine Inc. reserves the right to make product specification changes, price changes and to change or discontinue models without notice or obligation. All spec drawing dimensions ± 1/16", unless noted. Some components may not be drawn to scale. Actual color of product may differ from printed/on-line materials.

TRADE SALES REPRESENTATIVES:



UNITED STATES

GSW AND ASSOCIATES

770.753.1463

Main Office

11807 Northfall Lane #904

Alpharetta, GA 30009 USA

FAX 770.753.1465 • www.gswandassociates.com

MIDWEST OUTDOOR MARKETING

573.317.1103

Main Office

5707 Osage Beach Parkway

Osage Beach, MO 65065 USA

www.momarketing.com

US MARINE MARKETING

843.945.4605

Main Office

1500 Highway 17 N #105

Surfside Beach, SC 29575 USA

FAX 888.203.6494 • www.usmarinemarketing.com

INTERWESTERN SALES

831.884.5105

Main Office

2 Harris Court #A4

Monterey, CA 93940 USA

FAX 831.884.5103 • www.interwesternsales.com

CANADA

INTERWESTERN SALES

831.884.5105

Main Office

2 Harris Court #A4

Monterey, CA 93940 USA

FAX 831.884.5103 • www.interwesternsales.com

CARIBBEAN & LATIN AMERICA

CALA MARINE

305.254.0214

Main Office

13571 SW 135th Avenue #201

Miami, FL 33186 USA

FAX 305.254.0344 • www.cala-marine.com



Ambassador
MARINE

...products built for the elements.™

1173 Calle Suerte
Camarillo, California 93012-8052
800.270.4262 • 805.482.0053 • FAX 805.482.0056
www.ambassadormarine.com • info@ambassadormarine.com



COVER PHOTO: INTREPID 477 EVOLUTION
FEATURING FAUCET# 133-0210-CP
& SINK# 526-1409-BR

Revised 09/21
© 2021, Ambassador Marine, Inc., All Rights Reserved.