

...products built for the elements.™



# MARINE GRADE FAUCETS & SINKS Faucets • Showers • Sprayers • Accessories Stainless Steel & Vessel Sinks • Drains

25

# & QUALITY

# CONVENIENCE MARINE GRADE

This is what your boating experience is all about. Ambassador Marine products offer the Convenience and Comfort you're accustomed to at home, with the added Quality necessary to withstand the harsh marine environment.

Designed specifically for the marine customer, Ambassador Marine faucets, showers, sprayers and accessories carry added features such as stainless steel hardware, extended nickel-plating and state-of-the-art chroming process, ensuring long lasting quality and satisfaction.

Ambassador Marine stainless steel, porcelain & glass vessel sinks and unique drain designs incorporate elements specifically with today's discerning boater in mind. Simple touches like our exclusive SoundKOTE -

Noise Reduction Technology, versatile installation options, heavy gauge passivated 304 stainless steel, tempered glass, real porcelain and coordinated marine-application specific drains will deliver on the "at home" feeling, while on the water.

Offering an array of designs, styles and finishes, Ambassador Marine can satisfy all your faucet and sink needs from the transom shower to the galley. Ambassador Marine products are truly ...products built for the elements.™

#### ambassadormarine.com



#### **INFORMATION**

- Products • Where To Buy
- Sales Contacts
- Product Support
- Catalogs
- Our Story
- Gerber Partnership
- Events & News
- Links

#### **PRODUCT DETAILS**

- Available Finishes
- Stock Status
- Spec Drawings
- Installation Hole Size(s)
- Plumbing Connection(s)
- Drain Hole Size
- Sink Flange Style
- Installation Instructions
- Parts Lists
- Warranty
- Related Products
- Certifications & Compliances
- Packaging Styles
- Additional Images
- 3D Renderings

# **SUPPLIER** of the YEAR



On March 5, 2024, out of nearly 90 Preferred Suppliers to the Independent Boat Builders, Inc., Ambassador Marine was again awarded Supplier of the Year, for the second year in a row!

We are extremely proud to continue to be recognized by the group of member-builders with their highest honor for our dedication to quality, service and support.



2024 - 2nd Place

IBBI is a buying cooperative, currently made up of 15 independent boat builders, manufacturing 34 boat brands.










































































## ONLY COLD TRANSOM SHOWERS







#### TRINIDAD™ / SMALL SPRAYER SERIES

| Stainless Steel Lid   | OEM #       | Aftermarket # | Cup & Lid                      | Sprayer Finish | Hose Length | Hose Type       |
|---|-------------|---------------|--------------------------------|----------------|-------------|-----------------|
| Solid cast 316 stainless steel lid with UV                            | 136-0240-AW |               | Arctic White & Stainless Steel | Arctic White   | 6' (1.8m)   | White Rubber    |
| protected heavy duty ABS plastic cup                                  | 136-0247-AW |               | Arctic White & Stainless Steel | Arctic White   | 10' (3m)    | White Rubber    |
| <ul> <li>Integrated Trinidad™ Control Valve (Cold Only)</li> </ul>    | 136-0248-AW |               | Arctic White & Stainless Steel | Arctic White   | 6' (1.8m)   | Stainless Steel |
| Heavy duty, UV protected, ABS plastic sprayer                         | 136-0240-WH |               | Warm White & Stainless Steel   | Warm White     | 6' (1.8m)   | White Rubber    |
| Complete water shut-off when trigger is not engaged                   | 136-0247-WH |               | Warm White & Stainless Steel   | Warm White     | 10' (3m)    | White Rubber    |
| Depressing trigger allows for intermittent                            | 136-0248-WH |               | Warm White & Stainless Steel   | Warm White     | 6' (1.8m)   | Stainless Steel |
| water flow – lifting trigger locks it on for<br>continuous water flow | 136-0240-CP |               | Chrome & Stainless Steel       | Chrome         | 6' (1.8m)   | Black Rubber    |
| Vertical wall-mount, horizontal wall-mount (lid                       | 136-0240-CW |               | Chrome & Stainless Steel       | Chrome         | 6' (1.8m)   | White Rubber    |
| opening up or down) or deck-mount                                     | 136-0247-CW |               | Chrome & Stainless Steel       | Chrome         | 10' (3m)    | White Rubber    |
| Stainless steel lid with gasket forms a tight seal when               | 136-0248-CP |               | Chrome & Stainless Steel       | Chrome         | 6' (1.8m)   | Stainless Steel |
| lid is closed to prevent water from penetrating                       | 136-0240-KP |               | Black & Stainless Steel        | Black          | 6' (1.8m)   | Black Rubber    |
| (NOTE: not guaranteed to be water-tight)                              | 136-0248-KP |               | Black & Stainless Steel        | Black          | 6' (1.8m)   | Stainless Steel |

- (NOTE: not guaranteed to be • Heavy duty pull-out hose
- All brass valve body with metal handle
- Ceramic disc valve
- Flexible stainless steel braided supply line hoses
- Stainless steel mounting screws
- Two hole mount, 3" Ø (2 1/2" 2 5/8" CC) • Connections: 1/2" NPS-M



















## **Transom Shower**

• Stainless steel mounting screws

• Connections: 1/2" NPS-M

• Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)

#### TRINIDAD™ / HAMMER-HEAD SPRAYER SERIES

| Stainless Steel Lid  | OEM #       | Aftermarket # | Cup & Lid                      | Sprayer Finish        | Hose Length | Hose Type       |
|--|-------------|---------------|--------------------------------|-----------------------|-------------|-----------------|
| Solid cast 316 stainless steel lid with UV   | 136-0242-AW |               | Arctic White & Stainless Steel | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| protected heavy duty ABS plastic cup   | 136-0244-AW |               | Arctic White & Stainless Steel | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| <ul> <li>Integrated Trinidad<sup>™</sup> Control Valve (Cold Only)</li> </ul>              | 136-0243-AW |               | Arctic White & Stainless Steel | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| Heavy duty, UV protected, ABS plastic and  | 136-0242-WH |               | Warm White & Stainless Steel   | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer  | 136-0244-WH |               | Warm White & Stainless Steel   | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| Complete water shut-off when trigger is not engaged  | 136-0243-WH |               | Warm White & Stainless Steel   | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| Depressing trigger allows for intermittent<br>water flow – lifting trigger locks it on for | 136-0242-CA |               | Chrome & Stainless Steel       | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| continuous water flow  | 136-0244-CA |               | Chrome & Stainless Steel       | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| Vertical wall-mount, horizontal wall-mount (lid  | 136-0243-CA |               | Chrome & Stainless Steel       | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| opening up or down) or deck-mount  | 136-0242-CW |               | Chrome & Stainless Steel       | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| Stainless steel lid with gasket forms a tight seal when                                    | 136-0244-CW |               | Chrome & Stainless Steel       | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| lid is closed to prevent water from penetrating  | 136-0243-CW |               | Chrome & Stainless Steel       | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| (NOTE: not guaranteed to be water-tight)   | 136-0242-CP |               | Chrome & Stainless Steel       | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
| Heavy duty pull-out hose   | 136-0243-CP |               | Chrome & Stainless Steel       | Black & Chrome        | 6' (1.8m)   | Stainless Steel |
| <ul> <li>All brass valve body with metal handle</li> </ul>                                 | 136-0242-KP |               | Black & Stainless Steel        | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
| Ceramic disc valve   | 136-0243-KP |               | Black & Stainless Steel        | Black & Chrome        | 6' (1.8m)   | Stainless Steel |
| <ul> <li>Flexible stainless steel braided supply line hoses</li> </ul>                     |             |               |                                |                       |             |                 |



#### **Transom Shower**

| Stainless Steel Lid  | OEM #       | Aftermarket # | Cup & Lid                      | Sprayer Finish | Hose Length | Hose Type      |
|--|-------------|---------------|--------------------------------|----------------|-------------|----------------|
| Solid cast 316 stainless steel lid with UV                                 | 136-1740-AW |               | Arctic White & Stainless Steel | Arctic White   | 6' (1.8m)   | White Rubbe    |
| protected heavy duty ABS plastic cup                                       | 136-1747-AW |               | Arctic White & Stainless Steel | Arctic White   | 10' (3m)    | White Rubbe    |
| <ul> <li>Integrated Aidack<sup>™</sup> Control Valve (Hot/Cold)</li> </ul> | 136-1748-AW |               | Arctic White & Stainless Steel | Arctic White   | 6' (1.8m)   | Stainless Stee |
| Heavy duty, UV protected, ABS plastic sprayer                              | 136-1740-WH |               | Warm White & Stainless Steel   | Warm White     | 6' (1.8m)   | White Rubbe    |
| Complete water shut-off when trigger is not engaged                        | 136-1747-WH |               | Warm White & Stainless Steel   | Warm White     | 10' (3m)    | White Rubbe    |
| Depressing trigger allows for intermittent                                 | 136-1748-WH |               | Warm White & Stainless Steel   | Warm White     | 6' (1.8m)   | Stainless Ste  |
| water flow – lifting trigger locks it on for continuous water flow         | 136-1740-CP |               | Chrome & Stainless Steel       | Chrome         | 6' (1.8m)   | Black Rubber   |
| Vertical wall-mount, horizontal wall-mount (lid                            | 136-1740-CW |               | Chrome & Stainless Steel       | Chrome         | 6' (1.8m)   | White Rubbe    |
| opening up or down) or deck-mount  | 136-1747-CW |               | Chrome & Stainless Steel       | Chrome         | 10' (3m)    | White Rubbe    |
| Stainless steel lid with gasket forms a tight seal when                    | 136-1748-CP |               | Chrome & Stainless Steel       | Chrome         | 6' (1.8m)   | Stainless Ste  |
| lid is closed to prevent water from penetrating                            | 136-1740-KP |               | Black & Stainless Steel        | Black          | 6' (1.8m)   | Black Rubber   |
| (NOTE: not guaranteed to be water-tight)                                   | 136-1748-KP |               | Black & Stainless Steel        | Black          | 6' (1.8m)   | Stainless Ste  |
|  |             |               |                                |                |             |                |

#### • Heavy duty pull-out hose

- All brass valve body with metal handle
- Ceramic disc valve
- Flexible stainless steel braided supply line hoses
- Stainless steel mounting screws • Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)
- Connections: 1/2" NPS-M





















#### **AIDACK™ / HAMMER-HEAD SPRAYER** SERIES

Bulkhead Sprayer Holders


| Stainless Steel Lid   | OEM #       | Aftermarket # | Cup & Lid                      | Sprayer Finish        | Hose Length | Hose Type       |
|---|-------------|---------------|--------------------------------|-----------------------|-------------|-----------------|
| Solid cast 316 stainless steel lid with UV  | 136-1742-AW |               | Arctic White & Stainless Steel | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| Integrated Aidack™ Control Valve (Hot/Cold)     Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer | 136-1744-AW |               | Arctic White & Stainless Steel | Arctic White & Chrome | 10' (3m)    | White Rubber    |
|   | 136-1743-AW |               | Arctic White & Stainless Steel | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
|   | 136-1742-WH |               | Warm White & Stainless Steel   | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
|   | 136-1744-WH |               | Warm White & Stainless Steel   | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| Complete water shut-off when trigger is not engaged   | 136-1743-WH |               | Warm White & Stainless Steel   | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| Depressing trigger allows for intermittent<br>water flow – lifting trigger locks it on for                            | 136-1742-CA |               | Chrome & Stainless Steel       | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| continuous water flow   | 136-1744-CA |               | Chrome & Stainless Steel       | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| Vertical wall-mount, horizontal wall-mount (lid   | 136-1743-CA |               | Chrome & Stainless Steel       | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| opening up or down) or deck-mount   | 136-1742-CW |               | Chrome & Stainless Steel       | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| Stainless steel lid with gasket forms a tight seal when   | 136-1744-CW |               | Chrome & Stainless Steel       | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| lid is closed to prevent water from penetrating   | 136-1743-CW |               | Chrome & Stainless Steel       | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| (NOTE: not guaranteed to be water-tight)  | 136-1742-CP |               | Chrome & Stainless Steel       | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
| Heavy duty pull-out hose  | 136-1743-CP |               | Chrome & Stainless Steel       | Black & Chrome        | 6' (1.8m)   | Stainless Steel |
| <ul> <li>All brass valve body with metal handle</li> </ul>  | 136-1742-KP |               | Black & Stainless Steel        | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
| Ceramic disc valve  | 136-1743-KP |               | Black & Stainless Steel        | Black & Chrome        | 6' (1.8m)   | Stainless Steel |
| <ul> <li>Flexible stainless steel braided supply line hoses</li> </ul>  |             |               |                                |                       |             |                 |

• Stainless steel mounting screws

• Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)

• Connections: 1/2" NPS-M

## TRANSOM SHOWERS HOT/COLD



#### **Transom Shower**

|  |             |               |              | • •            |             |                 |
|--|-------------|---------------|--------------|----------------|-------------|-----------------|
| Plastic Lid  | OEM #       | Aftermarket # | Cup & Lid    | Sprayer Finish | Hose Length | Hose Type       |
| • UV protected heavy duty ABS plastic lid and cup                  | 136-1700-AW |               | Arctic White | Arctic White   | 6' (1.8m)   | White Rubber    |
| <ul> <li>Integrated Aidack™ Control Valve (Hot/Cold)</li> </ul>    | 136-1707-AW |               | Arctic White | Arctic White   | 10' (3m)    | White Rubber    |
| <ul> <li>Heavy duty, UV protected, ABS plastic sprayer</li> </ul>  | 136-1708-AW |               | Arctic White | Arctic White   | 6' (1.8m)   | Stainless Steel |
| Complete water shut-off when trigger is not engaged                | 136-1700-WH |               | Warm White   | Warm White     | 6' (1.8m)   | White Rubber    |
| Depressing trigger allows for intermittent                         | 136-1707-WH |               | Warm White   | Warm White     | 10' (3m)    | White Rubber    |
| water flow – lifting trigger locks it on for continuous water flow | 136-1708-WH |               | Warm White   | Warm White     | 6' (1.8m)   | Stainless Steel |
| Vertical wall-mount, horizontal wall-mount (lid                    | 136-1700-CP |               | Chrome       | Chrome         | 6' (1.8m)   | Black Rubber    |
| opening up or down) or deck-mount                                  | 136-1700-CW |               | Chrome       | Chrome         | 6' (1.8m)   | White Rubber    |
| Heavy duty pull-out hose   | 136-1707-CW |               | Chrome       | Chrome         | 10' (3m)    | White Rubber    |
| All brass valve body with metal handle                             | 136-1708-CP |               | Chrome       | Chrome         | 6' (1.8m)   | Stainless Steel |
| Ceramic disc valve   | 136-1700-KP |               | Black        | Black          | 6' (1.8m)   | Black Rubber    |
| • Flexible stainless steel braided supply line hoses               | 136-1708-KP |               | Black        | Black          | 6' (1.8m)   | Stainless Steel |
|  |             |               |              |                |             |                 |

• Stainless steel mounting screws

• Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)

• Connections: 1/2" NPS-M


## Bulkhead Sprayer Holders sold separately (see page 39)




















#### **Transom Shower**

#### **AIDACK™ / HAMMER-HEAD SPRAYER** SERIES

| Plastic Lid  | OEM #       | Aftermarket # | Cup & Lid    | Sprayer Finish        | Hose Length | Hose Type       |
|--|-------------|---------------|--------------|-----------------------|-------------|-----------------|
| • UV protected heavy duty ABS plastic lid and cup                  | 136-1712-AW |               | Arctic White | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| <ul> <li>Integrated Aidack™ Control Valve (Hot/Cold)</li> </ul>    | 136-1714-AW |               | Arctic White | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| • Heavy duty, UV protected, ABS plastic and                        | 136-1716-AW |               | Arctic White | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| chrome plated brass sprayer  | 136-1712-WH |               | Warm White   | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| Complete water shut-off when trigger is not engaged                | 136-1714-WH |               | Warm White   | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| Depressing trigger allows for intermittent                         | 136-1716-WH |               | Warm White   | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| water flow – lifting trigger locks it on for continuous water flow | 136-1712-CA |               | Chrome       | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| Vertical wall-mount, horizontal wall-mount (lid                    | 136-1714-CA |               | Chrome       | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| opening up or down) or deck-mount                                  | 136-1716-CA |               | Chrome       | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| Heavy duty pull-out hose   | 136-1712-CW |               | Chrome       | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| All brass valve body with metal handle                             | 136-1714-CW |               | Chrome       | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| Ceramic disc valve   | 136-1716-CW |               | Chrome       | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| • Flexible stainless steel braided supply line hoses               | 136-1712-CP |               | Chrome       | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
| Stainless steel mounting screws                                    | 136-1716-CP |               | Chrome       | Black & Chrome        | 6' (1.8m)   | Stainless Steel |
| • Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)                        | 136-1712-KP |               | Black        | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
| • Connections: 1/2" NPS-M  | 136-1716-KP |               | Black        | Black & Chrome        | 6' (1.8m)   | Stainless Steel |

## ONLY COLD TRANSOM SHOWERS





Transom Shower

|   |             |               |              | , 5.11.7 1     | J           | JEINIES         |
|---|-------------|---------------|--------------|----------------|-------------|-----------------|
| Plastic Lid   | OEM #       | Aftermarket # | Cup & Lid    | Sprayer Finish | Hose Length | Hose Type       |
| • UV protected heavy duty ABS plastic lid and cup                             | 136-0200-AW |               | Arctic White | Arctic White   | 6' (1.8m)   | White Rubber    |
| <ul> <li>Integrated Trinidad<sup>™</sup> Control Valve (Cold Only)</li> </ul> | 136-0207-AW |               | Arctic White | Arctic White   | 10' (3m)    | White Rubber    |
| <ul> <li>Heavy duty, UV protected, ABS plastic sprayer</li> </ul>             | 136-0208-AW |               | Arctic White | Arctic White   | 6' (1.8m)   | Stainless Steel |
| Complete water shut-off when trigger is not engaged                           | 136-0200-WH |               | Warm White   | Warm White     | 6' (1.8m)   | White Rubber    |
| Depressing trigger allows for intermittent                                    | 136-0207-WH |               | Warm White   | Warm White     | 10' (3m)    | White Rubber    |
| water flow – lifting trigger locks it on for                                  | 136-0208-WH |               | Warm White   | Warm White     | 6' (1.8m)   | Stainless Steel |
| continuous water flow  • Vertical wall-mount, horizontal wall-mount (lid      | 136-0200-CP |               | Chrome       | Chrome         | 6' (1.8m)   | Black Rubber    |
| opening up or down) or deck-mount   | 136-0200-CW |               | Chrome       | Chrome         | 6' (1.8m)   | White Rubber    |
| Heavy duty pull-out hose  | 136-0207-CW |               | Chrome       | Chrome         | 10' (3m)    | White Rubber    |
| All brass valve body with metal handle  | 136-0208-CP |               | Chrome       | Chrome         | 6' (1.8m)   | Stainless Steel |
| Ceramic disc valve  | 136-0200-KP |               | Black        | Black          | 6' (1.8m)   | Black Rubber    |
|   | 136-0208-KP |               | Black        | Black          | 6' (1.8m)   | Stainless Steel |
|   |             |               |              |                |             |                 |

• Stainless steel mounting screws

• Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)

• Connections: 1/2" NPS-M


Bulkhead Sprayer Holders sold separately (see page 39)

















#### **Transom Shower**

#### TRINIDAD™ / HAMMER-HEAD SPRAYER SERIES

| Plastic Lid   | OEM #       | Aftermarket # | Cup & Lid    | Sprayer Finish        | Hose Length | Hose Type       |
|---|-------------|---------------|--------------|-----------------------|-------------|-----------------|
| • UV protected heavy duty ABS plastic lid and cup                             | 136-0212-AW |               | Arctic White | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| <ul> <li>Integrated Trinidad<sup>™</sup> Control Valve (Cold Only)</li> </ul> | 136-0214-AW |               | Arctic White | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>                 | 136-0216-AW |               | Arctic White | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| chrome plated brass sprayer   | 136-0212-WH |               | Warm White   | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| Complete water shut-off when trigger is not engaged                           | 136-0214-WH |               | Warm White   | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| Depressing trigger allows for intermittent                                    | 136-0216-WH |               | Warm White   | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| water flow – lifting trigger locks it on for continuous water flow            | 136-0212-CA |               | Chrome       | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| Vertical wall-mount, horizontal wall-mount (lid.)                             | 136-0214-CA |               | Chrome       | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| opening up or down) or deck-mount   | 136-0216-CA |               | Chrome       | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| Heavy duty pull-out hose  | 136-0212-CW |               | Chrome       | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| All brass valve body with metal handle  | 136-0214-CW |               | Chrome       | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| Ceramic disc valve  | 136-0216-CW |               | Chrome       | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| • Flexible stainless steel braided supply line hoses                          | 136-0212-CP |               | Chrome       | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
| Stainless steel mounting screws   | 136-0216-CP |               | Chrome       | Black & Chrome        | 6' (1.8m)   | Stainless Steel |
| • Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)                                   | 136-0212-KP |               | Black        | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
| • Connections: 1/2" NPS-M   | 136-0216-KP |               | Black        | Black & Chrome        | 6' (1.8m)   | Stainless Steel |

136-0040-AW

136-0047-AW

136-0047-WH

136-0048-WH

136-0040-CP

136-0040-CW

136-0047-CW


136-0048-CP

136-0040-KP

136-0048-KP

## **RECESSED SHOWERS**





**SMALL SPRAYER** SERIES

### **Recessed Shower**

|   | _           |               |              |                |             |                 |
|---|-------------|---------------|--------------|----------------|-------------|-----------------|
| Plastic Lid   | OEM #       | Aftermarket # | Cup & Lid    | Sprayer Finish | Hose Length | Hose Type       |
| UV protected heavy duty ABS plastic lid and cup     | 136-0000-AW | 136-0000-AW-R | Arctic White | Arctic White   | 6' (1.8m)   | White Rubber    |
| Heavy duty, UV protected, ABS plastic sprayer       | 136-0007-AW | 136-0007-AW-R | Arctic White | Arctic White   | 10' (3m)    | White Rubber    |
| Complete water shut-off when trigger is not engaged | 136-0008-AW | 136-0008-AW-R | Arctic White | Arctic White   | 6' (1.8m)   | Stainless Steel |
| Depressing trigger allows for intermittent          | 136-0000-WH | 137-0000-WH   | Warm White   | Warm White     | 6' (1.8m)   | White Rubber    |
| water flow – lifting trigger locks it on for        | 136-0007-WH | 136-0007-WH-R | Warm White   | Warm White     | 10' (3m)    | White Rubber    |
| continuous water flow                               | 136-0008-WH | 136-0008-WH-R | Warm White   | Warm White     | 6' (1.8m)   | Stainless Steel |
| Wall-mount (lid opening up or down) or              | 136-0000-CP | 136-0000-CP-R | Chrome       | Chrome         | 6' (1.8m)   | Black Rubber    |
| deck-mount  | 136-0000-CW | 136-0000-CW-R | Chrome       | Chrome         | 6' (1.8m)   | White Rubber    |
| Heavy duty pull-out hose                            | 136-0007-CW | 136-0007-CW-R | Chrome       | Chrome         | 10' (3m)    | White Rubber    |
| Stainless steel mounting screws                     | 136-0008-CP | 136-0008-CP-R | Chrome       | Chrome         | 6' (1.8m)   | Stainless Steel |
| Single hole mount, 3",                              | 136-0000-KP | 136-0000-KP-R | Black        | Black          | 6' (1.8m)   | Black Rubber    |
| og.oo.oo aq o q                                     | 124 0000 KD | 124 0000 KD D | DI I         | DI I           | //          | C1 1 C1 1       |

| Plastic Lid   | OEM #       | Aftermarket # | Cup & Lid    | Sprayer Finish | Hose Length | Hose Type      |
|---|-------------|---------------|--------------|----------------|-------------|----------------|
| • UV protected heavy duty ABS plastic lid and cup     | 136-0000-AW | 136-0000-AW-R | Arctic White | Arctic White   | 6' (1.8m)   | White Rubber   |
| • Heavy duty, UV protected, ABS plastic sprayer       | 136-0007-AW | 136-0007-AW-R | Arctic White | Arctic White   | 10' (3m)    | White Rubber   |
| • Complete water shut-off when trigger is not engaged | 136-0008-AW | 136-0008-AW-R | Arctic White | Arctic White   | 6' (1.8m)   | Stainless Stee |
| Depressing trigger allows for intermittent            | 136-0000-WH | 137-0000-WH   | Warm White   | Warm White     | 6' (1.8m)   | White Rubber   |
| water flow – lifting trigger locks it on for          | 136-0007-WH | 136-0007-WH-R | Warm White   | Warm White     | 10' (3m)    | White Rubber   |
| continuous water flow                                 | 136-0008-WH | 136-0008-WH-R | Warm White   | Warm White     | 6' (1.8m)   | Stainless Stee |
| • Wall-mount (lid opening up or down) or              | 136-0000-CP | 136-0000-CP-R | Chrome       | Chrome         | 6' (1.8m)   | Black Rubber   |
| deck-mount  | 136-0000-CW | 136-0000-CW-R | Chrome       | Chrome         | 6' (1.8m)   | White Rubber   |
| Heavy duty pull-out hose                              | 136-0007-CW | 136-0007-CW-R | Chrome       | Chrome         | 10' (3m)    | White Rubber   |
| Stainless steel mounting screws                       | 136-0008-CP | 136-0008-CP-R | Chrome       | Chrome         | 6' (1.8m)   | Stainless Stee |
| • Single hole mount, 3",                              | 136-0000-KP | 136-0000-KP-R | Black        | Black          | 6' (1.8m)   | Black Rubber   |
| • Connection: 1/2" NPS-F                              | 136-0008-KP | 136-0008-KP-R | Black        | Black          | 6' (1.8m)   | Stainless Stee |
|   |             |               |              |                |             |                |

#### (NOTE: not guaranteed to be water-tight) • Heavy duty pull-out hose

continuous water flow

deck-mount

• Stainless steel mounting screws

**Stainless Steel Lid** 

• Solid cast 316 stainless steel lid with UV

protected heavy duty ABS plastic cup

• Depressing trigger allows for intermittent

water flow – lifting trigger locks it on for

• Wall-mount (lid opening up or down) or

closed to prevent water from penetrating

• New stainless steel lid with gasket and redesigned

Recessed Shower

ABS plastic cup form a tighter seal when lid is

**Recessed Shower** 

• Heavy duty, UV protected, ABS plastic sprayer 136-0048-AW

• Complete water shut-off when trigger is not engaged 136-0040-WH

- Single hole mount, 3" Ø
- Connection: 1/2" NPS-F

#### **Bulkhead Sprayer Holders**

Chrome





**SMALL SPRAYER** SERIES

6' (1.8m)

10' (3m)

6' (1.8m)

6' (1.8m)

6' (1.8m)

6' (1.8m)

10' (3m)

6' (1.8m)

6' (1.8m)

6' (1.8m)

Hose Length Hose Type

White Rubber

White Rubber

Stainless Steel

White Rubber

White Rubber

Stainless Steel

Black Rubber

White Rubber

White Rubber

Stainless Steel

Stainless Steel

Black Rubber



Aftermarket # Cup & Lid

136-0040-WH-R

136-0040-CP-R

136-0047-CW-R

136-0048-CP-R

136-0040-KP-R

136-0048-KP-R

137-0040-CW

136-0040-AW-R Arctic White & Stainless Steel Arctic White

136-0047-AW-R Arctic White & Stainless Steel Arctic White

136-0048-AW-R Arctic White & Stainless Steel Arctic White

136-0047-WH-R Warm White & Stainless Steel Warm White

136-0048-WH-R Warm White & Stainless Steel Warm White

Chrome & Stainless Steel

Chrome & Stainless Steel

Chrome & Stainless Steel

Chrome & Stainless Steel

Black & Stainless Steel

Black & Stainless Steel

Warm White & Stainless Steel Warm White

#### **HAMMER-HEAD SPRAYER** SERIES


| Necessed Silower  |             |               |                                |                       |             |                 |  |
|---|-------------|---------------|--------------------------------|-----------------------|-------------|-----------------|--|
| Stainless Steel Lid   | OEM #       | Aftermarket # | Cup & Lid                      | Sprayer Finish        | Hose Length | Hose Type       |  |
| Solid cast 316 stainless steel lid with UV                            | 136-0042-AW | 136-0042-AW-R | Arctic White & Stainless Steel | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |  |
| protected heavy duty ABS plastic cup                                  | 136-0044-AW | 136-0044-AW-R | Arctic White & Stainless Steel | Arctic White & Chrome | 10' (3m)    | White Rubber    |  |
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>         | 136-0043-AW | 136-0043-AW-R | Arctic White & Stainless Steel | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |  |
| chrome plated brass sprayer   | 136-0042-WH | 136-0042-WH-R | Warm White & Stainless Steel   | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |  |
| Complete water shut-off when trigger is not engaged                   | 136-0044-WH | 136-0044-WH-R | Warm White & Stainless Steel   | Warm White & Chrome   | 10' (3m)    | White Rubber    |  |
| Depressing trigger allows for intermittent                            | 136-0043-WH | 136-0043-WH-R | Warm White & Stainless Steel   | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |  |
| water flow – lifting trigger locks it on for<br>continuous water flow | 136-0042-CA | 136-0042-CA-R | Chrome & Stainless Steel       | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |  |
| Wall-mount (lid opening up or down) or                                | 136-0044-CA | 136-0044-CA-R | Chrome & Stainless Steel       | Arctic White & Chrome | 10' (3m)    | White Rubber    |  |
| deck-mount  | 136-0043-CA | 136-0043-CA-R | Chrome & Stainless Steel       | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |  |
| New stainless steel lid with gasket and redesigned                    | 136-0042-CW | 136-0042-CW-R | Chrome & Stainless Steel       | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |  |
| ABS plastic cup form a tighter seal when lid is                       | 136-0044-CW | 136-0044-CW-R | Chrome & Stainless Steel       | Warm White & Chrome   | 10' (3m)    | White Rubber    |  |
| closed to prevent water from penetrating                              | 136-0043-CW | 136-0043-CW-R | Chrome & Stainless Steel       | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |  |
| (NOTE: not guaranteed to be water-tight)                              | 136-0042-CP | 136-0042-CP-R | Chrome & Stainless Steel       | Black & Chrome        | 6' (1.8m)   | Black Rubber    |  |
| Heavy duty pull-out hose  | 136-0043-CP | 136-0043-CP-R | Chrome & Stainless Steel       | Black & Chrome        | 6' (1.8m)   | Stainless Steel |  |
| Stainless steel mounting screws                                       | 136-0042-KP | 136-0042-KP-R | Black & Stainless Steel        | Black & Chrome        | 6' (1.8m)   | Black Rubber    |  |
| ullet Single hole mount, 3" $arnothing$                               | 136-0043-KP | 136-0043-KP-R | Black & Stainless Steel        | Black & Chrome        | 6' (1.8m)   | Stainless Steel |  |
| Connection: 1/2" NPS-F  |             |               |                                |                       |             |                 |  |

#### **Bulkhead Sprayer Holders**









#### **Recessed Shower**

| Plastic Lid   | OEM #       | Aftermarket # | Cup & Lid    | Sprayer Finish        | Hose Length | Hose Type       |
|---|-------------|---------------|--------------|-----------------------|-------------|-----------------|
| • UV protected heavy duty ABS plastic lid and cup                       | 136-0012-AW | 136-0012-AW-R | Arctic White | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>           | 136-0014-AW | 136-0014-AW-R | Arctic White | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| chrome plated brass sprayer   | 136-0016-AW | 136-0016-AW-R | Arctic White | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| <ul> <li>Complete water shut-off when trigger is not engaged</li> </ul> | 136-0012-WH | 136-0012-WH-R | Warm White   | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| Depressing trigger allows for intermittent                              | 136-0014-WH | 136-0014-WH-R | Warm White   | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| water flow – lifting trigger locks it on for                            | 136-0016-WH | 136-0016-WH-R | Warm White   | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
| continuous water flow   | 136-0012-CA | 136-0012-CA-R | Chrome       | Arctic White & Chrome | 6' (1.8m)   | White Rubber    |
| Wall-mount (lid opening up or down) or<br>deck-mount                    | 136-0014-CA | 136-0014-CA-R | Chrome       | Arctic White & Chrome | 10' (3m)    | White Rubber    |
| Heavy duty pull-out hose  | 136-0016-CA | 136-0016-CA-R | Chrome       | Arctic White & Chrome | 6' (1.8m)   | Stainless Steel |
| Stainless steel mounting screws   | 136-0012-CW | 136-0012-CW-R | Chrome       | Warm White & Chrome   | 6' (1.8m)   | White Rubber    |
| • Single hole mount, 3" Ø   | 136-0014-CW | 136-0014-CW-R | Chrome       | Warm White & Chrome   | 10' (3m)    | White Rubber    |
| • Connection: 1/2" NPS-F  | 136-0016-CW | 136-0016-CW-R | Chrome       | Warm White & Chrome   | 6' (1.8m)   | Stainless Steel |
|   | 136-0012-CP | 136-0012-CP-R | Chrome       | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
|   | 136-0016-CP | 136-0016-CP-R | Chrome       | Black & Chrome        | 6' (1.8m)   | Stainless Steel |
|   | 136-0012-KP | 136-0012-KP-R | Black        | Black & Chrome        | 6' (1.8m)   | Black Rubber    |
|   | 136-0016-KP | 136-0016-KP-R | Black        | Black & Chrome        | 6' (1.8m)   | Stainless Steel |
|   |             |               |              |                       |             |                 |

## RECESSED CONTROL VALVES





#### **Recessed Control Valve**

|   | OEM #       | Aftermarket # | Cup & Lid                      | Lid Style           | Control Valve Finish |
|---|-------------|---------------|--------------------------------|---------------------|----------------------|
| Solid cast 316 stainless steel lid or UV protected heavy        | 136-1741-CA |               | Arctic White & Stainless Steel | 316 Stainless Steel | Chrome               |
| duty ABS plastic lid with UV protected heavy duty ABS           | 136-1741-CW |               | Warm White & Stainless Steel   | 316 Stainless Steel | Chrome               |
| plastic cup   | 136-1741-CP |               | Chrome & Stainless Steel       | 316 Stainless Steel | Chrome               |
| <ul> <li>Integrated Aidack™ Control Valve (Hot/Cold)</li> </ul> | 136-1741-CK |               | Black & Stainless Steel        | 316 Stainless Steel | Chrome               |
| Wall-mount (lid opening up or down) or deck-mount               | 136-1711-CA |               | Arctic White                   | ABS Plastic         | Chrome               |
| New stainless steel lid with gasket and redesigned ABS          | 136-1711-CW |               | Warm White                     | ABS Plastic         | Chrome               |
| plastic cup form a tighter seal when lid is closed to           | 136-1711-CP |               | Chrome                         | ABS Plastic         | Chrome               |
| prevent water from penetrating ( <b>NOTE:</b> not guaranteed to | 136-1711-CK |               | Black                          | ABS Plastic         | Chrome               |

- be water-tight)All brass valve body with metal handle
- Ceramic disc valve
- Flexible stainless steel braided supply line hoses
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- Connections: 1/2" NPS-M



#### **Recessed Control Valve**

|   | OEM #       | Aftermarket # | Cup & Lid                      | Lid Style           | Control Valve Finish |
|---|-------------|---------------|--------------------------------|---------------------|----------------------|
| • Solid cast 316 stainless steel lid or UV protected heavy                    | 136-0249-CA |               | Arctic White & Stainless Steel | 316 Stainless Steel | Chrome               |
| duty ABS plastic lid with UV protected heavy duty ABS                         | 136-0249-CW |               | Warm White & Stainless Steel   | 316 Stainless Steel | Chrome               |
| plastic cup   | 136-0249-CP |               | Chrome & Stainless Steel       | 316 Stainless Steel | Chrome               |
| <ul> <li>Integrated Trinidad<sup>™</sup> Control Valve (Cold Only)</li> </ul> | 136-0249-CK |               | Black & Stainless Steel        | 316 Stainless Steel | Chrome               |
| • Wall-mount (lid opening up or down) or deck-mount                           | 136-0209-CA |               | Arctic White                   | ABS Plastic         | Chrome               |
| New stainless steel lid with gasket and redesigned ABS                        | 136-0209-CW |               | Warm White                     | ABS Plastic         | Chrome               |
| plastic cup form a tighter seal when lid is closed to                         | 136-0209-CP |               | Chrome                         | ABS Plastic         | Chrome               |
| prevent water from penetrating (NOTE: not guaranteed to                       | 124 0200 CV |               | DI I                           | ADC DL 1:           | CI                   |

- be water-tight) • All brass valve body with metal handle
- Ceramic disc valve
- Flexible stainless steel braided supply line hoses
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- Connections: 1/2" NPS-M

## TRANSOM & RECESSED ACCESSORIES



#### **Transom Cup & Lid Set**

• For use with Ambassador Marine Transom Showers and Control Valves

• Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)

OEM# Aftermarket # Cup & Lid Lid Style • Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV 136-0025-AW Arctic White & Stainless Steel 316 Stainless Steel protected heavy duty ABS plastic cup 136-0025-WH Warm White & Stainless Steel 316 Stainless Steel 136-0025-CP • Vertical wall-mount, horizontal wall-mount (lid opening up or down) or Chrome & Stainless Steel 316 Stainless Steel 136-0025-KP Black & Stainless Steel 316 Stainless Steel • Stainless steel lid with gasket forms a tighter seal when lid is closed to prevent water 136-0010-AW Arctic White ABS Plastic from penetrating (**NOTE:** not guaranteed to be water-tight) 136-0010-WH Warm White ABS Plastic • Stainless steel mounting screws 136-0010-CP Chrome ABS Plastic

136-0010-KP



## **Recessed Cup & Lid Set**

- Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV protected heavy duty ABS plastic cup
- Wall-mount (lid opening up or down) or deck-mount
- New stainless steel lid with gasket and redesigned ABS plastic cup form a tighter seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight)
- Stainless steel mounting screws
- Single hole mount, 3" Ø
- For use with Ambassador Marine Recessed Showers and Control Valves

|   | OEM #       | Aftermarket # | Cup & Lid                      | Lid Style           |
|---|-------------|---------------|--------------------------------|---------------------|
| V | 136-0015-AW |               | Arctic White & Stainless Steel | 316 Stainless Steel |
|   | 136-0015-WH |               | Warm White & Stainless Steel   | 316 Stainless Steel |
|   | 136-0015-CP |               | Chrome & Stainless Steel       | 316 Stainless Steel |
|   | 136-0015-KP |               | Black & Stainless Steel        | 316 Stainless Steel |
| d | 136-0005-AW |               | Arctic White                   | ABS Plastic         |
|   | 136-0005-WH |               | Warm White                     | ABS Plastic         |
|   | 136-0005-CP |               | Chrome                         | ABS Plastic         |
|   | 136-0005-KP |               | Black                          | ABS Plastic         |
|   |             |               |                                |                     |

Black





Aftermarket #

137-0090-KP

**NOTE:** Dimension Drawings  $\pm 1/8$ " (for reference only – may not be to scale)

Recessed Shower sold separately

Finish

Black

ABS Plastic

Breathable nylon mesh

Mesh Bag

- 4x fastening push-in plastic rivets
- Easy installation
- Side or bottom supply access with plastic tie to secure
- Works with all Ambassador Marine Transom and Recessed Shower styles

OEM#

136-0090-KP

## **DECK-MOUNT SPRAYERS**

134-0020-KP

134-0036-KP

Black Rubber

6' (1.8m)



## **Deck-Mount Sprayer**

| R SERI |
|--------|
|        |

| With Elbow   | OEM #       | Aftermarket # | Sprayer Finish        | Integrated Hook | Hose Length | Hose Type       |
|--|-------------|---------------|-----------------------|-----------------|-------------|-----------------|
| Heavy duty, UV protected, ABS plastic and                            | 134-0009-AW | 134-0009-AW-R | Arctic White & Chrome | Yes             | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer  | 134-0033-AW | 134-0033-AW-R | Arctic White & Chrome | Yes             | 10' (3m)    | White Rubber    |
| <ul> <li>Complete water shut-off when trigger is not</li> </ul>      | 134-0031-AW | 134-0031-AW-R | Arctic White & Chrome | Yes             | 6' (1.8m)   | Stainless Steel |
| engaged  | 134-0020-AW | 134-0020-AW-R | Arctic White & Chrome | No              | 6' (1.8m)   | White Rubber    |
| <ul> <li>Depressing trigger allows for intermittent water</li> </ul> | 134-0048-AW | 134-0048-AW-R | Arctic White & Chrome | No              | 10' (3m)    | White Rubber    |
| flow – lifting trigger locks it on for continuous                    | 134-0036-AW | 134-0036-AW-R | Arctic White & Chrome | No              | 6' (1.8m)   | Stainless Steel |
| water flow   | 134-0009-WH | 134-0009-WH-R | Warm White & Chrome   | Yes             | 6' (1.8m)   | White Rubber    |
| Ultra-low profile, chrome plated brass deck                          | 134-0033-WH | 134-0033-WH-R | Warm White & Chrome   | Yes             | 10' (3m)    | White Rubber    |
| holder   | 134-0031-WH | 134-0031-WH-R | Warm White & Chrome   | Yes             | 6' (1.8m)   | Stainless Steel |
| Heavy duty pull-out hose     Signals hale ground 1" 11/" (X)         | 134-0020-WH | 134-0020-WH-R | Warm White & Chrome   | No              | 6' (1.8m)   | White Rubber    |
| • Single hole mount, 1" - 1 1/4" Ø                                   | 134-0048-WH | 134-0048-WH-R | Warm White & Chrome   | No              | 10' (3m)    | White Rubber    |
| • Connection: 1/2" NPS-F   | 134-0036-WH | 134-0036-WH-R | Warm White & Chrome   | No              | 6' (1.8m)   | Stainless Steel |
|  | 134-0009-CP | 134-0009-CP-R | Chrome                | Yes             | 6' (1.8m)   | Black Rubber    |
|  | 134-0009-CW | 134-0009-CW-R | Chrome                | Yes             | 6' (1.8m)   | White Rubber    |
|  | 134-0033-CW | 134-0033-CW-R | Chrome                | Yes             | 10' (3m)    | White Rubber    |
|  | 134-0031-CP | 134-0031-CP-R | Chrome                | Yes             | 6' (1.8m)   | Stainless Steel |
|  | 134-0020-CP | 134-0020-CP-R | Chrome                | No              | 6' (1.8m)   | Black Rubber    |
|  | 134-0020-CW | 134-0020-CW-R | Chrome                | No              | 6' (1.8m)   | White Rubber    |
|  | 134-0048-CW | 134-0048-CW-R | Chrome                | No              | 10' (3m)    | White Rubber    |
|  | 134-0036-CP | 134-0036-CP-R | Chrome                | No              | 6' (1.8m)   | Stainless Steel |
|  | 134-0009-KP | 134-0009-KP-R | Black & Chrome        | Yes             | 6' (1.8m)   | Black Rubber    |
|  | 134-0031-KP | 134-0031-KP-R | Black & Chrome        | Yes             | 6' (1.8m)   | Stainless Steel |
|  |             |               |                       |                 |             |                 |

134-0020-KP-R

134-0036-KP-R

# Bulkhead Sprayer Holders sold separately (see page 39) **ELITE LOW**

Black & Chrome





#### **HAMMER-HEAD SPRAYER SERIES**

| With Elbow   | OEM #        | Aftermarket #  | Sprayer Finish        | Integrated Hook | Hose Length | Hose Type       |
|--|--------------|----------------|-----------------------|-----------------|-------------|-----------------|
| Heavy duty, UV protected, ABS plastic and  | 134-0041-AW  | 134-0041-AW-R  | Arctic White & Chrome | No              | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer  | 134-0043-AW  | 134-0043-AW-R  | Arctic White & Chrome | No              | 10' (3m)    | White Rubber    |
| <ul> <li>Complete water shut-off when trigger is not</li> </ul>                                  | 134-0045-AW  | 134-0045-AW-R  | Arctic White & Chrome | No              | 6' (1.8m)   | Stainless Steel |
| engaged  | 134-0041-WH≈ | 134-0041-WH-R≈ | Warm White & Chrome   | No              | 6' (1.8m)   | White Rubber    |
| Depressing trigger allows for intermittent water   | 134-0043-WH≈ | 134-0043-WH-R≈ | Warm White & Chrome   | No              | 10' (3m)    | White Rubber    |
| flow – lifting trigger locks it on for continuous  | 134-0045-WH≈ | 134-0045-WH-R≈ | Warm White & Chrome   | No              | 6' (1.8m)   | Stainless Steel |
| water flow   | 134-0041-KP≈ | 134-0041-KP-R≈ | Black & Chrome        | No              | 6' (1.8m)   | Black Rubber    |
| <ul> <li>Ultra-low profile or elite low profile≈, chrome<br/>plated brass deck holder</li> </ul> | 134-0045-KP≈ | 134-0045-KP-R≈ | Black & Chrome        | No              | 6' (1.8m)   | Stainless Steel |

- Heavy duty pull-out hose
- Single hole mount, 1"- 1 1/4" Ø
- Connection: 1/2" NPS-F

OEM # - Not Labeled Or Packaged For Resale

Aftermarket # - Labeled And Packaged For Resale

NOTE: Dimension Drawings ±¹/s" (for reference only - may not be to scale)

≈ To Be Refreshed/Replaced When Inventory is Depleted

## **DECK-MOUNT SPRAYERS**



#### **Deck-Mount Sprayer**

|   | <b>4</b> , 5 <b>.</b> . |                |                     |                 |             |                 |
|---|-------------------------|----------------|---------------------|-----------------|-------------|-----------------|
| With Elbow  | OEM #                   | Aftermarket #  | Sprayer Finish      | Integrated Hook | Hose Length | Hose Type       |
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>                         | 134-0008-WH∞            | 134-0008-WH-R∞ | Warm White & Chrome | Yes             | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer   | 134-0058-WH∞            | 134-0058-WH-R∞ | Warm White & Chrome | Yes             | 10' (3m)    | White Rubber    |
| <ul> <li>Complete water shut-off when trigger is not</li> </ul>                       | 134-0057-WH∞            | 134-0057-WH-R∞ | Warm White & Chrome | Yes             | 6' (1.8m)   | Stainless Steel |
| engaged   | 134-0059-WH∞            | 134-0059-WH-R∞ | Warm White & Chrome | No              | 6' (1.8m)   | White Rubber    |
| <ul> <li>Depressing trigger allows for intermittent water</li> </ul>                  | 134-0061-WH∞            | 134-0061-WH-R∞ | Warm White & Chrome | No              | 10' (3m)    | White Rubber    |
| flow – lifting trigger locks it on for continuous                                     | 134-0060-WH∞            | 134-0060-WH-R∞ | Warm White & Chrome | No              | 6' (1.8m)   | Stainless Steel |
| water flow  | 134-0008-CP∞            | 134-0008-CP-R∞ | Chrome              | Yes             | 6' (1.8m)   | Black Rubber    |
| Ultra-low profile, chrome plated brass deck   | 134-0008-CW∞            | 134-0008-CW-R∞ | Chrome              | Yes             | 6' (1.8m)   | White Rubber    |
| holder  | 134-0058-CW∞            | 134-0058-CW-R∞ | Chrome              | Yes             | 10' (3m)    | White Rubber    |
| <ul> <li>Heavy duty pull-out hose</li> <li>Single hole mount, 1"- 1 1/4" Ø</li> </ul> | 134-0057-CP∞            | 134-0057-CP-R∞ | Chrome              | Yes             | 6' (1.8m)   | Stainless Steel |
| • Connection: 1/2" NPS-F  | 134-0059-CP∞            | 134-0059-CP-R∞ | Chrome              | No              | 6' (1.8m)   | Black Rubber    |
| Connection, 72 NF5-F  | 134-0059-CW∞            | 134-0059-CW-R∞ | Chrome              | No              | 6' (1.8m)   | White Rubber    |
|   | 134-0061-CW∞            | 134-0061-CW-R∞ | Chrome              | No              | 10' (3m)    | White Rubber    |
|   | 134-0060-CP∞            | 134-0060-CP-R∞ | Chrome              | No              | 6' (1.8m)   | Stainless Steel |
|   | 134-0008-KP∞            | 134-0008-KP-R∞ | Black & Chrome      | Yes             | 6' (1.8m)   | Black Rubber    |
|   | 134-0057-KP∞            | 134-0057-KP-R∞ | Black & Chrome      | Yes             | 6' (1.8m)   | Stainless Steel |

134-0059-KP-R∞ Black & Chrome

134-0060-KP-R∞ Black & Chrome

134-0059-KP∞

134-0060-KP∞

## Bulkhead Sprayer Holders sold separately (see page 39)

No



Black Rubber

Stainless Steel

6' (1.8m)



#### **Deck-Mount Sprayer**

|   | J. J. J.    |               |                       |                 | _           |                 |
|---|-------------|---------------|-----------------------|-----------------|-------------|-----------------|
| With Elbow  | OEM #       | Aftermarket # | Sprayer Finish        | Integrated Hook | Hose Length | Hose Type       |
| • 2-function spray/aerated stream with water                    | 134-0012-AW | 134-0012-AW-R | Arctic White & Chrome |                 | 6' (1.8m)   | White Rubber    |
| conserving "stand-by" button (NOTE:                             | 134-0035-AW | 134-0035-AW-R | Arctic White & Chrome |                 | 10' (3m)    | White Rubber    |
| "stand-by" is NOT a complete water shut-off,                    | 134-0034-AW | 134-0034-AW-R | Arctic White & Chrome |                 | 6' (1.8m)   | Stainless Steel |
| it allows a small amount of water to continue                   | 134-0012-WH | 134-0012-WH-R | Warm White & Chrome   |                 | 6' (1.8m)   | White Rubber    |
| to trickle)   | 134-0035-WH | 134-0035-WH-R | Warm White & Chrome   |                 | 10' (3m)    | White Rubber    |
| Heavy duty, UV protected, ABS plastic and                       | 134-0034-WH | 134-0034-WH-R | Warm White & Chrome   |                 | 6' (1.8m)   | Stainless Steel |
| chrome plated brass sprayer                                     | 134-0012-KP | 134-0012-KP-R | Black & Chrome        |                 | 6' (1.8m)   | Black Rubber    |
| <ul> <li>Ultra-low profile, chrome plated brass deck</li> </ul> | 134-0034-KP | 134-0034-KP-R | Black & Chrome        |                 | 6' (1 8m)   | Stainless Steel |

- Heavy duty pull-out hose
- Single hole mount, 1"- 1 1/4" Ø
- Connection: 1/2" NPS-F

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale

NOTE: Dimension Drawings  $\pm 1/8$ " (for reference only – may not be to scale)

∞ Available While Supplies Last

## **DECK-MOUNT SPRAYERS**

134-0051-CW

134-0050-CP

134-0011-KP

134-0023-KP

134-0049-KP

134-0050-KP



White Rubber

Stainless Steel

Black Rubber

Stainless Steel

Black Rubber

Stainless Steel

10' (3m)

6' (1.8m)

6' (1.8m)

6' (1.8m)

6' (1.8m)

Yes

No

No



| -   | OEM #       | Aftermarket # | Sprayer Finish | Integrated Hook | Hose Length | Hose Type       |
|---|-------------|---------------|----------------|-----------------|-------------|-----------------|
| Heavy duty, UV protected, ABS plastic   | 134-0011-AW | 134-0011-AW-R | Arctic White   | Yes             | 6' (1.8m)   | White Rubber    |
| sprayer • Complete water shut-off when trigger is not engaged                       | 134-0021-AW | 134-0021-AW-R | Arctic White   | Yes             | 10' (3m)    | White Rubber    |
|   | 134-0023-AW | 134-0023-AW-R | Arctic White   | Yes             | 6' (1.8m)   | Stainless Steel |
|   | 134-0049-AW | 134-0049-AW-R | Arctic White   | No              | 6' (1.8m)   | White Rubber    |
| Depressing trigger allows for intermittent water                                    | 134-0051-AW | 134-0051-AW-R | Arctic White   | No              | 10' (3m)    | White Rubber    |
| flow – lifting trigger locks it on for continuous water flow                        | 134-0050-AW | 134-0050-AW-R | Arctic White   | No              | 6' (1.8m)   | Stainless Steel |
|   | 134-0011-WH | 135-0011-WH   | Warm White     | Yes             | 6' (1.8m)   | White Rubber    |
| Ultra-low profile, chrome plated brass deck   | 134-0021-WH | 134-0021-WH-R | Warm White     | Yes             | 10' (3m)    | White Rubber    |
| holder  | 134-0023-WH | 134-0023-WH-R | Warm White     | Yes             | 6' (1.8m)   | Stainless Steel |
| Heavy duty pull-out hose     Size all halls resource 1" 11" "                       | 134-0049-WH | 134-0049-WH-R | Warm White     | No              | 6' (1.8m)   | White Rubber    |
| <ul> <li>Single hole mount, 1"- 1 1/4" Ø</li> <li>Connection: 1/2" NPS-F</li> </ul> | 134-0051-WH | 134-0051-WH-R | Warm White     | No              | 10' (3m)    | White Rubber    |
| Connection. /2 INFS-F   | 134-0050-WH | 134-0050-WH-R | Warm White     | No              | 6' (1.8m)   | Stainless Steel |
|   | 134-0011-CP | 134-0011-CP-R | Chrome         | Yes             | 6' (1.8m)   | Black Rubber    |
|   | 134-0011-CW | 134-0011-CW-R | Chrome         | Yes             | 6' (1.8m)   | White Rubber    |
|   | 134-0021-CW | 134-0021-CW-R | Chrome         | Yes             | 10' (3m)    | White Rubber    |
|   | 134-0023-CP | 134-0023-CP-R | Chrome         | Yes             | 6' (1.8m)   | Stainless Steel |
|   | 134-0049-CP | 134-0049-CP-R | Chrome         | No              | 6' (1.8m)   | Black Rubber    |
|   | 134-0049-CW | 134-0049-CW-R | Chrome         | No              | 6' (1.8m)   | White Rubber    |

134-0051-CW-R

134-0050-CP-R

134-0011-KP-R

134-0023-KP-R

134-0049-KP-R

134-0050-KP-R

Chrome

Chrome

Black

Black

Black

Black



#### **Deck-Mount Sprayer**

#### **HAMMER-HEAD SPRAYER SERIES**

|  | OEM #        | Aftermarket #  | Sprayer Finish        | Integrated Hook | Hose Length | Hose Type       |
|--|--------------|----------------|-----------------------|-----------------|-------------|-----------------|
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>                                    | 134-0040-AW  | 134-0040-AW-R  | Arctic White & Chrome | No              | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer  | 134-0042-AW  | 134-0042-AW-R  | Arctic White & Chrome | No              | 10' (3m)    | White Rubber    |
| <ul> <li>Complete water shut-off when trigger is not</li> </ul>                                  | 134-0044-AW  | 134-0044-AW-R  | Arctic White & Chrome | No              | 6' (1.8m)   | Stainless Steel |
| engaged  | 134-0040-WH≈ | 134-0040-WH-R≈ | Warm White & Chrome   | No              | 6' (1.8m)   | White Rubber    |
| Depressing trigger allows for intermittent water   | 134-0042-WH≈ | 134-0042-WH-R≈ | Warm White & Chrome   | No              | 10' (3m)    | White Rubber    |
| flow – lifting trigger locks it on for continuous  | 134-0044-WH≈ | 134-0044-WH-R≈ | Warm White & Chrome   | No              | 6' (1.8m)   | Stainless Steel |
| water flow   | 134-0040-KP≈ | 134-0040-KP-R≈ | Black & Chrome        | No              | 6' (1.8m)   | Black Rubber    |
| <ul> <li>Ultra-low profile or elite low profile≈, chrome<br/>plated brass deck holder</li> </ul> | 134-0044-KP≈ | 134-0044-KP-R≈ | Black & Chrome        | No              | 6' (1.8m)   | Stainless Steel |
| plated blass deck floider  |              |                |                       |                 |             |                 |

• Connection: 1/2" NPS-F

• Heavy duty pull-out hose

• Single hole mount, 1"- 1 1/4" Ø

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only - may not be to scale) ≈ To Be Refreshed/Replaced When Inventory Is Depleted

## **DECK-MOUNT SPRAYERS**



| <b>Deck-Mount</b> | Spraver |
|-------------------|---------|
| Dock Mount        |         |

|   | aye.         |               |                |                 |             |                 |  |
|---|--------------|---------------|----------------|-----------------|-------------|-----------------|--|
|   | OEM #        | Aftermarket # | Sprayer Finish | Integrated Hook | Hose Length | Hose Type       |  |
| Heavy duty, UV protected, ABS plastic   | 134-0010-WH∞ |               | Warm White     | Yes             | 6' (1.8m)   | White Rubber    |  |
| sprayer   | 134-0053-WH∞ |               | Warm White     | Yes             | 10' (3m)    | White Rubber    |  |
| <ul> <li>Complete water shut-off when trigger is not</li> </ul>                                 | 134-0052-WH∞ |               | Warm White     | Yes             | 6' (1.8m)   | Stainless Steel |  |
| engaged   | 134-0054-WH∞ |               | Warm White     | No              | 6' (1.8m)   | White Rubber    |  |
| • Depressing trigger allows for intermittent water  | 134-0056-WH∞ |               | Warm White     | No              | 10' (3m)    | White Rubber    |  |
| flow – lifting trigger locks it on for continuous   | 134-0055-WH∞ |               | Warm White     | No              | 6' (1.8m)   | Stainless Steel |  |
| water flow  | 134-0010-CP∞ |               | Chrome         | Yes             | 6' (1.8m)   | Black Rubber    |  |
| Ultra-low profile, chrome plated brass deck   | 134-0010-CW∞ |               | Chrome         | Yes             | 6' (1.8m)   | White Rubber    |  |
|   | 134-0053-CW∞ |               | Chrome         | Yes             | 10' (3m)    | White Rubber    |  |
| , , ,   | 134-0052-CP∞ |               | Chrome         | Yes             | 6' (1.8m)   | Stainless Steel |  |
| holder  • Heavy duty pull-out hose  • Single hole mount, 1"- 1 ¹/4" Ø  • Connection: ¹/2" NPS-F | 134-0054-CP∞ |               | Chrome         | No              | 6' (1.8m)   | Black Rubber    |  |
|   | 134-0054-CW∞ |               | Chrome         | No              | 6' (1.8m)   | White Rubber    |  |
|   | 134-0056-CW∞ |               | Chrome         | No              | 10' (3m)    | White Rubber    |  |
|   | 134-0055-CP∞ |               | Chrome         | No              | 6' (1.8m)   | Stainless Steel |  |
|   | 134-0010-KP∞ |               | Black          | Yes             | 6' (1.8m)   | Black Rubber    |  |
|   | 134-0052-KP∞ |               | Black          | Yes             | 6' (1.8m)   | Stainless Steel |  |
|   | 134-0054-KP∞ |               | Black          | No              | 6' (1.8m)   | Black Rubber    |  |
|   | 134-0055-KP∞ |               | Black          | No              | 6' (1.8m)   | Stainless Steel |  |

#### Bulkhead Sprayer Holders sold separately (see page 39)



## CONTROL VALVES COLD ONLY







OEM#

136-0204-CP



**TRINIDAD**<sup>™</sup> SERIES

Finish

Chrome

#### **Control Valve**

• Wall or deck mounting option

• Designed for thin (fiberglass) walls/surfaces

• All brass valve body with metal handle

• Flexible stainless steel braided supply line hoses

Thin Wall / Fiberglass Mount

• Ceramic disc valve

• Easy installation - mounts directly to bulkhead/deck (no strapping required)

• Single hole mount, 1 1/4" Ø

• Connections: 1/2" NPS-M

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

Aftermarket #

∞ Available While Supplies Last

## CONTROL VALVES HOT/COLD






**AIDACK**™ SERIES

Finish

Chrome





#### **Control Valve**

| Thin | Wa | all / | Fik | perg | ass | Mount |  |
|------|----|-------|-----|------|-----|-------|--|
|      |    |       |     |      |     |       |  |
|      |    |       |     |      |     |       |  |

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M







OEM#

OEM#

136-0106-CP≈

136-2006-CP

136-2006-NP

OEM#

136-1706-CP

Aftermarket #

Aftermarket #

Aftermarket #



#### **ARTAINE**<sup>™</sup> SERIES

Finish

Chrome

Brushed Nickel

#### **Control Valve** Thin Wall / Fiberglass Mount

| • | Wall | or | deck | mounting | option |
|---|------|----|------|----------|--------|
|---|------|----|------|----------|--------|

- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M





#### **STASIS**<sup>™</sup> SERIES

Finish

Chrome

≈ To Be Refreshed/Replaced When Inventory Is Depleted

#### **Control Valve**

| Thin Wall / F                           | iberglass  | Mount |
|---|------------|-------|
| <ul> <li>Wall or deck mounti</li> </ul> | ing option |       |

- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle • Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 ¹/₄" ∅
- Connections: 1/2" NPS-M

## **WATER INLETS & OUTLETS**

Aftermarket #

P56-0190-SS




#### Water Inlet





OEM#


P56-0191-SS



Stainless Steel & Chrome

- Solid cast 316 stainless steel body and spin-nut
- Vinyl coated steel cable with chrome plated heavy duty ABS plastic cap
- Uses #8 fasteners (not included)
- Single hole mount, 1 1/4" Ø
- Connections: 3/4" NH-F (standard garden hose) to 1/2" NPT-F





Finish

| W | <mark>ater</mark> | Oi             | ıtl  | et             |
|---|-------------------|----------------|------|----------------|
|   | atti              | $\sim$ $\circ$ | 4 61 | $\sim$ $\iota$ |

- Solid cast 316 stainless steel body
- Vinyl coated steel cable with chrome plated heavy duty ABS plastic cap
- Uses #8 fasteners (not included)
- Single hole mount, 1 1/4" Ø
- Connections: 3/4" NH-M (standard garden hose) to 1/2" NPT-F

#### Aftermarket # P56-0201-SS P56-0200-SS

Stainless Steel & Chrome





## **Stainless Steel Spigot**

- All cast 316 stainless steel body and handle • All 316 stainless steel compression cartridge • All 316 stainless steel mounting hardware
- Wall or deck mounting option
- Single hole mount, 3/4" 1" Ø
- Connections: 1/2" NPS-M supply to 3/4" NH-M (standard garden hose)





| OEM # | Aftermarket # | Finish          |  |
|-------|---------------|-----------------|--|
|       | 133-0216-SS   | Stainless Steel |  |



FEATURING AIDACK™ ELITE FOLDING FAUCET# 132-1726-CP & BUILD-IN SOAP DISPENSER# 130-0011-CP

& STAINLESS STEEL SINK# **\$44-1610-UM** 

## FOLDING TAPS COLD ONLY



OEM#

132-1709-CP

OEM#

OEM#

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only - may not be to scale)

132-2009-CP

132-2009-NP

Aftermarket #

Aftermarket #

Aftermarket #

Aftermarket #

133-0209-CP

133-0208-CP



**TRINIDAD**<sup>™</sup> SERIES

**AIDACK**<sup>™</sup> SERIES

**ARTAINE**<sup>™</sup> SERIES

**Finish** 

Chrome

Brushed Nickel

**TRINIDAD**<sup>™</sup> SERIES

Finish

Finish

Chrome


Chrome











**AIDACK**<sup>™</sup> SERIES

Aftermarket # Finish Chrome

#### **Arc Spout**

• Spout rotates 180° front/back and swivels 180° side/side

**Elite Folding Tap** 

- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" 1" Ø
- Connection: 1/2" NPS-M








132-0229-CP

OEM#

132-1729-CP




**TRINIDAD**<sup>™</sup> SERIES Aftermarket # Finish

Chrome

- Spout rotates 180° front/back and swivels 180° side/side
- Ceramic disc valve
- Single hole mount, 3/4" 1" Ø

|     | $\mathbf{A}$ |
|-----|--------------|
|     |              |
| _ / |              |
|     |              |
| - " | DNLY         |
|     |              |
|     |              |






- Connection: 1/2" NPS-M







**AIDACK**<sup>™</sup> SERIES

Finish

#### **Angled Spout**

• Spout rotates 180° front/back and swivels 180° side/side

**Elite Folding Tap** 

- All brass body and spout with metal handle
- Ceramic disc valve
- $\bullet$  Single hole mount,  $^3/_4{''}$  1" Ø
- Connection: 1/2" NPS-M








OEM#

132-1739-CP



#### **TRINIDAD**<sup>™</sup> SERIES

- Ceramic disc valve
- $\bullet$  Single hole mount,  $^3/_4{''}$  1" Ø

| OEM #       | Aftermarket # | Finish |  |
|-------------|---------------|--------|--|
| 132-0239-CP |               | Chrome |  |

Aftermarket #

#### **Elite Folding Tap Angled Spout**

| • Spout 1 | rotate | s 180° | front | /back | and | swivel | s 180° | side/sid |
|-----------|--------|--------|-------|-------|-----|--------|--------|----------|
| A 11 1    |        | 1      |       | 4.1   |     | 1.1    | 11     |          |

- All brass body and spout with metal handle
- Connection: 1/2" NPS-M

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

J-Spout

• Ceramic disc valve

• Single hole mount, 3/4" - 1" Ø • Connection: 1/2" NPS-M

• All brass body and spout with metal handle

**Elite Folding Tap** 

• Spout rotates 180° front/back and swivels 180° side/side

**Folding Tap** 

• All brass body and spout with metal handle

**Elite Folding Tap** 

**Elite Folding Tap** 

• All brass body and ribbon spout with metal handle

• Spout rotates 180° front/back and swivels 180° side/side

• All brass body and spout with metal handle

• Spout rotates 180° front/back and swivels 180° side/side

• Spout rotates 180° front/back

• Single hole mount,  $^{3}/_{4}"$  - 1" Ø

• Connection: 1/2" NPS-M

• Compression valve

J-Spout

J-Spout

Ceramic disc valve

• Single hole mount, 3/4" - 1" Ø

• Connection: 1/2" NPS-M


• Ceramic disc valve

• Single hole mount, 3/4" - 1" Ø

• Connection: 1/2" NPS-M

## FOLDING FAUCETS HOT/COLD






**AIDACK**<sup>™</sup> SERIES

Finish

Chrome





#### **Elite Folding Faucet**

• Spout rotates 180° front/back and swivels 180° side/side

- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M





# **Elite Folding Faucet**

#### J-Spout • Spout rotates 180° front/back and swivels 180° side/side

- All brass body and ribbon spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M





OEM#

OEM#

OEM#


132-2025-CP

132-2025-NP

132-1725-CP

Aftermarket #

Aftermarket #



**ARTAINE**<sup>™</sup> SERIES

Chrome

Brushed Nickel

#### **TRINIDAD**<sup>™</sup> SERIES

#### J-Spout • Spout rotates 180° front/back and swivels 180° side/side

- All brass body and spout with metal handles Ceramic disc valves
- Two hole mount, 3/4" 1" Ø (2 1/2" 2 3/4" CC)
- Connections: 1/2" NPS-M



Aftermarket #

133-0210-CP

**EDGEWATER 200CC** FEATURING DECK-MOUNT SPRAYER# 134-0009-CP

NOTE: Dimension Drawings  $\pm 1/8$ " (for reference only – may not be to scale)




## HOT/COLD FOLDING FAUCETS










#### **AIDACK**<sup>™</sup> SERIES

Arc Spout Aftermarket # Finish • Spout rotates 180° front/back and swivels 180° side/side 132-1726-CP

- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M







#### **Elite Folding Faucet Arc Spout**

• Spout rotates 180° front/back and swivels 180° side/side

• All brass body and spout with metal handles

Ceramic disc valves

• Two hole mount, 3/4" - 1" Ø (2 1/2" - 2 3/4" CC)

• Connections: 1/2" NPS-M



132-0230-CP

OEM#

OEM#

132-0240-CP

132-1727-CP

**TRINIDAD**<sup>™</sup> SERIES Aftermarket # Finish

Aftermarket #







Finish

#### **Elite Folding Faucet Angled Spout**


• Spout rotates 180° front/back and swivels 180° side/side

• All brass body and spout with metal handle • Flexible stainless steel braided supply line hoses

Ceramic disc valve

• Single hole mount, 1" Ø • Connections: 1/2" NPS-M





#### **TRINIDAD**<sup>™</sup> SERIES

Finish

**Angled Spout** Spout rotates 180° front/back and swivels 180° side/side

**Elite Folding Faucet** 

• All brass body and spout with metal handles

• Ceramic disc valves

 $\bullet$  Two hole mount,  $^3/_4"$  - 1" Ø (2  $^1/_2"$  - 2  $^3/_4"$  CC)

• Connections: 1/2" NPS-M

**NOTE:** Dimension Drawings  $\pm 1/8$ " (for reference only – may not be to scale)

Aftermarket #

## PULL-OUT TAPS COLD ONLY



## **Pull-Out Deck Tap**

|   | OEM #       | Aftermarket # | <b>Body Finish</b> | Sprayer Finish                        | Hose Length | Hose Type      |
|---|-------------|---------------|--------------------|---------------------------------------|-------------|----------------|
| • 2-function spray/aerated stream with water  | 134-1712-CA |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 6' (1.8m)   | White Rubber   |
| conserving "stand-by" button (NOTE:           | 134-1735-CA |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 10' (3m)    | White Rubber   |
| "stand-by" is NOT a complete water shut-off,  | 134-1734-CA |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 6' (1.8m)   | Stainless Stee |
| it allows a small amount of water to continue | 134-1712-CW |               | Chrome             | Warm White & Chrome w/Locking Teeth   | 6' (1.8m)   | White Rubber   |
| to trickle)                                   | 134-1735-CW |               | Chrome             | Warm White & Chrome w/Locking Teeth   | 10' (3m)    | White Rubber   |
| Heavy duty, UV protected, ABS plastic and     | 134-1734-CW |               | Chrome             | Warm White & Chrome w/Locking Teeth   | 6' (1.8m)   | Stainless Stee |
| chrome plated brass sprayer                   | 134-1712-CK |               | Chrome             | Black & Chrome w/Locking Teeth        | 6' (1.8m)   | Black Rubber   |
| Heavy duty pull-out hose                      | 134-1734-CK |               | Chromo             | Black & Chrome will asking Tooth      | 6' 11 0-1   | Stainless Stee |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

AIDACK™ / CLASSIC SPRAYER SERIES

#### Bulkhead Sprayer Holder with Ambassador Marine's unique LOCKING TEETH sold separately (see page 39)



- All brass body with locking teeth and metal
- Flexible stainless steel braided supply line hose
- Ceramic disc valve
- Two hole mount, 1" Ø (1" 1 1/8" CC)

• Connection: 1/2" NPS-M

#### **Pull-Out Deck Tap**

# **AIDACK™ / SMALL SPRAYER** SERIES

|   | OEM #       | Aftermarket # | Body Finish | Sprayer Finish                        | Hose Length | Hose Type       |
|---|-------------|---------------|-------------|---------------------------------------|-------------|-----------------|
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>                   | 134-1720-CA |               | Chrome      | Arctic White & Chrome w/Locking Teeth | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer   | 134-1748-CA |               | Chrome      | Arctic White & Chrome w/Locking Teeth | 10' (3m)    | White Rubber    |
| <ul> <li>Complete water shut-off when trigger is not</li> </ul>                 | 134-1736-CA |               | Chrome      | Arctic White & Chrome w/Locking Teeth | 6' (1.8m)   | Stainless Steel |
| engaged   | 134-1720-CW |               | Chrome      | Warm White & Chrome w/Locking Teeth   | 6' (1.8m)   | White Rubber    |
| Depressing trigger allows for intermittent water                                | 134-1748-CW |               | Chrome      | Warm White & Chrome w/Locking Teeth   | 10' (3m)    | White Rubber    |
| flow – lifting trigger locks it on for continuous                               | 134-1736-CW |               | Chrome      | Warm White & Chrome w/Locking Teeth   | 6' (1.8m)   | Stainless Steel |
| water flow  | 134-1720-CP |               | Chrome      | Chrome w/Locking Teeth                | 6' (1.8m)   | Black Rubber    |
| Heavy duty pull-out hose     All brass body with locking teeth and metal handle | 134-1736-CP |               | Chrome      | Chrome w/Locking Teeth                | 6' (1.8m)   | Stainless Steel |
|   | 134-1720-CK |               | Chrome      | Black & Chrome w/Locking Teeth        | 6' (1.8m)   | Black Rubber    |
| Flexible stainless steel braided supply line hose                               | 134-1736-CK |               | Chrome      | Black & Chrome w/Locking Teeth        | 6' (1.8m)   | Stainless Steel |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

#### Bulkhead Sprayer Holder with Ambassador Marine's unique LOCKING TEETH sold separately (see page 39)



handle

• Ceramic disc valve

• Connection: 1/2" NPS-M

## COLD ONLY PULL-OUT TAPS



|   | OEM #       | Aftermarket # | <b>Body Finish</b> | Sprayer Finish                  | Hose Length                 | Hose Type        |  |
|---|-------------|---------------|--------------------|---------------------------------|-----------------------------|------------------|--|
| • 2-function spray/aerated stream                               | 134-1777-CW |               | Chrome             | Chrome w/Locking Teeth          | 6' (1.8m)                   | White Rubber     |  |
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>   | 134-1777-CP |               | Chrome             | Chrome w/Locking Teeth          | 6' (1.8m)                   | Black Rubber     |  |
| chrome plated brass sprayer                                     | 134-1779-CW |               | Chrome             | Chrome w/Locking Teeth          | 10' (3m)                    | White Rubber     |  |
| <ul> <li>Heavy duty pull-out hose</li> </ul>                    | 134-1778-CP |               | Chrome             | Chrome w/Locking Teeth          | 6' (1.8m)                   | Stainless Steel  |  |
| <ul> <li>All brass body with locking teeth and metal</li> </ul> |             |               | "Lockina Te        | eeth" prevent sprayer from rota | ting while in faucet body o | r bulkhead holde |  |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

# Bulkhead Sprayer Holder with Ambassador Marine's unique LOCKING TEETH sold separately (see page 39)








• Flexible stainless steel braided supply line hose

• Two hole mount, 1" Ø (1" - 1 ¹/8" CC)





#### **Pull-Out Deck Tap**

#### **AIDACK™ / LARGE SPRAYER** SERIES

|   | •            |               |                    |                                     |             |                 |
|---|--------------|---------------|--------------------|-------------------------------------|-------------|-----------------|
|   | OEM #        | Aftermarket # | <b>Body Finish</b> | Sprayer Finish                      | Hose Length | Hose Type       |
| Heavy duty, UV protected, ABS plastic and                       | 134-1759-CW∞ |               | Chrome             | Warm White & Chrome w/Locking Teeth | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer                                     | 134-1761-CW∞ |               | Chrome             | Warm White & Chrome w/Locking Teeth | 10' (3m)    | White Rubber    |
| <ul> <li>Complete water shut-off when trigger is not</li> </ul> | 134-1760-CW∞ |               | Chrome             | Warm White & Chrome w/Locking Teeth | 6' (1.8m)   | Stainless Steel |
| engaged   | 134-1759-CP∞ |               | Chrome             | Chrome w/Locking Teeth              | 6' (1.8m)   | Black Rubber    |
| Depressing trigger allows for intermittent water                | 134-1760-CP∞ |               | Chrome             | Chrome w/Locking Teeth              | 6' (1.8m)   | Stainless Steel |
| flow – lifting trigger locks it on for continuous               | 134-1759-CK∞ |               | Chrome             | Black & Chrome w/Locking Teeth      | 6' (1.8m)   | Black Rubber    |
| water flow  • Heavy duty pull-out hose                          | 134-1760-CK∞ |               | Chrome             | Black & Chrome w/Locking Teeth      | 6' (1.8m)   | Stainless Steel |
| Theavy duty pun-out nose  |              |               | #1 I. T            | .1.00                               |             |                 |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

#### Bulkhead Sprayer Holder with Ambassador Marine's unique LOCKING TEETH



• Connection: 1/2" NPS-M

handle

• Ceramic disc valve • Two hole mount, 1" Ø (1" - 1 ¹/8" CC)

• All brass body with locking teeth and metal

• Flexible stainless steel braided supply line hose

NOTE: Dimension Drawings  $\pm 1/8$ " (for reference only – may not be to scale)

• Ceramic disc valve

• Connection: 1/2" NPS-M

• Two hole mount, 1" Ø (1" - 1 1/8" CC)

## PULL-OUT FAUCETS HOT/COLD



#### **Head/Shower Combo Faucet**

#### TRINIDAD™ / CLASSIC SPRAYER SERIES

|  | OEM #        | Aftermarket # | <b>Body Finish</b> | Sprayer Finish                        | Hose Length | Hose Type       |
|--|--------------|---------------|--------------------|---------------------------------------|-------------|-----------------|
| • 2-function spray/aerated stream with water                           | 134-0204-CA  |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 6' (1.8m)   | White Rubber    |
| conserving "stand-by" button (NOTE:                                    | 134-0262-CA  |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 10' (3m)    | White Rubber    |
| "stand-by" is NOT a complete water shut-off,                           | 134-0224-CA  |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 6' (1.8m)   | Stainless Steel |
| it allows a small amount of water to continue                          | 134-0204-CW  | 135-0204-CW   | Chrome             | Warm White & Chrome w/Locking Teeth   | 6' (1.8m)   | White Rubber    |
| to trickle)  | 134-0262-CW  |               | Chrome             | Warm White & Chrome w/Locking Teeth   | 10' (3m)    | White Rubber    |
| Heavy duty, UV protected, ABS plastic and                              | 134-0224-CW  |               | Chrome             | Warm White & Chrome w/Locking Teeth   | 6' (1.8m)   | Stainless Steel |
| chrome plated brass sprayer  | 134-0263-CW∞ |               | Chrome             | Warm White & Chrome NO Locking Teeth  | 6' (1.8m)   | White Rubber    |
| Heavy duty pull-out hose   | 134-0264-CW∞ |               | Chrome             | Warm White & Chrome NO Locking Teeth  | 10' (3m)    | White Rubber    |
| All brass body with locking teeth and metal<br>handles                 | 134-0230-CW∞ |               | Chrome             | Warm White & Chrome NO Locking Teeth  | 6' (1.8m)   | Stainless Steel |
| <ul> <li>Flexible stainless steel braided supply line hoses</li> </ul> | 134-0204-CK  |               | Chrome             | Black & Chrome w/Locking Teeth        | 6' (1.8m)   | Black Rubber    |
| Ceramic disc valves  | 134-0224-CK  |               | Chrome             | Black & Chrome w/Locking Teeth        | 6' (1.8m)   | Stainless Steel |
| • Single hole mount, 1 1/4" Ø  | 134-0263-CK∞ |               | Chrome             | Black & Chrome NO Locking Teeth       | 6' (1.8m)   | Black Rubber    |
| • Connections: 1/2" NPS-M  | 134-0230-CK∞ |               | Chrome             | Black & Chrome NO Locking Teeth       | 6' (1.8m)   | Stainless Steel |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

## Bulkhead Sprayer Holder with Ambassador Marine's unique LOCKING TEETH





#### **Head/Shower Combo Faucet**

#### TRINIDAD™ / SMALL SPRAYER SERIES

|   | OEM #       | Aftermarket # | <b>Body Finish</b> | Sprayer Finish                        | Hose Length | Hose Type       |
|---|-------------|---------------|--------------------|---------------------------------------|-------------|-----------------|
| Heavy duty, UV protected, ABS plastic and   | 134-0213-CA |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer   | 134-0266-CA |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 10' (3m)    | White Rubber    |
| Complete water shut-off when trigger is not   | 134-0265-CA |               | Chrome             | Arctic White & Chrome w/Locking Teeth | 6' (1.8m)   | Stainless Steel |
| engaged   | 134-0213-CW |               | Chrome             | Warm White & Chrome w/Locking Teeth   | 6' (1.8m)   | White Rubber    |
| Depressing trigger allows for intermittent water  | 134-0266-CW |               | Chrome             | Warm White & Chrome w/Locking Teeth   | 10' (3m)    | White Rubber    |
| flow – lifting trigger locks it on for continuous   | 134-0265-CW |               | Chrome             | Warm White & Chrome w/Locking Teeth   | 6' (1.8m)   | Stainless Steel |
| water flow  | 134-0213-CP |               | Chrome             | Chrome w/Locking Teeth                | 6' (1.8m)   | Black Rubber    |
| <ul> <li>Heavy duty pull-out hose</li> <li>All brass body with locking teeth and metal</li> </ul> | 134-0265-CP |               | Chrome             | Chrome w/Locking Teeth                | 6' (1.8m)   | Stainless Steel |
| handles   | 134-0213-CK |               | Chrome             | Black & Chrome w/Locking Teeth        | 6' (1.8m)   | Black Rubber    |
|   | 134-0265-CK |               | Chrome             | Black & Chrome w/Locking Teeth        | 6' (1.8m)   | Stainless Steel |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder with Ambassador Marine's unique LOCKING TEETH



handles

• Ceramic disc valves • Single hole mount, 1 1/4" Ø • Connections: 1/2" NPS-M

• Flexible stainless steel braided supply line hoses

## HOT/COLD PULL-OUT FAUCETS



#### **Head/Shower Combo Faucet** TRINIDAD™ / KITCHEN SPRAYER SERIES

|   | OEM #       | Aftermarket # | Body Finish | Sprayer Finish                        | Hose Length          | Hose Type       |
|---|-------------|---------------|-------------|---------------------------------------|----------------------|-----------------|
| 2-function spray/aerated stream                                 | 134-0227-CW |               | Chrome      | Chrome w/Locking Teeth                | 6' (1.8m)            | White Rubber    |
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>   | 134-0227-CP |               | Chrome      | Chrome w/Locking Teeth                | 6' (1.8m)            | Black Rubber    |
| chrome plated brass sprayer                                     | 134-0229-CW |               | Chrome      | Chrome w/Locking Teeth                | 10' (3m)             | White Rubber    |
| <ul> <li>Heavy duty pull-out hose</li> </ul>                    | 134-0228-CP |               | Chrome      | Chrome w/Locking Teeth                | 6' (1.8m)            | Stainless Steel |
| <ul> <li>All brass body with locking teeth and metal</li> </ul> |             |               | "Locking Te | eth" prevent sprayer from rotating wh | ile in faucet hody o | hulkhead holder |


"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder


# Bulkhead Sprayer Holder with Ambassador Marine's unique LOCKING TEETH sold separately (see page 39)











#### **Head/Shower Combo Faucet**

#### TRINIDAD™ / LARGE SPRAYER SERIES

|   | OEM #        | Aftermarket # | <b>Body Finish</b> | Sprayer Finish                      | Hose Length | Hose Type       |
|---|--------------|---------------|--------------------|-------------------------------------|-------------|-----------------|
| <ul> <li>Heavy duty, UV protected, ABS plastic and</li> </ul>   | 134-0215-CW∞ |               | Chrome             | Warm White & Chrome w/Locking Teeth | 6' (1.8m)   | White Rubber    |
| chrome plated brass sprayer                                     | 134-0268-CW∞ |               | Chrome             | Warm White & Chrome w/Locking Teeth | 10' (3m)    | White Rubber    |
| <ul> <li>Complete water shut-off when trigger is not</li> </ul> | 134-0267-CW∞ |               | Chrome             | Warm White & Chrome w/Locking Teeth | 6' (1.8m)   | Stainless Steel |
| engaged   | 134-0215-CP∞ |               | Chrome             | Chrome w/Locking Teeth              | 6' (1.8m)   | Black Rubber    |
| Depressing trigger allows for intermittent water                | 134-0267-CP∞ |               | Chrome             | Chrome w/Locking Teeth              | 6' (1.8m)   | Stainless Steel |
| flow – lifting trigger locks it on for continuous water flow    | 134-0215-CK∞ |               | Chrome             | Black & Chrome w/Locking Teeth      | 6' (1.8m)   | Black Rubber    |
| Heavy duty pull-out hose  | 134-0267-CK∞ |               | Chrome             | Black & Chrome w/Locking Teeth      | 6' (1.8m)   | Stainless Steel |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

## Bulkhead Sprayer Holder



ullet Single hole mount, 1  $^{1}/_{4}$ " arnothing $\bullet$  Connections: 1/2" NPS-M

• Ceramic disc valves

handles

with Ambassador Marine's unique LOCKING TEETH

• All brass body with locking teeth and metal

• Flexible stainless steel braided supply line hoses

• Ceramic disc valves

ullet Single hole mount, 1  $^1/_4$ " Ø


• Connections: 1/2" NPS-M

## PULL-OUT FAUCETS HOT/COLD









## **Pull-Out Galley Faucet**


|  | OEM #       | Aftermarket # | Finish | Sprayer Type | Hose Length | Hose Type       |
|--|-------------|---------------|--------|--------------|-------------|-----------------|
| • 2-function spray/aerated stream pull-out slim wand sprayer                   |             | 133-1734-CP   | Chrome | 2-Function   | 6' (1.8m)   | Stainless Steel |
| <ul> <li>Heavy duty pull-out hose with retraction and quick-connect</li> </ul> | 132-1735-CP |               | Chrome | 2-Function   | 10' (3m)    | Stainless Steel |

- All brass body and high arc swivel spout with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M










#### **Pull-Out Galley Faucet**

|  | OEM #       | Aftermarket # | Finish         | Sprayer Type | Hose Length | Hose Type       |
|--|-------------|---------------|----------------|--------------|-------------|-----------------|
| • 2-function spray/aerated stream pull-out sprayer                             | 132-2112-CP |               | Chrome         | 2-Function   | 4' (1.2m)   | Stainless Steel |
| <ul> <li>Heavy duty pull-out hose with retraction and quick-connect</li> </ul> | 132-2112-NP |               | Brushed Nickel | 2-Function   | 4' (1.2m)   | Stainless Steel |

- Swivel spout
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware • Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M







## **Pull-Out Galley Faucet**

|  | OEM #       | Aftermarket # | Finish         | Sprayer Type | Hose Length | Hose Type       |
|--|-------------|---------------|----------------|--------------|-------------|-----------------|
| 2-function spray/aerated stream pull-out sprayer | 132-1003-NP |               | Brushed Nickel | 2-Function   | 4' (1.2m)   | Stainless Steel |


- Heavy duty pull-out hose with retraction and quick-connect
- Swivel spout
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

# **Built-In Soap Dispensers**



## HOT/COLD PULL-OUT FAUCETS





## **Pull-Out Galley Faucet**

#### Sprayer Type Aftermarket # Finish Hose Length Hose Type Chrome 2-Function 4' (1.2m) Chrome 2-Function 6' (1.8m)

OEM # • 2-function spray/aerated stream pull-out sprayer 132-0003-CP Stainless Steel • Heavy duty pull-out hose with retraction and quick-connect 132-0031-CP Stainless Steel fitting 132-0003-NP Stainless Steel Brushed Nickel 2-Function 4' (1.2m) • Swivel spout 132-0031-NP Brushed Nickel 2-Function 6' (1.8m) Stainless Steel • Flexible stainless steel braided supply line hoses



• Ceramic disc valve

• Easy-Grip mounting hardware

• Single hole mount, 1 1/4" Ø


• Connections: 1/2" NPS-M











**Pull-Out Galley Faucet** 

|  | OEM # | Aftermarket # | Finish | Sprayer Type | Hose Length | Hose Type       |
|--|-------|---------------|--------|--------------|-------------|-----------------|
| on spray/aerated stream pull-out sprayer |       | 133-0112-CP   | Chrome | 2-Function   | 4' (1.2m)   | Stainless Steel |

- 2-function
- Heavy duty pull-out hose with retraction and quick-connect
- Swivel spout
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

## Built-In Soap Dispensers sold separately (see page 31)





FEATURING AIDACK™ ELITE FOLDING TAP# 132-1729-CP & STAINLESS STEEL SINK# \$14-2500-BR

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale

NOTE: Dimension Drawings  $\pm 1/8"$  (for reference only – may not be to scale)

## GALLEY FAUCETS HOT/COLD








OEM#

132-0101-CP





Finish

Chrome



**Galley Faucet** 

- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M





#### **Galley Faucet** High Arc Spout

- All brass body and swivel spout with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø • Connections: 1/2" NPS-M





Aftermarket #

- -



#### **Galley Faucet** Cast Spout

- All brass body and cast swivel spout with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/s" (for reference only - may not be to scale)



| TR | NI | DA | D | SERII |
|----|----|----|---|-------|
|    |    |    |   |       |

| OEM #        | Aftermarket # | Finish            |
|--------------|---------------|-------------------|
| 132-0205-CP≈ |               | Chrome            |
| 132-0205-CG∞ |               | Chrome & 18k Gold |
|              |               |                   |



∞ Available While Supplies Last ≈ To Be Refreshed/Replaced When Inventory Is Depleted

## **GALLEY ACCESSORIES**


Aftermarket #







OEM#



#### **Built-In Soap Dispenser**

- Lift-out nozzle and pump allows for easy refilling from above counter
- Heavy duty pump and nozzle for thicker soaps / lotions
- All brass nozzle and housing
- Clear plastic bottle for easy fill monitoring
- Single hole mount, 1" 1 1/4" Ø

| 130-0011-CP  | <br>Chrome         |
|--------------|--------------------|
| 130-0011-NP≈ | <br>Brushed Nickel |
|              |                    |











- High arc swivel spout
- Ceramic disc valve
- Single hole mount, 3/4" 1" Ø
- Connection: 1/2" NPS-M



132-0206-CP



Aftermarket # Finish 133-0206-CP Chrome





#### **Deck Tap**



- All cast brass body with metal handle • Ceramic disc valve
- Single hole mount, 3/4" 1" Ø
- Connection: 1/2" NPS-M





**TRINIDAD**<sup>™</sup> SERIES

OEM#

Aftermarket # 133-0211-CP

Finish Chrome



PREMIER PONTOONS ESCALANTE FEATURING TRINIDAD™ GALLEY TAP# 132-0206-CP

## HEAD FAUCETS HOT/COLD







#### **ALLURE**<sup>™</sup> SERIES

|  | OEM #        | Aftermarket # | Finish |
|--|--------------|---------------|--------|
| • "Joystick" control                       | 132-0600-CP∞ |               | Chrome |
| All brass body and spout with metal handle |              |               |        |

- Ceramic disc valve
- ullet Single hole mount, 1  $^1/_4$ " Ø

• Flexible stainless steel braided supply line hoses

• Connections: 1/2" NPS-M





#### **Head Faucet**


| _ |           |      |     |       |      |       |        |
|---|-----------|------|-----|-------|------|-------|--------|
| • | All brass | body | and | spout | with | metal | handle |

- Flexible stainless steel braided supply line hoses
- Ceramic disc valve • Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M









∞ Available While Supplies Last


| <ul> <li>All brass body with metal handle</li> </ul>                   |  |
|--|--|
| <ul> <li>Flexible stainless steel braided supply line hoses</li> </ul> |  |

**Head Faucet** 


- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-F












#### **AVIANI**™ SERIES

| OEM #       | Aftermarket # | Finish |
|-------------|---------------|--------|
| 132-0700-CP |               | Chrome |
|             |               |        |




| IRVA™  | SERIES |  |
|--------|--------|--|
| Finish |        |  |

| OEM #       | Aftermarket # | Finish         |  |
|-------------|---------------|----------------|--|
| 132-2100-CP |               | Chrome         |  |
| 132-2100-NP |               | Brushed Nickel |  |

## HOT/COLD HEAD FAUCETS






#### **Head Faucet**

• Ceramic disc valve • Single hole mount, 1 1/4" Ø

• Connections: 1/2" NPS-M

|  | OEM #        | Aftermarket # | Finish            |
|--|--------------|---------------|-------------------|
| All brass body with metal handle                     | 132-0800-CP≈ |               | Chrome            |
| • Flexible stainless steel braided supply line hoses | 132-0800-CG∞ |               | Chrome & 18k Gold |





#### **Head Faucet**


|                                  | OEM #        | Aftermarket # | Finish |
|----------------------------------|--------------|---------------|--------|
| All brass body with metal handle | 132-0100-CP≈ | 133-0100-CP≈  | Chrome |

- Flexible stainless steel braided supply line hoses Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M









**Head Faucet** 

|                                   | OEM # | Aftermarket # | Finish |
|-----------------------------------|-------|---------------|--------|
| All brass body with metal handles |       | 133-0207-CP   | Chrome |

- Flexible stainless steel braided supply line hoses • Ceramic disc valves
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

## WALL-MOUNT FAUCETS HOT/COLD





OEM#

OEM#

132-2024-CP


132-2024-NP

132-1724-CP

Aftermarket #

Aftermarket #

Aftermarket #







| Specifically designed for thin (fiberglass) walls                                    |
|--|
| • Control valve can be installed on left or right side of spout with variable spacin |

- Easy installation mounts directly to bulkhead (no strapping required)
- All brass body and spout with metal handle
- Flexible stainless steel braided supply lines and valve-to-spout connector hose with quick-connect
- Ceramic disc valve
- Two-hole mount, 1 1/4" Ø (or 1 1/4" Ø + 3/4" 1" Ø)
- Connections: 1/2" NPS-M







**ARTAINE**<sup>™</sup> SERIES

Chrome


Brushed Nickel

| • | Specifically | designed | for thin | (fiberalass) | walls |
|---|--------------|----------|----------|--------------|-------|

- Control valve can be installed on left or right side of spout with variable spacing
- Easy installation mounts directly to bulkhead (no strapping required)
- All brass body and ribbon spout with metal handle
- Flexible stainless steel braided supply lines and valve-to-spout connector hose with quick-connect
- Ceramic disc valve
- Two-hole mount, 1  $^{1}/_{4}$ " Ø (or 1  $^{1}/_{4}$ " Ø +  $^{3}/_{4}$ " 1 " Ø)
- Connections: 1/2" NPS-M

## VESSEL FAUCETS HOT/COLD







#### **Vessel Faucet**

| • Sized specifically to f | it Ambassador Marine's vessel sinks |
|---------------------------|-------------------------------------|

- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

#### OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±¹/s" (for reference only - may not be to scale)

OEM#

132-0723-CP

Finish

Chrome

## HOT/COLD MINI SHOWER MIXERS

Aftermarket #

Aftermarket #

OEM#

136-1706-CP





**AIDACK**<sup>™</sup> SERIES

Finish

Finish

Chrome

Finish

Chrome

Brushed Nickel

#### Mini Shower Mixer

| Thin Wall /                  | Fiberg | lass I | Mount |  |  |
|------------------------------|--------|--------|-------|--|--|
| Wall or deck mounting option |        |        |       |  |  |

- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M







OEM#

OEM#

136-0106-CP≈

136-2006-CP

136-2006-NP




Mini Shower Mixer

#### Thin Wall / Fiberglass Mount

- Wall or deck mounting option • Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required) • Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M





#### Mini Shower Mixer

| Ihin       | Wall /          | Fibergla     | ss Mount |
|------------|-----------------|--------------|----------|
| • \\/all a | برمام مار سم مر | nting anting |          |

• Designed for thin (fiberglass) walls/surfaces

≈ To Be Refreshed/Replaced When Inventory Is Depleted

- All brass valve body with metal handle
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

Aftermarket #

## SHOWER MIXERS HOT/COLD





#### **Shower Mixer** Thin Wall / Fiberglass Mount

• Wall or deck mounting option • Designed for thin (fiberglass) walls/surfaces

- All brass valve body and trim plate with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 ³/4" 2" ∅
- Connections: 1/2" NPS-M







OEM#

134-2132-CP


134-2132-NP

OEM#

134-0732-CP

Aftermarket #

Aftermarket #



**AVIANI**<sup>™</sup> SERIES

Finish

**IRVA**<sup>™</sup> SERIES

Finish

Chrome


Brushed Nickel

#### **Shower Mixer** Thin Wall / Fiberglass Mount

|                | -            | -     |      | -     |        | - | _ | _ |   |
|----------------|--------------|-------|------|-------|--------|---|---|---|---|
|                |              |       |      |       |        |   |   |   | H |
| • \\/all or do | مار <u>،</u> | malin | tina | <br>n | tion . |   |   |   |   |

- Designed for thin (fiberglass) walls/surfaces
- All brass valve body and trim plate with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 3/4" 2" Ø
- Connections: 1/2" NPS-M





## **Shower Mixer**

#### Thin Wall / Fiberglass Mount • Wall or deck mounting option

- Designed for thin (fiberglass) walls/surfaces
- All brass valve body and trim plate with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 3/4" 2" Ø
- Connections: 1/2" NPS-M

OEM#

134-0832-CP

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only - may not be to scale)

Finish

Chrome

PACIFICA™ (UNIVERSAL) SERIES

Aftermarket #

## HOT/COLD SHOWER MIXERS


Aftermarket #

135-0132-CP



OEM#

134-0132-CP



Finish

Chrome

#### **Shower Mixer**

Thin Wall / Fiberglass Mount • Wall or deck mounting option

- Designed for thin (fiberglass) walls/surfaces
- All brass valve body and trim plate with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 3/4" 2" Ø
- Connections: 1/2" NPS-M



#### Extarnal Charge Mixor

| External Snower Mixer  |    |
|--|----|
| Thin Wall / Fiberglass Mount OEM #   | Af |
| <ul> <li>Heavy duty, UV protected, ABS plastic</li> <li>134-0214-CA</li> </ul> |    |

| • He  | avy duty, UV protected, ABS plastic            |
|-------|--|
| spr   | ayer   |
| • Cor | mplete water shut-off when trigger is not      |
| eng   | gaged  |
| • De  | pressing trigger allows for intermittent water |

- flow lifting trigger locks it on for continuou water flow • Heavy duty hose • ABS plastic 2-position bulkhead sprayer hol
- Designed for thin (fiberglass) walls/surfaces
- All brass body with metal handles
- Compression valves
- Easy installation mounts directly to bulkhead (no strapping required)
- Two hole mount, 1" Ø (4" CC)
- Connections: 1/2" NPS-M

## **TRINIDAD**<sup>™</sup> SERIES

| U.     | 141176      |               |             | '              |             | 0               |
|--------|-------------|---------------|-------------|----------------|-------------|-----------------|
| unt    | OEM #       | Aftermarket # | Body Finish | Sprayer Finish | Hose Length | Hose Type       |
|        | 134-0214-CA |               | Chrome      | Arctic White   | 6' (1.8m)   | White Rubber    |
|        | 134-0217-CA |               | Chrome      | Arctic White   | 10' (3m)    | White Rubber    |
| ot     | 134-0207-CA |               | Chrome      | Arctic White   | 6' (1.8m)   | Stainless Steel |
|        | 134-0214-CW |               | Chrome      | Warm White     | 6' (1.8m)   | White Rubber    |
| water  | 134-0217-CW |               | Chrome      | Warm White     | 10' (3m)    | White Rubber    |
| ous    | 134-0207-CW |               | Chrome      | Warm White     | 6' (1.8m)   | Stainless Steel |
|        | 134-0214-CP |               | Chrome      | Chrome         | 6' (1.8m)   | Black Rubber    |
| older  | 134-0207-CP |               | Chrome      | Chrome         | 6' (1.8m)   | Stainless Steel |
| s<br>S | 134-0214-CK |               | Chrome      | Black          | 6' (1.8m)   | Black Rubber    |
|        | 134-0207-CK |               | Chrome      | Black          | 6' (1.8m)   | Stainless Steel |
|        |             |               |             |                |             |                 |




SOLACE 32 CS FEATURING AIDACK™ PULL-OUT DECK TAP# 134-1734-CK

For more information, please visit ambassadormarine.com

Hose Type

Stainless Steel





Sprayer Type

6-Function




#### **Elite Slide Bar Shower**

| • 6-function, heavy duty, ABS plastic spraye | r with |
|--|--------|
| self-cleaning jets                           |        |

- Water conserving "stand-by" setting (NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty hose
- All brass 90° bulkhead elbow with brass nipple
- Extra deep adjustable plastic soap dish
- Easy-locking adjustable height and rotating sprayer holder grips firmly where positioned anywhere along the bar to allow for infinite positioning
- 1" diameter metal bar and all brass posts with stainless steel mounting hardware
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M






Aftermarket # Finish

Aftermarket # Finish

135-0003-CP

135-0000-CP



Hose Length

Hose Type


Stainless Steel

Hose Length



| <ul> <li>6-function, heavy duty, ABS plastic sprayer with</li> </ul> |
|--|
| self-cleaning jets   |
| • Water conserving "stand-by" setting (NOTE: "stan                   |

- Water conserving "stand-by" setting (NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty hose
- ABS plastic 90° bulkhead elbow with brass nipple
- 2-position ABS plastic bulkhead sprayer holder with stainless steel mounting hardware
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M



Sprayer Type

6-Function

| Clean A     |   |
|-------------|---|
|             | · |
| AAAA        |   |
| Just Rub'en |   |
| "ST RUD O   |   |
|             |   |

134-0003-CP



FEATURING STASIS™ HEAD FAUCET# 132-0100-CP & STAINLESS STEEL SINK# **\$24-1408-UM** 

OEM # - Not Labeled Or Packaged For Resale

Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

## **SHOWER ACCESSORIES**


Aidack™ Pull-Out Deck Taps & Trinidad™ Head/Shower Combo Faucets

A ft - una - ulc - t #

Aftermarket #

131-0015-CP






#### **Bulkhead Sprayer Holder**

2-Position Aftermarket # Works with most standard 1/2" conical hoses 131-0042-CP Chrome

- Two positions allows sprayers to sit up-right or angled
- Heavy duty, ABS plastic
- Stainless steel mounting screws





Chrome

#### **Bulkhead Sprayer Holder**


w/Locking Teeth

OEM# Aftermarket # • Specific for use with Ambassador Marine sprayers with 15/1 Metric-F connection 131-0212-CP Unique "Locking Teeth" prevent sprayer with corresponding Locking Teeth from rotating while in "Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

- Heavy duty, ABS plastic
- Stainless steel mounting screws

faucet body or bulkhead holder





#### **Stand-By Switch**

|                                       | OEIVI # | Artermarket # | FINISN |
|---------------------------------------|---------|---------------|--------|
| • Works with most standard 1/2" hoses |         | 131-0013-CP   | Chrome |

OEM #

OEM#


OEM#

130-0015-CP

130-0015-CG∞

- NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle
- Connections: 1/2" NPS-M & 1/2" NPS-F





Chrome & 18k Gold

Finish

Chrome


#### 90° Bulkhead Elbow

| <ul> <li>Works with</li> </ul> | most standard | 1/2" hoses |  |
|--------------------------------|---------------|------------|--|

- All brass
- Allows hose to hang flat against the bulkhead
- Designed for thin (fiberglass) walls/surfaces
- Easy installation mounts directly to bulkhead, brass pipe nipple and lock nut included
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M & 1/2" NPS-M







#### **Tub Spout**

- All brass • Pull-up diverter control to switch between tub and shower
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-F

∞ Available While Supplies Last

| • Connections: 1/2" NPS-F                  |   |
|--|---|
| OEM # – Not Labeled Or Packaged For Resale | Aftermarket # – Labeled And Packaged For Resale |

134-0006-CP∞ Chrome 134-0006-GP∞ 18k Gold

Aftermarket #

# **HEAD ACCESSORIES I**



#### **Head Accessories**

#### **ELINA**<sup>™</sup> SERIES

|  | OEM #       | Aftermarket # | Finish | Item                        |
|--|-------------|---------------|--------|-----------------------------|
| All metal with brass body and base             | 130-1910-CP |               | Chrome | Robe Hook                   |
| <ul> <li>Mounting hardware included</li> </ul> | 130-1907-CP |               | Chrome | Towel Ring                  |
|  | 130-1908-CP |               | Chrome | Cup Holder                  |
| COORDINATES WITH:                              | 130-1909-CP |               | Chrome | Soap Dish                   |
| AIDACK™ SERIES ALLURE™ SERIES                  | 130-1901-CP |               | Chrome | Single Post T.P. Holder     |
|  | 130-1925-CP |               | Chrome | 18" (45.7 cm) Towel Bar Set |
|  | 130-1938-CP |               | Chrome | 24" (60.9 cm) Towel Bar Set |
| <b>AVIANI</b> ™ SERIES                         |             |               |        |                             |



|      | •           |
|------|-------------|
| Head | Accessories |
| Head | Accessories |

|                                    | OEM #       | Aftermarket # | Finish         | ltem                        |
|------------------------------------|-------------|---------------|----------------|-----------------------------|
| All metal with brass body and base | 130-2210-CP |               | Chrome         | Robe Hook                   |
| Mounting hardware included         | 130-2207-CP |               | Chrome         | Towel Ring                  |
|                                    | 130-2208-CP |               | Chrome         | Cup Holder                  |
| COORDINATES WITH:  ARTAINE SERIES  | 130-2209-CP |               | Chrome         | Soap Dish                   |
|                                    | 130-2201-CP |               | Chrome         | Single Post T.P. Holder     |
|                                    | 130-2225-CP |               | Chrome         | 18" (45.7 cm) Towel Bar Set |
|                                    | 130-2239-CP |               | Chrome         | Soap Basket                 |
|                                    | 130-2210-NP |               | Brushed Nickel | Robe Hook                   |
|                                    | 130-2207-NP |               | Brushed Nickel | Towel Ring                  |
|                                    | 130-2208-NP |               | Brushed Nickel | Cup Holder                  |
|                                    | 130-2209-NP |               | Brushed Nickel | Soap Dish                   |
|                                    | 130-2201-NP |               | Brushed Nickel | Single Post T.P. Holder     |
|                                    | 130-2225-NP |               | Brushed Nickel | 18" (45.7 cm) Towel Bar Set |
|                                    | 130-2239-NP |               | Brushed Nickel | Soap Basket                 |

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±'/s" (for reference only - may not be to scale)

## **HEAD ACCESSORIES**



|  | OEM #       | Aftermarket # | Finish         | ltem                        |
|--|-------------|---------------|----------------|-----------------------------|
| All metal                                      | 130-1810-CP |               | Chrome         | Robe Hook                   |
| <ul> <li>Mounting hardware included</li> </ul> | 130-1807-CP |               | Chrome         | Towel Ring                  |
|  | 130-1808-CP |               | Chrome         | Cup Holder                  |
| COORDINATES WITH:                              | 130-1809-CP |               | Chrome         | Soap Dish                   |
| IRVA <sup>™</sup> series                       | 130-1839-CP |               | Chrome         | Soap Basket                 |
| PACIFICA™ SERIES                               | 130-1801-CP |               | Chrome         | Single Post T.P. Holder     |
| STASIS SERIES                                  | 130-1826-CP |               | Chrome         | Double Post T.P. Holder Set |
|  | 130-1825-CP |               | Chrome         | 18" (45.7 cm) Towel Bar Set |
| <b>TRINIDAD</b> ™ SERIES                       | 130-1838-CP |               | Chrome         | 24" (60.9 cm) Towel Bar Set |
|  | 130-1810-NP |               | Brushed Nickel | Robe Hook                   |
|  |             |               |                |                             |

130-1807-NP

130-1808-NP

130-1809-NP

130-1839-NP

130-1801-NP

130-1826-NP

130-1825-NP

130-1838-NP

## **DRINK HOLDERS**

Towel Ring

Cup Holder

Soap Dish

Soap Basket

Single Post T.P. Holder

Double Post T.P. Holder Set

18" (45.7 cm) Towel Bar Set

24" (60.9 cm) Towel Bar Set

Brushed Nickel

P56-8820-SS



P56-8821-SS




#### Single Drink Holder

| • | Solid | cast | 316 | stainless | ctool |
|---|-------|------|-----|-----------|-------|
| • |       | Casi |     |           |       |

- Deck-mount
- Ideal for mugs with handles
- Uses #10 fasteners (not included)







Stainless Steel

## **Double Drink Holder**

- Solid cast 316 stainless steel
- Deck-mount
- Ideal for mugs with handles
- Uses #10 fasteners (not included)

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale

**NOTE:** Dimension Drawings  $\pm^1/\epsilon''$  (for reference only – may not be to scale)

P56-8800-SS

**Small Marine Sprayer** 

• Complete water shut-off when trigger is not

• 316 stainless steel internal plunger rod • Connection: 1/2" NPS-M or 15/1 Metric-F

## **MARINE SPRAYERS**









# Hammer-Head Marine Sprayer

|   | OEIVI #      | Aftermarket # | Sprayer Finish        | Elbow | Connection                       | Integrated Hook |
|---|--------------|---------------|-----------------------|-------|----------------------------------|-----------------|
| Complete water shut-off when trigger is not   | 138-0300-CA  | 138-0300-CA-R | Arctic White & Chrome | No    | 1/2" NPS-M                       | Yes             |
| engaged  • Depressing trigger allows for intermittent water   | 138-0301-CA  | 138-0301-CA-R | Arctic White & Chrome | No    | 1/2" NPS-M                       | No              |
| Depressing trigger allows for intermittent water<br>flow – lifting trigger locks it on for continuous<br>water flow     Heavy duty, UV protected, ABS plastic and | 138-0303-CA  | 138-0303-CA-R | Arctic White & Chrome | Yes   | 1/2" NPS-M                       | No              |
|   | 138-0300-CW  | 138-0300-CW-R | Warm White & Chrome   | No    | 1/2" NPS-M                       | Yes             |
|   | 138-0301-CW  | 138-0301-CW-R | Warm White & Chrome   | No    | 1/2" NPS-M                       | No              |
|   | 138-0303-CW  | 138-0303-CW-R | Warm White & Chrome   | Yes   | 1/2" NPS-M                       | No              |
| chrome plated brass   | 138-0309-CW∞ |               | Warm White & Chrome   | No    | 1/2" NPS-M For "Elite Base" Only | No              |
| All brass head and trigger     With or without elbow  | 138-0311-CW∞ |               | Warm White & Chrome   | Yes   | 1/2" NPS-M For "Elite Base" Only | No              |
| With or without removable hook  | 138-0300-CK  | 138-0300-CK-R | Black & Chrome        | No    | 1/2" NPS-M                       | Yes             |
| Connection: 1/2" NPS-M  | 138-0301-CK  | 138-0301-CK-R | Black & Chrome        | No    | 1/2" NPS-M                       | No              |
| Connection. 72 141 3-141  | 138-0303-CK  | 138-0303-CK-R | Black & Chrome        | Yes   | 1/2" NPS-M                       | No              |
|   | 138-0309-CK∞ |               | Black & Chrome        | No    | 1/2" NPS-M For "Elite Base" Only | No              |
|   | 138-0311-CK∞ |               | Black & Chrome        | Yes   | 1/2" NPS-M For "Elite Base" Only | No              |









15/1 Metric-F Elbow, NO "Locking Teeth"




## **Classic Marine Sprayer**

|  | OEM #        | Aftermarket # | Sprayer Finish        | Elbow | Connection                     | Integrated Hook |
|--|--------------|---------------|-----------------------|-------|--------------------------------|-----------------|
| • 2-function spray/aerated stream with water             | 138-0205-CA  | 138-0205-CA-R | Arctic White & Chrome | Yes   | 15/1 Metric-F w/ Locking Teeth |                 |
| conserving "stand-by" button (NOTE:                      | 138-0203-CW  | 138-0203-CW-R | Warm White & Chrome   | Yes   | 1/2" NPS-M                     |                 |
| "stand-by" is NOT a complete water shut-off              | 138-0205-CW  | 138-0205-CW-R | Warm White & Chrome   | Yes   | 15/1 Metric-F w/ Locking Teeth |                 |
| it allows a small amount of water to continue            | 138-0207-CW∞ |               | Warm White & Chrome   | Yes   | 15/1 Metric-F NO Locking Teeth |                 |
| to trickle)  • Heavy duty, UV protected, ABS plastic and | 138-0203-CK  | 138-0203-CK-R | Black & Chrome        | Yes   | 1/2" NPS-M                     |                 |
| chrome plated brass                                      | 138-0205-CK  | 138-0205-CK-R | Black & Chrome        | Yes   | 15/1 Metric-F w/ Locking Teeth |                 |
| • Connection: 1/2" NPS-M or 15/1 Metric-F                | 138-0207-CK∞ |               | Black & Chrome        | Yes   | 15/1 Metric-F NO Locking Teeth |                 |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder









## **Pull-Out Kitchen Sprayer**

∞ Available While Supplies Last

|   | OEM #       | Aftermarket # | Sprayer Finish | Elbow | Connection                     | Integrated Hook |
|---|-------------|---------------|----------------|-------|--------------------------------|-----------------|
| • 2-function spray/aerated stream                           | 138-0401-CP |               | Chrome         | No    | 1/2" NPS-M                     | No              |
| <ul> <li>Heavy duty, UV protected, ABS plastic</li> </ul>   | 138-0405-CP |               | Chrome         | Yes   | 15/1 Metric-F w/ Locking Teeth | No              |
| With or without chrome plated brass elbow                   | 138-0401-NP |               | Brushed Nickel | No    | 1/2" NPS-M                     | No              |
| <ul> <li>Connection: 1/2" NPS-M or 15/1 Metric-F</li> </ul> |             |               |                |       |                                |                 |

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

NOTE: Dimension Drawings  $\pm 1/8$ " (for reference only – may not be to scale)



<sup>1</sup>/<sub>2</sub>" NPS-M Elbow



15/1 Metric-F Elbow, With "Locking Teeth"

# Integrated Hook

Aftermarket # Sprayer Finish Elbow Connection 138-0000-AW 138-0000-AW-R Arctic White 1/2" NPS-M 138-0001-AW 138-0001-AW-R Arctic White 1/2" NPS-M

| <ul> <li>Depressing trigger allows for intermittent water</li> </ul> | 138-0002-AW | 138-0002-AW-R | Arctic White & Chrome | Yes | 1/2" NPS-M       |
|--|-------------|---------------|-----------------------|-----|------------------|
| flow – lifting trigger locks it on for continuous                    | 138-0003-AW | 138-0003-AW-R | Arctic White & Chrome | Yes | 1/2" NPS-M       |
| water flow   | 138-0005-AW | 138-0005-AW-R | Arctic White & Chrome | Yes | 15/1 Metric-F w/ |
| Heavy duty, UV protected, ABS plastic                                | 138-0000-WH | 139-0000-WH   | Warm White            | No  | 1/2" NPS-M       |
| With or without chrome plated brass elbow                            | 138-0001-WH | 138-0001-WH-R | Warm White            | No  | 1/2" NPS-M       |
| With or without removable book                                       |             |               |                       |     |                  |

|    | 100 0002 7111 | 100 0002 / 111 11 | A COLO TENINO OF CONTOURS | 103 | /2 141 3 141                   | 103 |
|----|---------------|-------------------|---------------------------|-----|--------------------------------|-----|
| us | 138-0003-AW   | 138-0003-AW-R     | Arctic White & Chrome     | Yes | 1/2" NPS-M                     | No  |
|    | 138-0005-AW   | 138-0005-AW-R     | Arctic White & Chrome     | Yes | 15/1 Metric-F w/ Locking Teeth | No  |
|    | 138-0000-WH   | 139-0000-WH       | Warm White                | No  | 1/2" NPS-M                     | Yes |
| 1  | 138-0001-WH   | 138-0001-WH-R     | Warm White                | No  | 1/2" NPS-M                     | No  |
|    | 138-0002-WH   | 138-0002-WH-R     | Warm White & Chrome       | Yes | 1/2" NPS-M                     | Yes |
|    | 138-0003-WH   | 138-0003-WH-R     | Warm White & Chrome       | Yes | 1/2" NPS-M                     | No  |
|    | 138-0005-WH   | 138-0005-WH-R     | Warm White & Chrome       | Yes | 15/1 Metric-F w/ Locking Teeth | No  |
|    | 138-0000-CP   | 138-0000-CP-R     | Chrome                    | No  | 1/2" NPS-M                     | Yes |
|    | 138-0001-CP   | 138-0001-CP-R     | Chrome                    | No  | 1/2" NPS-M                     | No  |
|    | 138-0002-CP   | 138-0002-CP-R     | Chrome                    | Yes | 1/2" NPS-M                     | Yes |
|    | 138-0003-CP   | 138-0003-CP-R     | Chrome                    | Yes | 1/2" NPS-M                     | No  |
|    | 138-0005-CP   | 138-0005-CP-R     | Chrome                    | Yes | 15/1 Metric-F w/ Locking Teeth | No  |
|    | 138-0000-KP   | 138-0000-KP-R     | Black                     | No  | 1/2" NPS-M                     | Yes |
|    | 138-0001-KP   | 138-0001-KP-R     | Black                     | No  | 1/2" NPS-M                     | No  |
|    | 138-0002-KP   | 138-0002-KP-R     | Black & Chrome            | Yes | 1/2" NPS-M                     | Yes |
|    | 138-0003-KP   | 138_0003_KP_R     | Black & Chrome            | Voc | 1/2" NIPS M                    | No  |

Black & Chrome

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

15/1 Metric-F w/ Locking Teeth No



15/1 Metric-F

Elbow, With "Locking Teeth"

1/2" NPS-M

Large Marine Sprayer Aftermarket # Sprayer Finish Integrated Hook Elbow Connection 138-0100-WH∞ --1/2" NPS-M Warm White 138-0102-WH∞ --Warm White & Chrome 1/2" NPS-M 138-0105-WH∞ --Warm White & Chrome 15/1 Metric-F w/ Locking Teeth 138-0100-CP∞ --Chrome 1/2" NPS-M 138-0102-CP∞ --1/2" NPS-M Chrome 138-0105-CP∞ 15/1 Metric-F w/ Locking Teeth Chrome 138-0100-KP∞ --1/2" NPS-M Black 138-0102-KP∞ --Black & Chrome 1/2" NPS-M

15/1 Metric-F w/ Locking Teeth "Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

• Complete water shut-off when trigger is not

• Depressing trigger allows for intermittent water

flow – lifting trigger locks it on for continuous

• Heavy duty, UV protected, ABS plastic

• 316 stainless steel internal plunger rod

• Connection: 1/2" NPS-M or 15/1 Metric-F

• With or without removable hook

• With or without chrome plated brass elbow

138-0105-KP∞

HOSES

15/1 Metric-M



1/2" NPS-F

**FOR USE WITH:** 

Aidack™ Pull-Out Deck Taps & Trinidad™ Head/Shower Combo Faucets

| 15/1 Metric-M + 1/2" NPS-F   | OEM #       | Aftermarket # | Finish          | Hose Length | Hose Type       |
|--|-------------|---------------|-----------------|-------------|-----------------|
| Brass fittings   | 130-0017-WH | 131-0017-WH   | White           | 6' (1.8m)   | Rubber          |
| <ul> <li>Female fitting(s) include rubber washer(s)</li> </ul>                     | 130-0028-WH | 130-0028-WH-R | White           | 10' (3m)    | Rubber          |
| Rubber Hoses   | 130-0017-KP | 130-0017-KP-R | Black           | 6' (1.8m)   | Rubber          |
| <ul> <li>Heavy duty, UV protected, nylon hose</li> </ul>                           | 130-0028-KP | 130-0028-KP-R | Black           | 10' (3m)    | Rubber          |
| <ul> <li>UV protection prevents discoloring and reduces cracking</li> </ul>        | 130-0017-SS | 130-0017-SS-R | Stainless Steel | 6' (1.8m)   | Stainless Steel |
| Stainless Steel Hoses  | 130-0028-SS | 130-0028-SS-R | Stainless Steel | 10' (3m)    | Stainless Steel |
| • Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner |             |               |                 |             |                 |

nylon hose • Extremely flexible with little-to-no "memory"

Hose

Hose

1/2" NPS-F Conical

1/2" NPS-F

FOR USE WITH: Recessed / Transom / Slide Bar / Hand-Held Showers & Deck Sprayers with Elite Deck Holders

| 11030   | cessed / Italisoni / Silde Da | ii / naiiu-neiu siiov | vers & Deck Spr | ayers with Ente | Deck Holders    |
|---|-------------------------------|-----------------------|-----------------|-----------------|-----------------|
| 1/2" NPS-F Conical + 1/2" NPS-F   | OEM #                         | Aftermarket #         | Finish          | Hose Length     | Hose Type       |
| Brass fittings  | 130-0033-WI                   | 130-0033-WH-R         | White           | 6' (1.8m)       | Rubber          |
| <ul> <li>Female fitting(s) include rubber washer(s)</li> </ul>                                    | 130-0018-WI                   | 130-0018-WH-R         | White           | 10' (3m)        | Rubber          |
| Rubber Hoses  | 130-0033-KP                   | 130-0033-KP-R         | Black           | 6' (1.8m)       | Rubber          |
| <ul> <li>Heavy duty, UV protected, nylon hose</li> </ul>  | 130-0018-KP                   | 130-0018-KP-R         | Black           | 10' (3m)        | Rubber          |
| <ul> <li>UV protection prevents discoloring and reduces cracking</li> </ul>                       | 130-0033-SS                   | 130-0033-SS-R         | Stainless Steel | 6' (1.8m)       | Stainless Steel |
| Stainless Steel Hoses   | 130-0018-SS                   | 130-0018-SS-R         | Stainless Steel | 10' (3m)        | Stainless Steel |
| <ul> <li>Heavy duty, continuous polished stainless steel ribbon wrapped<br/>nylon hose</li> </ul> | around soft inner 130-0031-CK | ∞                     | Chrome & Black  | 6' (1.8m)       | Rubber          |
| J =   |                               |                       |                 |                 |                 |

• Extremely flexible with little-to-no "memory"



1/2" NPS-F Adapter

#### **FOR USE WITH:** Hose Deck Sprayers with Standard Deck Holders

|   |             |               | , ,             |             |                 |
|---|-------------|---------------|-----------------|-------------|-----------------|
| 1/2" NPS-F Conical + 1/2" NPS-F Adapter                                     | OEM #       | Aftermarket # | Finish          | Hose Length | Hose Type       |
| Brass fittings  | 130-0032-WH | 130-0032-WH-R | White           | 6' (1.8m)   | Rubber          |
| <ul> <li>Female fitting(s) include rubber washer(s)</li> </ul>              | 130-0029-WH | 130-0029-WH-R | White           | 10' (3m)    | Rubber          |
| Rubber Hoses  | 130-0032-KP | 130-0032-KP-R | Black           | 6' (1.8m)   | Rubber          |
| <ul> <li>Heavy duty, UV protected, nylon hose</li> </ul>                    | 130-0029-KP | 130-0029-KP-R | Black           | 10' (3m)    | Rubber          |
| <ul> <li>UV protection prevents discoloring and reduces cracking</li> </ul> | 130-0032-SS | 130-0032-SS-R | Stainless Steel | 6' (1.8m)   | Stainless Steel |
| Stainless Steel Hoses   | 130-0029-SS | 130-0029-SS-R | Stainless Steel | 10' (3m)    | Stainless Steel |

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±'/s" (for reference only - may not be to scale)

• Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose

• Extremely flexible with little-to-no "memory"

FEATURING TRINIDAD™ HEAD/SHOWER COMBO FAUCET# 134-0213-CP

Quick-Connect (Type B)

#### Hose

**FOR USE WITH:** Pull-Out Faucets with Quick-Connect (B) Pull-Out Hose Connections

|  |             |               |                 | ,           |                 |
|--|-------------|---------------|-----------------|-------------|-----------------|
| Spout Head + Quick-Connect (B)   | OEM #       | Aftermarket # | Finish          | Hose Length | Hose Type       |
| Proprietary quick-connect fitting  | 130-0043-SS | 130-0043-SS-R | Stainless Steel | 4' (1.2m)   | Stainless Steel |
| • Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner | 130-0044-SS | 130-0044-SS-R | Stainless Steel | 6' (1.8m)   | Stainless Steel |
| nylon hose   | 130-0045-SS | 130-0045-SS-R | Stainless Steel | 10' (3m)    | Stainless Steel |
| • Extremely flexible with little-to-no "memory"                                    |             |               |                 |             |                 |

OEM#

130-0037-SS∞

130-0034-SS∞

Brass fittings



Spout

Head

Quick-Connect (Type A)

Aftermarket # Finish

#### **FOR USE WITH:** Pull-Out Faucets with Quick-Connect (A) Pull-Out Hose Connections

4' (1.2m)

Stainless Steel

Stainless Steel

Hose Length Hose Type

Stainless Steel

Stainless Steel

Spout Head + Quick-Connect Adapter (A)

• Proprietary quick-connect fitting

• Requires screw-on quick-connect adapter, sold separately

• Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose

• Extremely flexible with little-to-no "memory"

Brass fittings

Hose



**EDGEWATER 370CC** 

OEM # - Not Labeled Or Packaged For Resale

Aftermarket # - Labeled And Packaged For Resale

NOTE: Dimension Drawings ±1/8" (for reference only - may not be to scale) ∞ Available While Supplies Last

## **VESSEL SINKS**

Our Glass Vessel Sinks work with over mount installations only and may be installed with or without a decorative base ring. All sinks are made from heavy tempered glass. Drain kit sold separately (see pages 57 through 62).

If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (colors / textures / sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.





#### Half Sphere Glass Vessel - Smooth Glass

- Height: 4 <sup>3</sup>/<sub>4</sub>"
- Outside dimensions: 12" Ø
- Heavy tempered glass
- Over-counter mount only
- Optional mounting base ring, sold separately
- Fits 1 3/4" drains, sold separately



#### Rectangle Glass Vessel - Smooth Glass

• Height: 5 1/2"

- Outside dimensions: 16 1/2" x 16 1/2"
- Heavy tempered glass
- Over-counter mount only
- Optional mounting base ring, sold separately
- Fits 1 3/4" drains, sold separately





|          | OEM #       | Aftermarket # | Finish | Package Type |
|----------|-------------|---------------|--------|--------------|
| 4" DRAIN | V21-1402-CL | V21-1402-CL-R | Clear  | Each         |
| F        |             |               |        |              |



OEM# Aftermarket # Finish Package Type V41-1533-CL∞ V41-1533-CL-R∞ Each

Drains

sold separately (see pages 57-62)





#### **Glass Vessel Mounting Base** (Optional)

- Optional– for use with glass vessel sinks
- Lifts sink 1/2" off counter top • Solid brass
- For use with 1 3/4" drains

OEM# Aftermarket # Finish V03-0050-CP V03-0050-CP-R Chrome V03-0050-NP-R V03-0050-NP Brushed Nickel



REGULATOR 25 FEATURING RECESSED SHOWER# 136-0043-CW

Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only - may not be to scale) 

## **VESSEL SINKS**

Our Porcelain Vessel Sinks work with over mount installations only. All sinks are made from real porcelain. Drain kit sold separately (see pages 57 through 62).

If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (colors / textures / sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.



12 1/2" (32 cm)

Each



Porcelain Vessel - Smooth Surface





V28-1502-WH-R

• Height: 5 3/4"

• Outside dimensions: 12 1/2" Ø


• Real porcelain


Over-counter mount only

• Fits 1 3/4" drains, sold separately



V28-1502-WH





White

sold separately (see pages 57-62)

#### Rectangle

#### Porcelain Vessel - Smooth Surface

- Height: 5 1/2"
- Outside dimensions: 18 <sup>3</sup>/<sub>4</sub>" x 15"
- Faucet mounts directly on sink, 1 1/2" hole
- Real porcelain
- Over-counter mount only
- Fits 1 3/4" drains, sold separately

• Blue

 Smoke • Green • Frost Amber • Purple Stone



Drains

V48-3534-WH-R



Each

#### **GLASS AND PORCELAIN VESSEL SINKS** ARE AVAILABLE IN A WIDE VARIETY OF COLORS, SHAPES, SIZES AND TEXTURES. **GLASS COLORS** Our exclusive partnerships allow us to quickly add virtually any style glass or • Clear

porcelain vessel requested, ask your sales representative for options. nitment and additional lead-time may be required.







- Squares
- Triangles
- Scalloped

**GLASS TEXTURES** 

• and many more!

• Biscuit

• Almond

• and many more!

OEM # - Not Labeled Or Packaged For Resale

Most of our Stainless Steel Sinks work with over or under mount installations. All sinks are made from heavy gauge 304 stainless steel and features our exclusive SoundKOTE - Noise Reduction Technology. Drain kit sold separately (see pages 57 through 62).


If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (finishes / flanges / drain sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.











Aftermarket #

S24-1408-UM-R

S24-1408-BR-R

Finish

Ultra-Mirror

Ultra-Mirror

Brushed

Brushed



Each

Fach

10-Pack

10-Pack

Package Type

| Stain    | ess                             | Stee |
|----------|---------------------------------|------|
| • Depth: | 4 <sup>3</sup> / <sub>4</sub> " |      |

- Outside dimensions: 9 1/2" Ø
- Bowl dimensions: 8" Ø
- 304 stainless steel, heavy gauge

Half Sphere

- Passivated
- SoundKOTE® Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately

Stainless Steel Sink

• Outside dimensions: 10 1/2" Ø Bowl dimensions: 9" Ø • 304 stainless steel, heavy gauge

• Fits 2" drains, sold separately

• SoundKOTE® – Noise Reduction Technology • Over- or under-counter mount

• With mounting tabs, for over-counter mounting

• Depth: 4 1/4"

Passivated







OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±¹/s" (for reference only - may not be to scale)

OEM#

S24-1408-UM

S24-1408-BR

S24-1408-UM-10p

S24-1408-BR-10p



|   |                              |    |   |             | OEM #           | Aftermarket # | Finish       | Package Type |
|---|------------------------------|----|---|-------------|-----------------|---------------|--------------|--------------|
| , | 2" DRAIN                     | Щ  | 6 | UNDER-MOUNT | S26-1409-UM     | S26-1409-UM-R | Ultra-Mirror | Each         |
| É |                              |    | • | OVER-MOUNT  | S26-1409-UM-10p |               | Ultra-Mirror | 10-Pack      |
| ≥ | 23/4" (7 cm) 21/16" (5.2 cm) | ĮĘ |   |             | S26-1409-BR     | S26-1409-BR-R | Brushed      | Each         |
| _ | 1100                         | ᇤ  |   | )           | S26-1409-BR-10p |               | Brushed      | 10-Pack      |

#### Drains sold separately (see pages 57-62)





#### **Under-Mount Sink Brackets**

optional for solid surfaces or stone counters



SOLACE 41CS FEATURING AIDACK™ ELITE FOLDING FAUCET# 132-1427-CP & STAINLESS STEEL SINK# **S44-1610-UM** 

## STAINLESS STEEL SINKS



## **Half Sphere**

#### Stainless Steel Sink

- Depth: 4 <sup>7</sup>/8"
- Outside dimensions: 11 ½" Ø
- Bowl dimensions: 10 1/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology • Over- or under-counter mount
- Fits 1 1/2" drains, sold separately





#### **Half Sphere** Stainless Steel Sink

- Depth: 4 3/4"
- Outside dimensions: 11 ½" Ø
- ullet Bowl dimensions: 10  $^1/_4$ " arnothing
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately





#### **Half Sphere** Stainless Steel Sink

- Depth: 5 7/8" • Outside dimensions: 13 1/4" Ø
- Bowl dimensions: 11 ³/4″ Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



|   |    |   |             | OEM #           | Aftermarket # | Finish       | Package Type |
|---|----|---|-------------|-----------------|---------------|--------------|--------------|
| 2" DRAIN  | ĪΨ | 4 | UNDER-MOUNT | S24-1501-UM     | S24-1501-UM-R | Ultra-Mirror | Each         |
| "# @  | 19 | ľ | OVER-MOUNT  | S24-1501-UM-10p |               | Ultra-Mirror | 10-Pack      |
| 23/4"<br>(7 cm)<br>(7 cm)<br>21/16"<br>(5.2 cm) | ۱⋖ |   |             |                 |               |              |              |








**Drains** 

11 1/2" (29.2 cm)







OEM#

S64-6530-UM

S64-6530-BR

S64-6530-UM-10p

S64-6530-BR-10p

S64-6530-UM-R

S64-6530-BR-R



Each

Each

10-Pack

10-Pack

Ultra-Mirror

Ultra-Mirror

Brushed


Brushed

#### Oval

#### Stainless Steel Sink

- Depth: 5 1/4"
- Outside dimensions: 13 1/4" x 10 1/2" • Bowl dimensions: 11 1/4" x 8 1/2"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 1 1/2" drains, sold separately





OEM#

S64-1515-UM

S64-1515-UM-10p



Each

10-Pack

Ultra-Mirror

Ultra-Mirror

#### Oval

#### Stainless Steel Sink


- Depth: 5 1/4"
- Outside dimensions: 13 <sup>1</sup>/<sub>4</sub>" x 10 <sup>1</sup>/<sub>2</sub>"
- Bowl dimensions: 11 1/4" x 8 1/2" • 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately





— 1 ¹/₂" DRAIN

2" DRAIN



OEM #

S67-6515-UM

S67-6515-BR

S67-6515-UM-10p

S67-6515-BR-10p



#### Oval

#### Stainless Steel Sink

- Depth: 5 1/4"
- Outside dimensions: 17" x 12" • Bowl dimensions: 14 3/4" x 9 3/4"
- 304 stainless steel, heavy gauge
- Passivated

- SoundKOTE®- Noise Reduction Technology • Over- or under-counter mount
- With mounting studs, for over-counter mounting • Fits 1 1/2" drains, sold separately



Ultra-Mirror

Ultra-Mirror

Brushed

Brushed



Each

Each

10-Pack

10-Pack



#### **Under-Mount Sink Brackets**

S67-6515-UM-R

S67-6515-BR-R

optional for solid surfaces or stone counters old separately (see page 62)


OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±¹/s" (for reference only - may not be to scale)

## STAINLESS STEEL SINKS





2" DRAIN



OEM#



Package Type

#### Cylinder Stainless Steel Sink


- Depth: 5 1/4"
- Outside dimensions: 11 <sup>1</sup>/<sub>2</sub>" Ø
- Bowl dimensions: 10 1/8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE® Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately





- Depth: 7 1/2"
- Outside dimensions: 11 ½" Ø
- Bowl dimensions: 10 1/8" Ø
- 304 stainless steel, heavy gauge
- Passivated SoundKOTE® – Noise Reduction Technology
- Over- or under-counter mount • Fits 2" drains, sold separately






Finish

Aftermarket #






|      | OEM #           | Aftermarket # | Finish       | Package Type |
|------|-----------------|---------------|--------------|--------------|
|      | S14-2700-UM     | S14-2700-UM-R | Ultra-Mirror | Each         |
| TAUL | S14-2700-UM-10p |               | Ultra-Mirror | 10-Pack      |
|      |                 |               |              |              |









Each

10-Pack

Each

#### Cylinder Stainless Steel Sink

- Depth: 5 <sup>1</sup>/<sub>4</sub>"
- $\bullet$  Outside dimensions: 13  $^3/_8$ " Ø
- Bowl dimensions: 11 ³/₄″ Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately







Ultra-Mirror

Brushed

Ultra-Mirror









# Cylinder Stainless Steel Sink

- Outside dimensions: 13 3/8" Ø
- Bowl dimensions: 11 3/4" Ø • 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



# Cylinder Stainless Steel Sink

#### • Depth: 6"

- Outside dimensions: 15" Ø
- Bowl dimensions: 12 ³/8″ Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE® Noise Reduction Technology
- Over- or under-counter mount • Fits 2" drains, sold separately




# Cylinder Stainless Steel Sink


- Depth: 7 1/2"
- Outside dimensions: 18" Ø
- Bowl dimensions: 16 ½″ Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



|   |                               |     |   |                        | OEM #                            | Aftermarket # | Finish                       | Package Ty      |
|---|-------------------------------|-----|---|------------------------|----------------------------------|---------------|------------------------------|-----------------|
| _ | 2" DRAIN                      | NGE | 4 | UNDER-MOUNT OVER-MOUNT | \$14-2701-UM<br>\$14-2701-UM-10p | S14-2701-UM-R | Ultra-Mirror<br>Ultra-Mirror | Each<br>10-Pack |
| 2 | 23/4" (7 cm) 2 1/16" (5.2 cm) |     |   |                        |                                  |               |                              |                 |



|                   |                        | OEM #                            | Aftermarket # | Finish                       | Package Type    |
|-------------------|------------------------|----------------------------------|---------------|------------------------------|-----------------|
| Z 2" DRAIN U 4    | UNDER-MOUNT OVER-MOUNT | \$14-2602-UM<br>\$14-2602-UM-10p | S14-2602-UM-R | Ultra-Mirror<br>Ultra-Mirror | Each<br>10-Pack |
| 2 3/4 (5.2 cm LAN |                        |                                  |               |                              |                 |



|  |            |             | OEM #          | Aftermarket # | Finish  | Package Type |
|--|------------|-------------|----------------|---------------|---------|--------------|
| 2" DRAIN                                 | <b># 4</b> | UNDER-MOUNT | S14-2706-BR    | S14-2706-BR-R | Brushed | Each         |
| £ 12 E                                   | lΙΞ        | OVER-MOUNT  | S14-2706-BR-5p |               | Brushed | 5-Pack       |
| 23/4<br>7 cm<br>7 cm<br>21/16<br>(5.2 cm |            |             |                |               |         |              |

## Drains






#### **Under-Mount Sink Brackets** optional for solid surfaces or stone counters sold separately (see page 62)

#### OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±'/s" (for reference only - may not be to scale)

## STAINLESS STEEL SINKS





OEM#

S14-2806-UM

S14-2806-UM-5p



Finish

Ultra-Mirror

Ultra-Mirror

#### Cylinder Stainless Steel Sink

- Depth: 8 1/2"
- Outside dimensions: 18" Ø
- Bowl dimensions: 16 1/2" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



Aftermarket #

S14-2806-UM-R



Each

5-Pack

Package Type



#### **Under-Mount Sink Brackets**

optional for solid surfaces or stone counters sold separately (see page 62)



Z 2" DRAIN

INTREPID 477 EVOLUTION FEATURING TRINIDAD™ ELITE FOLDING FAUCET# 133-0210-CP & STAINLESS STEEL SINK# **\$26-1409-BR** 



FEATURING AIDACK™ ELITE FOLDING TAP# 132-1739-CP & STAINLESS STEEL SINK# **\$64-6530-UM** 

2" DRAIN

Package Type


Each

Each

10-Pack

10-Pack






OEM#

S44-1610-UM

S44-1610-BR

S44-1610-UM-10p

S44-1610-BR-10p



Aftermarket # Finish

Ultra-Mirror

Brushed

Brushed

Brushed

Ultra-Mirror

S44-1610-UM-R

S44-1610-BR-R

S44-1711-BR-R

S44-1831-UM-R


S44-1831-BR-R

#### Rectangle Stainless Steel Sink

#### • Depth: 6 1/8"

- Outside dimensions: 12 <sup>3</sup>/<sub>4</sub>" x 6 <sup>3</sup>/<sub>4</sub>"
- Bowl dimensions: 11 3/4" x 5 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately





OEM#

S44-1711-BR

S44-1711-BR-5p



Package Type

Each

5-Pack

#### Rectangle Stainless Steel Sink


- Outside dimensions: 13 1/4" x 10 1/2"
- Bowl dimensions: 11 <sup>3</sup>/<sub>4</sub>" x 9"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately






2" DRAIN

2" DRAIN





Fach

5-Pack

Each

5-Pack

#### Rectangle Stainless Steel Sink

- Outside dimensions: 14" x 13 1/4"
- Bowl dimensions: 12 1/2" x 11 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #

S44-1831-UM

S44-1831-BR

S44-1831-UM-5p

S44-1831-BR-5p



#### **Under-Mount Sink Brackets** optional for solid surfaces or stone counters

sold separately (see page 62)

#### OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±¹/s" (for reference only - may not be to scale)

Ultra-Mirror

Ultra-Mirror

Brushed


## STAINLESS STEEL SINKS

S44-4614-BR-R

S44-4914-BR-R







OEM#

OEM#

S44-4914-UM

S44-4914-BR

S44-4914-UM-5p


S44-4914-BR-5p

S44-4614-UM

S44-4614-BR

S44-4614-UM-5p

S44-4614-BR-5p



Each

5-Pack

5-Pack


Fach

#### Rectangle Stainless Steel Sink

- Depth: 6 1/8"
- Outside dimensions: 14 1/2" x 14 1/2"
- Bowl dimensions: 13" x 13"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE® Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



2" DRAIN



Ultra-Mirror

Ultra-Mirror

Brushed

Brushed

Each

5-Pack

Each

5-Pack

Ultra-Mirror

Ultra-Mirror


Brushed


Brushed

#### Rectangle Stainless Steel Sink

- Depth: 9 3/4"
- Outside dimensions: 14 1/2" x 14 1/2"
- Bowl dimensions: 13" x 13"
- 304 stainless steel, heavy gauge Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately







Drains

#### Rectangle Stainless Steel Sink

• Depth: 7 1/2"

- Outside dimensions: 17 1/8" x 15 1/2"
- Bowl dimensions: 15 1/2" x 13 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- Super-SoundKOTE® Noise Reduction Technology
- Under-counter mount only
- Fits 2" drains, sold separately







optional for solid surfaces or stone counters

2" DRAIN



Package Type

Each

5-Pack






OEM#

S44-1732-BR

S44-1732-BR-5p



Finish

Brushed

#### Rectangle Stainless Steel Sink


- Depth: 7 1/2" • Outside dimensions: 19 7/8" x 15 3/4"
- Bowl dimensions: 17 <sup>7</sup>/<sub>8</sub>" x 13 <sup>3</sup>/<sub>4</sub>"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



Aftermarket #

S44-1732-BR-R

ALBEMARLE 36 EXPRESS FEATURING STASIS™ HEAD FAUCET# 132-0100-CP & STAINLESS STEEL SINK# **S67-6515-BR** 



#### **Double Rectangle**

#### Stainless Steel Sink

- Depth: 8 <sup>1</sup>/<sub>8</sub>"
- Outside dimensions: 23 1/4" x 13 1/4"
- Bowl dimensions: 12 1/2" x 11 3/4" + 9" x 11 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®- Noise Reduction Technology
- Over- or under-counter mount • Fits 2" drains, sold separately







Ultra-Mirror

Package Type

Fach

5-Pack



## optional for solid surfaces or stone counters


#### OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±¹/s" (for reference only - may not be to scale)

## **DRAINS** – 1 3/4"

Our 1 <sup>3</sup>/<sub>4</sub>" Drains are made from heavy duty plastic and/or brass and are available in a wide variety of configurations and finishes, to match our sinks and your décor.

Most vessel sinks use a 1 <sup>3</sup>/<sub>4</sub>" drain and are generally used as head sinks. 1 <sup>3</sup>/<sub>4</sub>" drains are the standard size drain for vessel sinks in North America and Europe.

> If you need a configuration that is not shown, ask your sales representative for options. Minimum annual commitment and additional lead-time may be required for non-standard configurations.











#### 1 <sup>3</sup>/<sub>4</sub>" Touch Drain

#### With 1 <sup>1</sup>/<sub>4</sub>"-M Thread

- Tap to open/close
- All brass
- Connection: 1 1/4"-M thread










#### 1 3/4" Touch / Trap Drain

#### With 3/4" & 1" Hose Barb

- Tap to open/close
- Easy trap access
- All brass top
- Connection: 3/4" & 1" hose barb







#### 1 3/4" Touch / Trap Drain

With 1 1/4" & 1 1/2" Hose Barb

- Tap to open/close
- Easy trap access • All brass top
- Connection: 1 1/4" & 1 1/2" hose barb





| EM #       | Aftermarket # | Finish         | Overflow Intake | Connection               |
|------------|---------------|----------------|-----------------|--------------------------|
| 03-0709-CP | V03-0709-CP-R | Chrome         | No              | 1 1/4" & 1 1/2" Hose Bar |
| 03-0709-NP | V03-0709-NP-R | Brushed Nickel | No              | 1 1/4" & 1 1/2" Hose Bar |
|            |               |                |                 |                          |
|            |               |                |                 |                          |



#### 1 <sup>3</sup>/<sub>4</sub>" Touch / Trap Drain

#### With 1 <sup>1</sup>/<sub>4</sub>"-M Thread • Tap to open/close

• Easy trap access

| All brass top                 | 2 |
|-------------------------------|---|
| • Connection: 1 1/4"-M thread |   |

| RAIN  | 1 3/4" DRAIN   | fina a |
|-------|--|--------|
| ORAII | [8] [3] [3] [3] [3] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4 |        |


| OEM #       | Aftermarket # | Finish         | Overflow Intake | Connection                               |
|-------------|---------------|----------------|-----------------|--|
| V03-0716-CP | V03-0716-CP-R | Chrome         | No              | 1 <sup>1</sup> / <sub>4</sub> "-M Thread |
| V03-0716-NP | V03-0716-NP-R | Brushed Nickel | No              | 1 <sup>1</sup> / <sub>4</sub> "-M Thread |
|             |               |                |                 |  |

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

Our 1 1/2" Drains are made from heavy duty plastic, brass and/or stainless steel and are available in a wide variety of configurations and finishes, to match our sinks and your décor.

Sinks with  $1\frac{1}{2}$  drains are generally used as head sinks.  $1\frac{1}{2}$  drains are the standard size drain for lavatory sinks in North America.

> If you need a configuration that is not shown, ask your sales representative for options. Minimum annual commitment and additional lead-time may be required for non-standard configurations.



Overflow Intake Connection

1" Hose Barb

1" Hose Barb







#### 1 <sup>1</sup>/<sub>2</sub>" 95° Elbow Drain

#### With 1" Hose Barb

- Low profile
- Chain stopper • Finished stainless steel flange to match sink finish
- Connection: 1" hose barb







Finish

Ultra-Mirror

Brushed

Aftermarket # Finish

S01-0101-UP-R

S01-0101-BP-R

Aftermarket #

Aftermarket # Finish

S01-0304-CP-R

S01-0504-CP-R

S01-0304-NP-R

S01-0504-NP-R




## 1 <sup>1</sup>/<sub>2</sub>" Straight Drain

#### With 1 <sup>1</sup>/<sub>4</sub>"-M Thread

- Low profile
- Chain stopper
- Finished stainless steel flange to match sink finish
- Connection: 1 1/4"-M thread







Chrome

Chrome

Brushed Nickel

Brushed Nickel



≥ 1 <sup>1</sup>/<sub>2</sub>" DRAIN







Overflow Intake

Overflow Intake Connection



#### 1 1/2" SERIES

Connection

1 <sup>1</sup>/<sub>4</sub>"-M Thread

1 <sup>1</sup>/<sub>4</sub>"-M Thread

1 1/4"-M Thread

1 <sup>1</sup>/<sub>4</sub>"-M Thread

#### 1 <sup>1</sup>/<sub>2</sub>" Flip Drain

#### With 1 1/4"-M Thread

- Low profile
- Flip to open/close
- With or without overflow intake
- All brass
- Connection: 1 1/4"-M thread



OEM#

S01-0304-CP

S01-0504-CP

S01-0304-NP





#### 1 1/2" SERIES


#### With 1 <sup>1</sup>/<sub>4</sub>"-M Sweat

- Flip to open/close
- With or without overflow intake
- All brass
- Connection: 1 1/4"-M sweat fitting
- 1 1/2" DRAIN
- OEM # Aftermarket # Finish Overflow Intake Connection S01-0311-CP S01-0311-CP-R 1 1/4"-M Sweat Chrome S01-0511-CP S01-0511-CP-R 1 <sup>1</sup>/<sub>4</sub>"-M Sweat Chrome S01-0311-NP S01-0311-NP-R Brushed Nickel 1 1/4"-M Sweat S01-0511-NP S01-0511-NP-R Brushed Nickel 1 1/4"-M Sweat

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±¹/s" (for reference only - may not be to scale)








1 <sup>1</sup>/<sub>2</sub>" Flip / Trap Drain With <sup>3</sup>/<sub>4</sub>" & 1" Hose Barb

- Flip to open/close • With or without overflow intake
- Easy trap access
- All brass top
- Connection: 3/4" & 1" hose barb

|              | OEM #       | Aftermarket # | Finish         | Overflow Intake | Connection                                   |
|--------------|-------------|---------------|----------------|-----------------|--|
| 1 1/2" DRAIN | S01-0308-CP | S01-0308-CP-R | Chrome         | No              | <sup>3</sup> / <sub>4</sub> " & 1" Hose Barb |
| - F          | S01-0508-CP | S01-0508-CP-R | Chrome         | Yes             | 3/4" & 1" Hose Barb                          |
|              | S01-0308-NP | S01-0308-NP-R | Brushed Nickel | No              | 3/4" & 1" Hose Barb                          |
|              | S01-0508-NP | S01-0508-NP-R | Brushed Nickel | Yes             | 3/4" & 1" Hose Barb                          |







# 1 <sup>1</sup>/<sub>2</sub>" Flip / Trap Drain With 1 <sup>1</sup>/<sub>4</sub>" & 1 <sup>1</sup>/<sub>2</sub>" Hose Barb

- Flip to open/close
- With or without overflow intake
- Easy trap access
- All brass top
- Connection: 1 1/4" & 1 1/2" hose barb

| ·p                                     | OEM #       | Aftermarket # | Finish         | Overflow Intake | Connection  |
|--|-------------|---------------|----------------|-----------------|---|
| 1 1/2" DRAIN                           | S01-0309-CP | S01-0309-CP-R | Chrome         | No              | 1 1/4" & 1 1/2" Hose Barb   |
| <u> </u>                               | S01-0509-CP | S01-0509-CP-R | Chrome         | Yes             | 1 <sup>1</sup> / <sub>4</sub> " & 1 <sup>1</sup> / <sub>2</sub> " Hose Barb |
| 21/4"<br>(5.7 cm)<br>15/8"<br>(4.1 cm) | S01-0309-NP | S01-0309-NP-R | Brushed Nickel | No              | 1 <sup>1</sup> / <sub>4</sub> " & 1 <sup>1</sup> / <sub>2</sub> " Hose Barb |
|  | S01-0509-NP | S01-0509-NP-R | Brushed Nickel | Yes             | 1 1/4" & 1 1/2" Hose Barb   |
|  |             |               |                |                 |   |














#### 1 <sup>1</sup>/<sub>2</sub>" Flip / Trap Drain

#### With 1 <sup>1</sup>/<sub>4</sub>"-M Thread

- Flip to open/close
- With or without overflow intake
- Easy trap access • All brass top • Connection: 1 1/4"-M thread





SPORTSMAN OPEN 282 FEATURING AIDACK™ ELITE FOLDING TAP# 132-1739-CP

Our 2" Drains are made from heavy duty plastic and stainless steel and are available in a wide variety of configurations and finishes, to match our sinks and your décor.

Sinks with 2" drains can be used as galley or head sinks. This is the standard size for most sinks in Europe and the rest of the world.

> If you need a configuration that is not shown, ask your sales representative for options. Minimum annual commitment and additional lead-time may be required for non-standard configurations.






2" DRAIN

2" DRAIN

#### 2" 95° Elbow Drain

| With 1" H | Hose B | arb |
|-----------|--------|-----|
|-----------|--------|-----|

- Low profile Chain stopper
- With or without stainless steel lift-out basket
- Finished stainless steel flange to match sink finish
- Connection: 1" hose barb







# 2" Straight Drain With 1 1/4"-M Thread

- Low profile Chain stopper
- With or without stainless steel lift-out basket
- Finished stainless steel flange to match sink finish
- Connection: 1 1/4"-M thread



S00-0003-UP

S00-0003-BP

OEM#

S00-0104-UP

S00-1104-UP

S00-0104-BP

S00-1104-BP



Finish

Ultra-Mirror

Brushed

Ultra-Mirror

Ultra-Mirror

Aftermarket # Finish

S00-0104-UP-R

S00-1104-UP-R

S00-0104-BP-R

S00-1104-BP-R



2" SERIES

1 <sup>1</sup>/<sub>4</sub>"-M Thread

1 <sup>1</sup>/<sub>4</sub>"-M Thread

1 1/4"-M Thread

1 <sup>1</sup>/<sub>4</sub>"-M Thread

Strainer Basket Connection

Yes

No

#### 2" 95° Elbow Floor Drain

With 1" Hose Barb • Flush mount

• Low profile

• Finished stainless steel flange

• Connection: 1" hose barb

Aftermarket #

S00-0003-UP-R

S00-0003-BP-R

OEM # - Not Labeled Or Packaged For Resale Aftermarket # - Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only - may not be to scale)

Strainer Basket Connection

1" Hose Barb

1" Hose Barb

S00-1108-BP




#### 2" Trap Drain With 3/4" & 1" Hose Barb

• Chain stopper With or without stainless steel lift-out basket

• Easy trap access

• Finished stainless steel flange to match sink finish

• Connection: 3/4" & 1" hose barb



Yes

3/4" & 1" Hose Barb

Brushed



## 2" Trap Drain

With 1 1/4" & 1 1/2" Hose Barb • Chain stopper

• With or without stainless steel lift-out hasket

• Easy trap access

• Finished stainless steel flange to match sink finish

• Connection: 1 1/4" & 1 1/2" hose barb



S00-1108-BP-R

|                     | OEM #       | Aftermarket # | Finish       | Strainer Basket | Connection  |
|---------------------|-------------|---------------|--------------|-----------------|---|
|                     | S00-0109-UP | S00-0109-UP-R | Ultra-Mirror | No              | 1 1/4" & 1 1/2" Hose Barb   |
| -S E                | S00-1109-UP | S00-1109-UP-R | Ultra-Mirror | Yes             | 1 <sup>1</sup> / <sub>4</sub> " & 1 <sup>1</sup> / <sub>2</sub> " Hose Barb |
| 2 1/16"<br>(5.2 cm) | S00-0109-BP | S00-0109-BP-R | Brushed      | No              | 1 1/4" & 1 1/2" Hose Barb   |
|                     | S00-1109-BP | S00-1109-BP-R | Brushed      | Yes             | 1 1/4" & 1 1/2" Hose Barb   |
|                     |             |               |              |                 |   |





S00-0116-UP-R

S00-0116-BP-R


S00-1116-UP-R Ultra-Mirror



Ultra-Mirror

Brushed





1 1/4"-M Thread

1 1/4"-M Thread

1 1/4"-M Thread

#### 2" Trap Drain With 1 <sup>1</sup>/<sub>4</sub>"-M Thread

- Chain stopper • With or without stainless steel lift-out basket
- Easy trap access
- Finished stainless steel flange to match sink finish
- Connection: 1 1/4"-M thread

2" DRAIN

OEM#

S00-0116-UP

S00-1116-UP

S00-0116-BP

No

Yes

No

## SINK & DRAIN ACCESSORIES



## **Glass Vessel Mounting Base**



- Lifts sink 1/2" off counter top
- Solid brass
- For use with 1 3/4" drains



V03-0050-NP

#### **Under-Mount Sink Bracket** (Optional)

| <ul> <li>Optional– for use with</li> </ul> | any under-mount stainless | s steel sink installation |
|--|---------------------------|---------------------------|

• Requires solid surface or stone counter top • All stainless steel

| OEM #       | Aftermarket # | Finish          | Package Type |
|-------------|---------------|-----------------|--------------|
| S00-0040-SS |               | Stainless Steel | Each         |
| S00-0044-SS | S00-0044-SS-R | Stainless Steel | 4-Pack       |

V03-0050-NP-R Brushed Nickel







Straight

Straight

90° Elbow



Connection

1 <sup>1</sup>/<sub>4</sub>"-F Thread

1 <sup>1</sup>/<sub>4</sub>"-F Thread

1 1/4"-F Thread



3/4" & 1" Hose

3/4" & 1" Hose

1 1/4" & 1 1/2" Hose

#### **Hose Barb Adapters**

|   | OEM #       | Aftermarket # | Finish |
|---|-------------|---------------|--------|
| <ul> <li>Sized to fit true <sup>3</sup>/<sub>4</sub>", 1", 1 <sup>1</sup>/<sub>4</sub>" and/or 1 <sup>1</sup>/<sub>2</sub>"-</li> </ul> | S00-0020-PL | S00-0020-PL-R | Gray   |
| US standard hoses   | S00-0021-PL | S00-0021-PL-R | Gray   |
| <ul> <li>Fits standard 1 <sup>1</sup>/<sub>4</sub>"-M thread drain fittings</li> </ul>  | S00-0022-PL | S00-0022-PL-R | Grav   |

- Heavy duty plastic Use with hose clamp (not included)
- Connection: 1 1/4"-F thread






#### **Trap Drain Body**

|  | OEM #       | Aftermarket # | Finish | Top Port                                 | Side Port     |
|--|-------------|---------------|--------|--|---------------|
| <ul> <li>Fits standard 1 <sup>1</sup>/<sub>4</sub>"-M threaded drain fittings</li> </ul> | S00-0016-PL | S00-0016-PL-R | Gray   | 1 <sup>1</sup> / <sub>4</sub> "-F Thread | 1 1/4"-M Thre |

- Side port connects to all Ambassador Marine Hose Barb Adapters or any standard 1 1/4"-F threaded
- Easy trap access
- Heavy duty plastic

#### In-Drain Accessories



OEM # - Not Labeled Or Packaged For Resale

Aftermarket # - Labeled And Packaged For Resale

NOTE: Dimension Drawings ±1/8" (for reference only - may not be to scale)

#### REPLACEMENT PARTS



## LIMITED WARRANT

Ambassador Marine faucets, sprayers, shower, drains and accessories are guaranteed to be free from material and workmanship defects under normal use and service for a period of five (5) years from the date of purchase. Proof of purchase is required for any and all warranty claims.

Ambassador Marine sinks are guaranteed to be free from material and workmanship defects under normal use and service for a period of one (1) year from the date of purchase. Proof of purchase is required for any and all warranty claims.

This warranty will not apply to products that were improperly installed, misapplied or incompatible with components not manufactured by Ambassador. Failures due to foreign debris are not covered under the terms of this limited warranty. Ambassador will not warrant any product that is physically damaged, neglected or altered outside the Ambassador factory.

Do not attempt to clean your Ambassador product with any kind of chemical or abrasive cleaner. Any abrasive will mar the finish and void the warranty. Do not leave your Ambassador product exposed to salt air without cleaning it regularly with fresh water, after every exposure or use.

All authorized returns are to be shipped postage prepaid to Ambassador Marine's service center. A Return Authorization Number is required and must be clearly visible on the shipping carton. Package all returns carefully. Ambassador will not be responsible for freight damage incurred during shipping to our service center.

No credit or payment will be issued or allowed to consumers on any item deemed defective. Ambassador Marine's total obligation is limited to the repair or replacement of the defective item only, at Ambassador Marine's sole discretion. All returns will be examined and/or tested under Ambassador Marine test criteria. Replacements will be shipped freight prepaid. Products found by Ambassador to NOT be defective (under the terms of this limited warranty) are subject to charges to be paid by the returnee for the testing and packaging of "tested good" items and may be returned only at returnee's expense. Further damage may occur due to testing and is not the responsibility of Ambassador.

In no event will Ambassador, its affiliated companies or agents be responsible for any labor whatsoever, cost of removal or re-installation, incidental and/or consequential damages arising out of the purchase or use of Ambassador products.

This limited warranty is in lieu of, and supersedes all other warranties, expressed or implied, and no other person is authorized to give any other warranty or assume obligation or liability on Ambassador Marine's behalf.


This limited warranty covers Ambassador Marine products sold or distributed in the United States and Canada only. Customers who purchase Ambassador Marine products sold by distributors in other countries must consult their local distributors for their warranty policy.

This warranty gives you certain legal rights which may vary from state to state.

This warranty is only a representation of the complete Ambassador Marine warranty outlined on the Ambassador Marine website.

Ambassador Marine Inc. reserves the right to make product specification changes, price changes and to change or discontinue models without notice or obligation. All spec drawing dimensions ± 1/16", unless noted. Some components may not be drawn to scale. Actual color of product may differ from printed/on-line materials.

#### TRADE SALES REPRESENTATIVES:



#### **UNITED STATES**

#### **GSW AND ASSOCIATES**

770.753.1463

Main Office
11807 Northfall Lane #904
Alpharetta, GA 30009 USA
FAX 770.753.1465 • www.gswandassociates.com

#### MIDWEST OUTDOOR MARKETING

573.317.1103

Main Office 5707 Osage Beach Parkway Osage Beach, MO 65065 USA www.momarketing.com

#### **US MARINE MARKETING**

843.945.4605

Main Office
1500 Highway 17 N #105
Surfside Beach, SC 29575 USA
FAX 888.203.6494 • www.usmarinemarketing.com

#### INTERWESTERN SALES

831.884.5105

Main Office
2 Harris Court #A4
Monterey, CA 93940 USA
FAX 831.884.5103 • www.interwesternsales.com

#### **CANADA**

#### INTERWESTERN SALES

831.884.5105

Main Office
2 Harris Court #A4
Monterey, CA 93940 USA
FAX 831.884.5103 • www.interwesternsales.com

#### CARIBBEAN & LATIN AMERICA

#### **CALA MARINE**

305.254.0214

Main Office 13571 SW 135th Avenue #201 Miami, FL 33186 USA FAX 305.254.0344 • www.cala-marine.com

PREFERRED VENDOR



COVER PHOTO: STARCRAFT MX Q DC FEATURING TRINIDAD™ FOLDING TAP# 133-0208-CP & STAINLESS STEEL SINK# \$26-1409-BR



...products built for the elements.™

