

Your new Ambassador faucet will give you years of trouble-free performance. Thank you for choosing our product for your home. Please read these instructions carefully before installing your new faucet.

Helpful items to install this faucet: ¥ a basin wrench

¥ adjustable wrench or pliers (2x) ¥ towel ¥ 2 rubber cone washers (for water supply lines) ¥ plumberÕs putty ¥ flashlight ¥ goggles

IMPORTANT POINTS TO REMEMBER

¥ When installing your new faucet, turn the connector nuts finger-tight, then use one wrench to hold the fitting and a second wrench to tighten the connection. CAUTION: Connections that are too tight will reduce the integrity of the system.

¥ Wrap all threaded connections with Teflon tape which is supplied with this faucet. Always wrap in a clockwise direction.



## **PROPER FINISH CARE**

Your New Faucet Is Protected By a Clear-Coat. To Clean It, You Only Need To Wipe It With A Damp, Soft Cloth. NEVER Use Any Abrasive Cleaners, Steel Wool, Or Chemicals, As They Will Harm The Finish And Void Your Warranty. For Additional Cleaning Help, Call Our Customer Service Center.

(1) Turn off water supply under sink. Cover the sink drain to prevent the loss of small parts. Remove old faucet, taking care not to damage existing water lines. If you need additional assistance with the removal of your existing faucet, consult that faucetÕs ownerÕs manual or its manufacturer. Clean sink area in preparation for new faucet.

## 

(4) After installation is complete (including pop-up drain), remove the aerator. Be careful not to scratch the finish. Turn the water supply back on and allow both hot and cold water to run for at least one full minute. While water is running, check all connections for leaks. Replace aerator. Nuts may need re-tightening. If leaks persist, refer to TROUBLE SHOOTING & REPAIR TIPS.



Customer Service 1-800-270-4AMC

## "\$)%

The manufacturer warrants its control cartridges to the original purchaser to be free from defects in material or workmanship for a period of 20 years from the date of purchase found on the retail sales receipt, a copy of which is required for any warranty claims. The warranty on the finish of this product is for one year from date of purchase. Do not attempt to clean your faucet with any kind of chemical or abrasive cleaner. Any abrasive will mar the finish and void your warranty. All that is necessary is to wipe it with a clean, damp cloth.

> % # \$ " " & \$ % # ' ( "! \$ # " 1-800-270-4AMC

Please be advised that this warranty does not cover labor, or other costs of installation, removal, repair, freight to or from the manufacturer, or reinstallation of faucets or parts. Further, this warranty is void when a defect or failure results from misuse, neglect, accident, improper installation, or modification of the faucet or parts, or as a result of work performed by other than the manufacturer.

This warranty is in lieu of all other expressed warranties. The sole and exclusive remedy against the maker hereunder shall be for repair or replacement of the faucet or parts, exclusively at the option of the manufacturer. Further, the manufacturer cannot issue refunds for products not purchased directly from the manufacturer. In no event will the maker or its agents be liable for incidental or consequential damages arising out of the purchase or use of this faucet.

If your state does not allow the exclusion or limitation of incidental or consequential damages the above limitations may not apply to you. This warranty gives you certain legal rights which may vary from State to State.







IF YOU HAVE ANY PROBLEMS, DO NOT CONTACT YOUR RETAILER FOR SERVICE OR PARTS. CALL OUR CUSTOMER SERVICE CENTER. FOR QUESTIONS, SERVICE, OR REPLACEMENT PARTS CALL: 1-800-270-4AMC

9:00 AM - 5:00 PM Pacific Time Monday - Friday





Associated Marketing Concepts Customer Service Warehouse 21624 Marilla Street Chatsworth, CA 91311-4123 www.ambassador-amc.com

© 2000 AMC